DOOR COLLECTION CATALOGUE

CORINTHIAN DOORS

A JELD WEN Company



CONTENTS

ENTRANCE DOORS	
Elements	
Blonde Oak & Pad Handles	
Infinity	1
Classic	1
Solidcarve	1
Madison	1
Slimlite	1
Urban	1
Seaboard	1
Lumina White Oak	1
Sunburst	1
Infusion Metal & Blade	1
Interblind	1
Backdoor	1
Flush Panel Doors	1
BAL 29 Doors	2
BAL 40 Doors	2
WIDE STYLE DOORS	2
WIDE STYLE DOORS INTERIOR DOORS & CAVITIES	2
INTERIOR DOORS & CAVITIES	3
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware	3
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn	3 3
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak	3 3 4
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed	3 3 4 4 4
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed Deco	3 3 4 4 4 4
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed Deco Madison	3 3 4 4 4 5 5
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed Deco Madison Balmoral	3 3 4 4 4 5 5
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed Deco Madison Balmoral Impressions	3 3 4 4 4 5 5
INTERIOR DOORS & CAVITIES Manhattan & Attica Hardware Moda Barn Moda White Oak Moda Primed Deco Madison Balmoral Impressions Motive	3 3 4 4 4 5 5 5 5

DOOR CARE & MAINTENANCE







ENTRANCE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours. Door size[†]: 2340/2040 x 920/820 x 40mm. †Special sizes available.

HERRINGBONE DOOR



ELEM A5 HERRINGBONE WHITE OAK

Note: White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



ELEM A1 VERTICAL ASYMMETRICAL WHITE OAK



ELEM A2 VERTICAL SYMMETRICAL WHITE OAK



ELEM A3 HORIZONTAL ASYMMETRICAL WHITE OAK



ELEM A4 HORIZONTAL SYMMETRICAL WHITE OAK

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm. Configurations: Back to back or single.



PAD HANDLE ROUND WHITE OAK



ELEM H1B ROUND 300MM



ELEM H2B ROUND 200MM



PAD HANDLE SQUARE WHITE OAK



ELEM H3B SQUARE 300MM



ELEM H4B SQUARE 200MM



PAD HANDLE D-FORM WHITE OAK



ELEM H5B D-FORM 300MM



ELEM H6B D-FORM 200MM

AW0 2 WHITE OAK

BLONDE OAK

The pure versatility and simple elegance of each Blonde Oak entrance door makes them perfect for creating a clean, contemporary feel for your home.

Crafted from sustainable solid timber with a White Oak veneer, the Blonde Oak Collection opens up a world of design possibilities. Offering ten sleek entrance door designs, Blonde Oak is sure to add value, appeal and intrigue to any home's façade.

Door sizes[†]: 2340/2040 x 920/820 x 40mm.

Door sizes (AWO 21 & AWO 40 only)†: 2340/2040 x 920/820/770/720/620 x 40mm.

Sidelight sizes: 2340/2040 x 400 x 40mm.

Available in BAL 12.5 construction.

 $^\dagger\! A vailability$ of size range varies by design, construction type & state. Special sizes are available.







AW0SL 21 WHITE OAK



AW0 5VG WHITE OAK

INF 5VG MERBAU

INFINITY

Constructed from select hardwoods to suit Australia's heat and humidity, the Infinity range is highly durable. The Infinity's stile and rail design, rich timber grain and solid panels make it as beautiful as it is practical.

Door sizes†: 2040 x 820 x 40mm.

Door sizes (INF 21 & INF 40 only)†: 2040 x 820/770/720/620 x 40mm.

Sidelight size[†]: 2040 x 400 x 40mm.

Available in BAL 12.5 construction.

 † Availability of size range varies by design, construction type & state. Special sizes are available.



INF 4 MERBAU INF 14G INF 40 MERBAU INFSL 40 **INF 21** INFSL 21

CLASSIC

Providing an authentic period style for your home's entrance, the Classic range features deep carvings with traditional mouldings. To add further character, these elegant doors can be paired with a range of glazing options.

Door size[†]: 2040 x 820 x 40mm. Sidelight size[†]: 2040 x 400 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.



SOLIDCARVE

PCL 2

Solidcarve doors carry deep carved patterns on both sides and also feature square corner routing. These design elements combine to create eye-catching designs that range from contemporary to a hint of traditional.

PCL 1AG

PCLSL 1AG

PCSL 4G

Door size[†]: 2040 x 820 x 40mm. Sidelight size[†]: 2040 x 400 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.



PCL 4



MADISON

Thanks to its wide choice of glass options, the Madison range provides unmatched versatility in complementing your home. Solid construction also provides thermal efficiency and noise reduction.

Door size[†]: 2040 x 820 x 40mm. Sidelight size[‡]: 2040 x 400 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.









ID 111

PMADSL 111

AD 100

SLIMLITE

With sleek, modern geometry, Slimlite doors are the perfect choice for contemporary homes. An impressive range of glass choices allow light to warm your entry, while still maintaining

Door size†: 2040 x 820 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.





PSLM 201

URBAN

Featuring carved patterns both sides of the door, the Urban range will complement conservative modern or traditional architecture. Square corner routing adds to their clean and uncluttered appearance.

Door size[†]: 2040 x 820 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.





PURB 101



PURB 04



SEABOARD

PURB 104

Provide a welcoming entrance to your home with the warm, rustic charm of the Seaboard range. Constructed from natural Western Red Cedar, each door will display its own unique colour and texture.

Door size[†]: 2040 x 820 x 40mm. †Special sizes are available.



SEAV WESTERN RED CEDAR



PSLM 202



LUMINA WHITE OAK

With inserts that appear to float in mid-air, these stunning doors allow abundant light to enter through. Constructed from solid timber and featuring a White Oak veneer, the effect is striking and contemporary. Choose from clear or translucent glass.

Door size†: 2040 x 820 x 40mm. Available in BAL 12.5 construction. †Special sizes are available.





ALUM 5 WHITE OAK

SUNBURST

A beautiful combination of rich Merbau and glass, the Sunburst range makes a profound statement with its eyecatching patterns. Take it a step further and magnify your home's curb appeal with a double door set.

 $^\dagger \mbox{Special}$ sizes are available.



Door size[†]: 2040 x 820 x 40mm. Available in BAL 12.5 construction.



SUN AR MERBAU

SUN GL MERBAU

SUN GR MERBAU

19

INFUSION METAL & BLADE

Also available as pivot doors, the Infusion range features decorative metal inlays, providing sophisticated style. For finishes, you have a range of veneers to choose from including Victorian Ash and Jarrah.

Door size[†]: 2040 x 820 x 40mm. †Special sizes are available.



FUSMA 101 VICTORIAN ASH



FUSMJ 101 JARRAH



FUSMW 101 WALNUT



FUSMC 101



INTERBLIND

Control the light, look and privacy of your rooms with these stylish micro venetian blinds. They're encased between two sheets of safety glass, removing the need for cleaning or additional maintenance.

Door size: 2040 x 820 x 40mm.



BACKDOOR

Suitable for both contemporary and traditional homes, There are two designs available: Flush door with half light in Honeycomb and solid construction, and routed door with half light in solid construction only.

Door sizes[†]: 2040 x 820 x 40mm. Door sizes (No.7 only)†: 2040 x 820/770/720 x 35/40mm. Available in BAL 12.5 construction. †Availability of size range varies by design, construction type & state. Special sizes are available.



FUSMB 101

BLADA3 VICTORIAN ASH

BLADA4 **VICTORIAN ASH**



BLADJ3



BLADJ4



BLADW3



WESTERN RED CEDAR

FLUSH PANEL DOORS

Suitable for both contemporary and traditional homes, flush panel doors come pre-primed, ready for painting or as timber doors ready for staining.

Door sizes[†]: 2040/2340 x 1020/920/870/820/770/ 720/620/520 x 35/40mm. Available in BAL 12.5 construction. †Availability of size range varies by design, construction type & state. Special sizes are available.



EXP, PAINT PLY

VEX

BAL 29 DOORS



Corinthian offers the largest range of doors to meet the regulatory requirements of building in a number of designated bushfire zones, including BAL 12.5, BAL 29 and BAL 40. Across our range of BAL 29 doors, you can choose from primed designs or a range of veneers featuring decorative metal inlays.

Door size[†]: 2340/2040 x 820 x 40mm. Sidelight size[†]: 2040 x 400 x 40mm. $^{\dagger}\mbox{\sc Availability}$ of size range varies by design, construction type & state. Special sizes are available.



BAL 40 DOORS



Our BAL 40 range of doors meets the regulatory requirements of building in a BAL 40: Very High bushfire zone. You can choose from primed or veneer finished routered doors and sidelites, with or without glazed openings.

Door size[†]: 2040 x 820 x 42mm. Sidelight size[†]: 2040 x 400 x 42mm. †Special sizes are available.













PBUSH 4















FUSMM 101





FUSMW 101

BAL 29









PBUSHG 514

PBUSH 9





FUSMA 101

BAL 29



WIDE STYLE DOORS

THE ELEMENTS

Introducing Elements, our collection of architectural entrance doors crafted to add a touch of elegance to any façade. Each design is made from sustainable timber with a versatile oak veneer that can be stained in a diverse spectrum of colours. Door standard size[†]: 2340/2040 x 1200/1020 x 40mm. †Special sizes available.

HERRINGBONE DOOR



ELEMWS A5 HERRINGBONE WHITE OAK

Note: White Oak is a natural product, as such the colour, grain, texture and characteristics such as knots and gum veins can vary. Whilst every attempt is made to ensure veneers match, any variations in colour, grain, texture and characteristics such as knots and gum veins will not be considered a defect.

PLANKED DOORS



ELEMWS A1 VERTICAL ASYMMETRICAL WHITE OAK



ELEMWS A3 HORIZONTAL ASYMMETRICAL WHITE OAK



ELEMWS A2 VERTICAL SYMMETRICAL WHITE OAK



ELEMWS A4 HORIZONTAL SYMMETRICAL WHITE OAK

PAD HANDLES

Complete the look with a selection of luxurious oversized timber pad handles.

Handle size: 200 x 200mm or 300 x 300mm. Configurations: Back to back or single.



PAD HANDLE ROUND



ELEM H1B ROUND 300MM



ELEM H2B ROUND 200MM



PAD HANDLE SQUARE WHITE OAK



ELEM H3B SQUARE 300MM



ELEM H4B SQUARE 200MM




PAD HANDLE D-FORM WHITE OAK



ELEM H5B D-FORM 300MM





WIDE STYLE DOORS

If you're looking for a statement piece for your home, wide style doors are sure to impress. These doors embody Corinthian's commitment to craftsmanship and are available in a wide range of natural timbers, or primed designs you can paint to reflect your individual style. A range of complementary frames and systems are available to suit, including pivot and hinged options.

Door size[†]: 2340/2040 x 1200/1020 x 40mm.

 $^\dagger\! Availability$ of size range varies by design, construction type & state. Special sizes are available.









AWOWS 21 WHITE OAK

WIDE STYLE DOORS



FUSMA PV 101 VICTORIAN ASH

FUSMJ PV 101 JARRAH









PMAD PV 104













FUSMC PV 101 WESTERN RED CEDAR



BLADW PV 3 WESTERN RED CEDAR



BLADW PV 4 WESTERN RED CEDAR BLADA PV 3 VICTORIAN ASH



BLADA PV 4 VICTORIAN ASH















SUNWS GL MERBAU

*Doors pictured as viewed from exterior.









ALUMWS 3 WHITE OAK



INTERIOR DOORS & CAVITIES



MANHATTAN GLAZED CLEAR

Introducing Manhattan, a collection of 8 interior doors designed to provide an ultra-stylish feature in your next renovation or new build.

The range is FSC certified, available in clear or translucent glazing and provides install flexibility across a full range of internal applications.

Stocked in a range of standard sizes, including a curated range of hardware to suit the narrow 60mm stile.

Corinthian Doors makes achieving industrialchic easy.

2040/2340 x 920/870/820/770/720/620/520 x 35mm 2150/2450 x 1000 x 35mm*

*Size recommended for face of wall sliding applications
*Availability of size range varies by design, construction & state.

Note: BHAT 14GC, BHAT 15GC, BHAT 14GT and BHAT 15GT are only available in 820, 870 and 920mm wide.



ATTICA HARDWARE

BHAT 3GC

Complete the look of your Manhattan door with the Attica hardware range.

Available in both Matt Black and Satin Silver, the Attica range of hardware includes options for a range of applications including hinge doors, cavities and face of wall sliding doors.

HINGE DOOR HARDWARE








PASSAGE SET - SQUARE **KEY LOCK SET - SQUARE**

PRIVACY SET - SQUARE

Note: Attica hardware is available in Satin Silver finish.

MANHATTAN GLAZED CLEAR CONT.



MANHATTAN GLAZED TRANSLUCENT



ATTICA HARDWARE

HINGE DOOR HARDWARE



ROLLER SET



BHAT 4GT 25MM RAILS BHAT 5GT 45MM RAILS BHAT 6GT 25MM RAILS BHAT 7GT 45MM RAILS BHAT 8GT 25MM RAILS BHAT 9GT 45MM RAILS

Note: Attica hardware is available in Satin Silver finish.

MANHATTAN GLAZED TRANSLUCENT CONT.





KEY LOCK SET - SQUARE

ATTICA HARDWARE

FACE OF WALL SLIDING HARDWARE



FLUSH PULL - RECTANGLE



CAVITY SLIDING DOOR HARDWARE





SLIDING PASSAGE SET - RECTANGLE

Note: Attica hardware is available in Satin Silver finish.

SLIDING PRIVACY SET - RECTANGLE

2200MM FACE OF WALL TRACK

MODA BARN



Across any architectural style, The Moda Barn Door Collection offers a range of popular designs that add eye-catching character to any home. And they're equally versatile in their application, being the ideal transition piece between rooms. A modern space saver, they can provide openness and fluidity or division and intimacy. Compatible barn door track and hardware kit also available (sold separately).

Door sizes[†]: 2450/2150x 1000 x 35mm $^{\dagger}\!\text{Availability}$ of size range varies by design, construction & state.






AWOBD2 WHITE OAK















FLOOR MOUNTED DOOR GUIDE (Included in Track & Hardware Kit)

WALL MOUNTED DOOR GUIDE

BARN DOOR TRACK & HARDWARE KIT

AWOBD4 WHITE OAK

AMOD16 WHITE OAK

MODA WHITE OAK SOLID INFILL

The natural grain of timber is like a unique fingerprint, making each Moda White Oak interior door a one-off design. And with a light and versatile White Oak veneer, these doors can be stained and painted to express your interior vision with clarity and style. As a perfect complement to our Blonde Oak entrance door collection, this range will lend a strong sense of cohesion to your home. Available as a solid, glazed or mirror door.

Door sizes[†]: 2340/2040 x 920/870/820/770/720/620/520 x 35mm $^{\dagger}\!\text{Availability}$ of size range varies by design, construction & state.



AMOD1 WHITE OAK



AMOD3



AMOD5











AMOD18



AMOD19

AMOD13 WHITE OAK



AMOD14 WHITE OAK

AMOD15 WHITE OAK



43





AMOD17



AMOD22



AMOD23



AMOD25 (MIRROR) WHITE OAK



AMOD8

AMOD9

AMOD10

AMOD11

AMOD15GC WHITE OAK

MODA WHITE OAK GLAZED CLEAR











AMOD16GC WHITE OAK





AMOD12GC WHITE OAK



AMOD13GC WHITE OAK

AMOD14GC WHITE OAK





AMOD2GC WHITE OAK





AMOD3GC WHITE OAK















AMOD17GC WHITE OAK



MODA PRIMED SOLID INFILL Constructed with quality stile and rail joinery techniques, the Moda Primed range features classic designs and proportions, perfect for an array of architectural designs. Available as a solid, glazed or mirror door, this range comes pre-primed and ready to paint. Door sizes[†]: 2340/2040 x 920/870/820/770/720/620/520 x 35mm. [†] Availability of size range varies by design, construction type & state. PMOD14 PMOD15 PMOD16 PMOD13 PMOD1 PMOD2 PMOD3 PMOD5 PMOD4 PMOD17 PMOD18 PMOD19 PMOD20

48 4

PMOD21

PMOD22

PMOD23

PMOD24

PMOD25 (MIRROR)

PMOD6

PMOD8

PMOD9

PMOD10

PMOD11

PMOD12

PMOD15GC

MODA PRIMED GLAZED CLEAR









PMOD12GC



PMOD13GC





PMOD5GC

PMOD2GC



PMOD3GC













PMOD14GC

PMOD21GC

MODA PRIMED GLAZED TRANSLUCENT PMOD14GT PMOD15GT PMOD13GT PMOD12GT PMOD2GT PMOD3GT PMOD1GT PMOD4GT PMOD16GT PMOD18GT PMOD19GT PMOD20GT PMOD21GT PMOD22GT PMOD23GT PMOD24GT PMOD17GT PMOD5GT PMOD6GT PMOD8GT PMOD9GT PMOD10GT PMOD11GT

55



DECO

The Deco collection, inspired by the Art Deco movement, uses clean lines and geometry to open up a world of modern design. There are 15 Deco doors to choose from, offering you the largest range of routered doors and latest designs.

Door sizest:

2340/2040 x 920/870/820/770/720/620/520 x 35mm. † Availability of size range varies by design, construction type & state.







MADISON

The Madison internal range of doors picks up on the design cues established by their namesake entrance doors, making them perfect for continuity of design throughout the home.

Door sizest:

2340/2040 x 1020/920/870/820/770/720/620/520 x 35mm. †Availability of size range varies by design, construction type & state.



PMADIN 04



PMADIN 4

BALMORAL

Balmoral doors feature deep carved patterns on both sides, creating restrained, simple designs that will complement most home styles.

Door sizest:

2340/2040 x 920/870/820/770/720/620/520 x 35mm. Bi-fold sizes[†]: 2015 x 820/770/720 x 35mm. † Availability of size range varies by design, construction type & state.



PBAL 4G PBAL 1



PBAL BF 4



STA WOODGRAIN SKIN (as pictured)

IMPRESSIONS

Making a great impression won't cost a fortune thanks to these affordable doors. Whether you're looking for a woodgrain appearance or the subtler finish of a smooth skin design, the Impressions range has it.

Door standard size: 2040 x 820 x 35mm. Bi-fold standard size: 2015 x 820 x 35mm.







STAG WOODGRAIN SKIN (as pictured)



SMOOTH SKIN

STA BF
WOODGRAIN SKIN
(as pictured)
(as pictured)
(as pictured)



SMOOTH SKIN
(as pictured)

MOTIVE

Bringing a contemporary feel to any home, this range of doors is routered on both sides with a square cut groove to emphasise distinctive shadow lines. And thanks to its honeycomb core, it's light and affordable.

Door sizest:

2340/2040 x 920/870/820/770/720/620/520 x 35mm. 4 Availability of size range varies by design, construction type & state.





PMDF BF

FLUSH PANEL DOORS

Suited to both contemporary and traditional styled homes, flush panel doors come pre-primed, ready to paint. They're available in honeycomb core and solid core construction. Also available in a bi-fold door design.

Door sizes*: $2340/2040 \times 1020/920/870/820/770/720/620/520/460/420 \times 35/40$ mm. Bi-fold sizes*: $2015 \times 820/770/720 \times 35$ mm.



PLATINUM CAVITY UNITS

Platinum Cavity is a steel cavity door unit that provides you with more strength, space and design choice. There is a wide selection of widths and heights across three unit configurations which can suit a range of applications, including floor to ceiling and tiled wet areas. A single unit allows for flush jamb an flush pull configurations.

Suitable for door sizes+: 2340/2040 x 1200/1020/920/870/820/770/720/620 x 40mm †Availability of size range varies by design, construction & state.



Improve the performance with of your Platinum 4000 Cavity Unit with a Soft Closer ensuring a gentle open and close every time. Can be retrofitted post cavity unit installation.



PLATINUM 4000 (Standard)



JEXIS PRESS-RELEASE UNIT (Sold separately - suitable for flush jamb applications only)



(Heavy duty)



(Heavy duty floor to ceiling)

THE PERFECT CAVITY FOR TILED WALL APPLICATIONS AND WET AREAS





PLATINUM 9000 - HEAVY DUTY FLOOR TO CEILING 125KG PER DOOR SINGLE APPLICATIONS



GLAZING OPTIONS



GLAZING OPTIONS

For privacy and aesthetic reasons, there are a number of glazing options available depending on the door design. This includes decorative and tinted glass options.











DECO ZINCLIGHT DIAMOND JEWEL ZINCLIGHT BEVELLED FLOWER ZINCLIGHT

DOOR CARE & MAINTENANCE

IMPORTANT INFORMATION

This important information will help keep your Corinthian Door looking beautiful and working for many years, while maintaining warranty coverage.

Regular inspections and minor maintenance are the best ways to keep your doors in good condition. We gladly offer a five year warranty on every door we make, failure to adhere to door care and maintenance advice will void warranty.

PREPARING YOUR DOOR PRIOR TO FINISHING

STORAGE

Always store your door/s in a dry covered building, not in wet, exposed or freshly plastered areas where moisture can get to the door. Your doors should be stored flat, off the ground/floor.

SANDING

Generally paint/stain manufacturer's will specify that you should give timber a light sand before finishing. Always refer to the paint/stain manufacturer's advice. The surface should be prepared with appropriate sand paper, under no circumstances should you use steel wool or other metal scourers. Light sanding is recommended for veneer doors. Do not sand veneer doors back more than 0.2mm as the substrate may be exposed. Do not use sand paper with a lower grit value of 240. Always sand in the direction of the grain, avoid cross sanding, as this will only exaggerate when stained.

FINISHING YOUR DOOR

All Corinthian Doors are supplied unfinished and need to be either (a) painted or (b) stained and sealed (all of which are referred to as **Finished**). Timber is a natural product that is greatly affected by changes in moisture. This change in moisture will cause the timber to warp, crack or in some cases rot. Unprotected timber can physically deteriorate if exposed to extremes of atmospheric change over a period of time. All timber products should be Finished before being installed to help protect them from changes in moisture - regardless of whether they are being used in internal or external applications.

The entire door should be Finished immediately after fitting and before hanging, this includes behind the hinges, and lock and most importantly, the top and bottom edges should be Finished. Always follow the paint/stain manufacturer's instructions on the number of coats required. The top, bottom and sides of the door need to receive the same number of coats as the door face. Trials have shown that doors with the correct number of coats of paint, stain or sealer (as per the paint/stain manufacturer's recommendations) outlast and perform better than those not finished adequately. **Failure to seal doors within one month** from the date of delivery with two coats of paint or sealer/varnish to both faces and all edges, including top and bottom, will void warranty.

PAINT/STAIN AND SEALER SYSTEMS

Always use good quality paint, stain or sealer systems and always follow the paint/stain manufacturer's advice. Be sure to pay particular attention to "internal" vs "external" paint, stain and coating systems and use one that is appropriate to where you are hanging the door. Never use automotive or two pack paint on doors. **A sealer must be used when staining a door, as stains do not offer any protection against the elements.**

PAINT COLOURS

Doors exposed to sunlight should be painted with light reflective colours as dark colours absorb light and heat. Using dark colours will cause a drying effect on the doors and could cause the doors to warp. The use of a light coloured topcoat is essential. Your paint supplier or paint manufacturer can advise you on the light reflective value (LRV) of the colour you have selected - the higher the LRV the less heat the substrate will absorb and the longer the expected life of the paint finish. Black has a LRV of approximately 5. White has a LRV of approximately 95. Choosing paint colours with an LRV of greater than 50 is a wise choice. Your paint manufacturer should be able to advise you of the LRV for a selected colour. Using different colours on either side of the door (external/internal) will cause uneven heat/moisture absorption, particularly for doors in exposed applications. The finishing paint should be the same colour on all six sides. Using different colours may cause the door to warp.

HIGH GLOSS PAINTS

Honeycomb doors with a 3.2mm skin should be painted with flat, semi-gloss or satin finishes. Honeycomb doors with 4.75mm or thicker skins can be painted with gloss or high gloss paints. We do not recommend painting Blokdor core doors with gloss finishes.

STAIN COLOURS

Given a light reflective value (LRV) is a measure of the final colour, the LRV for stains (semi-transparent in nature) can vary hugely depending on the substrate it is applied to. If you choose to apply a darker stain to lighter timber doors, always follow the stain manufacturer's instructions. We recommend using a good quality stain when finishing your door. The finishing stain should be the same colour on all six sides. Using different stains may cause the door to warp.

MERBAU DOORS

When finishing Merbau timber doors ensure you use an oil based undercoat and finish specifically designed for Merbau. This will help reduce bleeding of tannin. If your Merbau door becomes exposed to moisture, and the door bleeds tannin, wipe the door over with a damp cloth to restore an even appearance.

INSTALLATION OF YOUR DOOR

HANGING YOUR DOOR

Hang stile and rail joinery doors with the loose beads facing externally. Always hang doors as directed by the label on the door. Solid doors should always be hung with 3 hinges, with a minimum hinge size of 89mm.

TRIMMING ALLOWANCES

Trimming allowances vary by range and design. Please check trimming allowances with the manufacturer.

DOOR FURNITURE

Always use a good quality door furniture supplier. Make sure your door furniture is appropriate for external or internal applications. Always follow the door furniture manufacturer's advice for installation and fitting.

Always understand the construction of your door before attempting to fit it with door furniture or hardware. The utility or structural strength must not be impaired in the fitting of the door, the application of hardware or cutting and altering the door for lights, louvres, panels or any other special details.

LOCK BLOCKS AND FITTING OF DOOR FURNITURE

A lock block is a piece of timber fixed inside the door. Hollowcore doors (such as Honeycomb construction) contain a lock block. As the construction is not 100% solid timber, a lock block is required to keep the handle and door furniture in place. It is extremely important that the position of the lock block is located before checking out of the hinges, before hanging the door or fixing the door furniture. To help indicate which side of the door the lock block is positioned, a lock block label is located on that side, this label is always on the spine/stile. The lock block will cover door furniture back set up to 60mm. An internal door lock block is 300mm high for a 2040mm high door. An external door lock block is 500mm in height.

PROTECTING YOUR DOOR FROM THE WEATHER

Entrance doors must be installed in weather protected openings to reduce the effects of weather exposure. The warranty will not cover door damage caused by the external environment.

MAINTAINING YOUR DOOR

REGULAR INSPECTIONS

We recommend that you regularly inspect your door for any paint, stain or sealer breakdown, pay special attention to possible paint/stain breakdown around glass openings and joints. Once the paint, stain or sealer system has begun to breakdown, you should re-finish your door.

CLEANING YOUR DOOR

You should avoid getting your doors wet, even after painting or staining and sealing.

Wipe your front door down with a damp cloth. Do not use harsh chemicals or detergents on your door.

Never hose your front door down or get your door wet.

STAINLESS STEEL

When cleaning doors with stainless steel inlays/inserts, thoroughly wipe down the surface with a damp cloth and dry with a soft cloth. Any discolouration or corrosion should be removed as soon as possible to avoid permanent discolouration and pitting of the surface from occurring. To remove discolouration, always use a good quality stainless steel cleaner and follow the manufacturer's instructions.

GENERAL

VARIATIONS IN TIMBER

Timber veneers can have significant variation in colour, grain patterns and textures. These variations in colour, grain patterns and textures are unavoidable and are part of the natural beauty of timber; they are not considered defects.

SHOW THROUGH

Show through is when the internal construction of the door has left a slight impression on the skin of the door. When this does happen it will generally be with doors with a 3mm skin. Normally show through is only seen at certain angles or when high gloss paints are used. Show through of frame and core components is not considered a defect.

WARP/BOW

Warp/bow is the cupping or twisting of timber. When it comes to doors, it refers to the distortion within the door itself and not its relationship to jambs or the frame in which it is hung.

Inline with the Australian Standard, it is not considered a defect for a door measuring 2150mm high to have a warp/bow up to 4mm. In addition, it is not considered a defect for doors measuring between 2150mm and 2400mm high to have a warp/bow up to 6mm. Doors which exceed 2438mm high or 1219mm wide are not covered by the Australian Standard or the Warranty and are not guaranteed against warp/bow or twist. You can determine cupping by applying a straight-edge to the concave face of the door, or twist by placing the door face against a true plane surface. Warp/bow can be caused by a number of factors, generally warp/bow is caused by improper storage or adverse moisture conditions. Using dark or multiple colours (paint or stain) can also cause the door to warp.

Corinthian does not accept responsibility of warp/bow when the moisture content of the timber falls below 10% or exceeds 15%. These guidelines are provided inline with the Australian Standard.

Prompt advice should be sought if excessive warping/bowing occurs to assist in overcoming difficulty.

It is the responsibility of the installer and homeowner to ensure that the advice in this document has been adhered to. Failure to follow these instructions will void the warranty.

67

For full warranty and terms & conditions of sale, visit corinthian.com.au



www.corinthian.com.au 1300 899 153

VIC CAMPBELLFIELD 11 Somerton Road

11 Somerton Road Campbellfield 3061

DANDENONG 6 Healey Road Dandenong 3175 NSW ST MARYS 17-35 Lee Holm Road St Marys 2760 QLD ACACIA RIDGE
16 Colebard Street East
Acacia Ridge 4110

SA REGENCY PARK

38 Birralee Road

Regency Park 5010

WA CANNING VALE
32 Coulson Way
Canning Vale 6155