

Rose Door Handles



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries®*



ASSA ABLOY

25YEAR

**MECHANICAL
WARRANTY**

www.lockweb.com.au

Contents



Robert Watson Series

Door Handles and
Accessories

page 3



1220 Symphony Series

Round Rose
Door Handles

page 12



1420 Symphony Series

Square Rose
Door Handles

page 32



1360 Series

Round Rose
Door Handles

page 52



1370 Series

Round Rose
Door Handles

page 71



260 Artefact Series

Round Rose
Door Handles

page 90



260SQ Series

Square Rose
Door Handles

page 92



Velocity® Series

Large Rose
Door Furniture

page 95



Velocity® Series

Small Rose
Door Handles

page 100



Finishes

page 108

Robert Watson Series Door Handles



The Robert Watson Collection of door furniture consists of three lever designs and a range of complementing escutcheons, turnknobs and emergency release sets. The roseless design of the furniture is unprecedented and the innovation and lateral thinking involved in the development of the products has led to them being patent protected and design registered.

Application

The Robert Watson range is suitable for commercial as well as residential use.

It can be fitted with:

- Lockwood Selector 3770 Series Mortice Locks
- Lockwood Synergy 3570 Series Mortice Locks
- Lockwood 6780 and 6580 Mortice Locks (38mm backset, metal doors only)
- Lockwood 531 Latches and 6260 Tubular Bolts

Fixing

Furniture is fixed to Selector 3770 or Synergy 3570 Series Mortice Locks using a specially developed pair of steel adaptor plates that are secured through the lock case using screws.

Robert Watson furniture may also be fitted with a Lockwood 531 Latch using a steel adaptor which locates over the body of the latch.

A special adaptor for fixing Robert Watson furniture to 6780 and 6580 Narrow Style Mortice Locks in hollow aluminium door sections is also available.

Product Details

Dimensions	Body: 36mm diameter. Projection from door: 62.5mm.
Materials	Furniture body: aluminium. Mounting stock and other internal components: stainless steel, steel and brass.
Door Thickness	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Selector 6780 and Synergy 6580 Series: 32mm to 50mm Lockwood 531 Latches: 35mm to 50mm For Mortice Lock installation on doors 51mm to 62mm thick, use accessory pack RW00-42.
Finishes	Satin Anodised (SA) Powdercoat (PC)

Standards and Compliance



Robert Watson Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets

D8



Robert Watson Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows


Robert Watson Series in satin anodised finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows

Robert Watson Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market

Robert Watson Levers


Tangent - Lever A1

Length	143 mm
Projection	62.5 mm
Finger Clearance	44.5 mm




Centre - Lever A2

Length	143 mm
Projection	62.5 mm
Finger Clearance	44.5 mm



Centre D - Lever A3

Length	143 mm
Projection	62.5 mm
Finger Clearance	44.5 mm



Robert Watson Series Escutcheons





These escutcheons are designed to be fitted with Lockwood oval cylinders and the Robert Watson range of turnknobs and emergency turns. Fitted using a grub screw, they ensure that the accessories they are fitted with are aesthetically pleasing.

Use with Lockwood Mortice Locks and 6260 Bolts. The escutcheons are available in different sizes for suitability to different door thicknesses.

Note: Escutcheons must be ordered separately for use with oval cylinders, turnknobs and emergency release turns.

Escutcheons

Part Numbers	Door Thickness	(A) Dimension
RW06/38	35–38mm thick	17mm
RW06/44	39–44mm thick	14mm
RW06/50	45–50mm thick	11mm
RW06/56	51–56mm thick*	8mm
RW06/62	57–62mm thick*	5mm




*Extended door accessory pack required if levers are to be installed on doors of this thickness.

Robert Watson Series Accessories

Turnknob


Part Number RW07

*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Privacy Indicating Turnknob


Part Number RW08




Turnknob and Emergency Release Set

Part Number RW09

*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior

Robert Watson Series Accessories


Turnknob and Privacy Indicating Emergency Release Set

Part Number RW10

*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior


Privacy Indicating Turnknob and Privacy Indicating Emergency Release Set

Part Number RW11

*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior




Interior

Robert Watson Series Accessories


Turnknob and Emergency Release Set

Part Number RW13

*Accessories—use with Lockwood 6260 Tubular Bolt.



Exterior




Interior

Privacy Indicating Emergency Release

Part Number RW14

*Accessories—use with Selector 3770 and 6780 Series or Synergy 3570 and 6580 Series Mortice Locks.



Exterior

Accessories—Latch Kits

Part Numbers (Backset) Dimension

RW531/60SC 60mm

RW531/70SC 70mm

RW531/127SC 127mm

*Latch kits are supplied with adaptors required to fit Robert Watson Levers.



Robert Watson Series Accessories

Standard turn adaptors supplied with Selector 3770 Series Mortice Locks can be used with Robert Watson turnknobs, no special adaptors needed. Simply remove the plastic insert of the turn adaptors during installation. Refer to the list below for Selector Series turn adaptors.

Selector 3770 Series Mortice Lock Turn Adaptors


Function	Adaptor
Locking Function	3772-ADAPTOR
Latching Function	3770-ADAPTOR



Special adaptors are required when using Robert Watson turnknobs with Synergy Series Mortice Locks. These can be ordered as spare parts. Refer to the list below.

Synergy 3570 Series Mortice Lock Turn Adaptors

Function	Adaptor	Function	Adaptor
3570XTR	SP3570-6050	3572WTR	SP3572-6250
3570XTL	SP3570-6050	3572WTL	SP3572-6250
3570-TR	SP3570-6050	3572XAR	SP3572-6250
3570-TL	SP3570-6050	3572XAL	SP3572-6250
3571WTR	SP3571-6050	3573WTR	SP3571-6050
3571WTL	SP3571-6050	3573WTL	SP3571-6050
3571-TR	SP3571-6050	3573-TR	SP3571-6050
3571-TL	SP3571-6050	3573-TL	SP3571-6050
3572XTR	SP3572-6250	3574WTR	SP3572-6250
3572XTL	SP3572-6250	3574WTL	SP3572-6250
3572-TR	SP3572-6250	3574ETR	SP3572-6250
3572-TL	SP3572-6250	3574ETL	SP3572-6250



Installation Fixtures

Part Numbers	Description
RW98	Template for Lockwood 6780/6580 Series Mortice Locks (metal doors only)
RW99	Template for Lockwood 3770/ 3570 Series Mortice Locks

This stainless steel fixture makes installation easy. It is ideal when fitting furniture for large projects.

Note: Paper templates are supplied with all furniture.

Robert Watson Ordering Procedure

Ordering Procedure–Lever Sets

Sample part number RW70/01/A1LSA is made up of several sections. Choose your product by selecting an option from each section.

Robert Watson Collection

Product	Use	Function	Lever	Handing	Finish
RW	70	01	A1	L	SA

Product	Function	Lever	Handing	Finish
Robert Watson RW	Operating Full Set 00	Tangent® A1	Left Handed L	Satin Anodised SA
	Operating Half Set 01	Centre A2	Right Handed R	Powdercoat PC
	Fixed Full Set 02	Centre D A3	* Half sets only.	
	Fixed Half Set 03			

Use
If intended to fit using Lockwood 530 Latch 30
If intended to fit using Lockwood 3770 and 3570 Series Mortice Locks 70
If intended to fit using Lockwood 6780 and 6580 Narrow Style Mortice Lock (metal door only) 80
If intended to fit to a metal door without lock 10
If intended to fit to a timber door without lock 20

Note: Latch kits are ordered separately to lever sets. i.e. for RW30/00/A1LSA as RW531/60SC is also required.

These include additional mounting hardware to suit lever sets and are not the same as a standard 530 latch.

Escutcheons - Accessories

Product	Use	Thickness	Finish
RW	06	50	SA

Product	Use	Function	Finish
Robert Watson RW	06	Doors 57mm – 62mm 62	Satin Anodised SA
		Doors 51mm – 56mm 56	Powdercoat PC
		Doors 45mm – 50mm 50	
		Doors 39mm – 44mm 44	
		Doors 35mm – 38mm 38	

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Robert Watson Ordering Procedure

Turnknobs and Emergency release turns - Accessories (For use with Lockwood Mortice Locks)

Product	Use	Finish
RW	07	SA

Product	Function	Finish
Robert Watson RW	Turnknob 07	Satin Anodised SA
	Privacy Indicating Turnknob 08	Powdercoat PC
	Turn Knob and Emergency Release Set 09	
	Turnknob/Privacy Indicating Emergency Release Set 10	
	Privacy Indicating Turnknob and Privacy Indicating Emergency Release Set 11	
	Privacy Indicating Emergency Release 14	

Turnknob and Emergency Release Turns - Accessories (For use with Lockwood 6260 Tubular Bolts)

Product	Function	Finish
RW	13	SA

Product	Function	Finish
Robert Watson RW	Turnknob and Emergency Release Set 13	Satin Anodised SA
		Powdercoat PC

Latch Kits - Accessories

Product	Latch	Backset	Finish
RW	531	60	SC

Product	Latch	Function	Finish
Robert Watson RW	Plain Latch 531	60mm backset 60	Satin Chrome SC
		70mm backset 70	
		127mm backset 127	

Latch Kits are supplied with adaptor to enable use with Robert Watson Furniture.

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

1220 Symphony Series Brass Door Handles



Lockwood Symphony Series door furniture is manufactured from high quality solid brass. The comprehensive lever range matched with concealed screw fixings by way of threaded rose trims, provides a stylish look for the most elegant interiors.

The accessory range includes cylinder escutcheons, emergency turnknob and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory in Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

Product Details

Dimensions	53mm diameter x 11.6mm.
Handing	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
Materials	All Lockwood roses and levers contained in the 1220 series are of solid brass construction.
Fixing	Fully concealed on both sides.
Door Thickness	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
Decorative Finishes	<p>Standard Finish: Satin Chrome Brushed (SC)</p> <p>Non-Standard Finish: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)</p> <p>Special Finish: Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)</p>
Privacy	Privacy function for Symphony Round Rose Furniture is achieved using the 3890 privacy adaptor and the Symphony 1321 interior rose. See ordering procedure for details.

Standards and Compliance



1220 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets

D8

1220 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows



1220 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – with SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications



1220 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



1220 Symphony Series Brass Door Handles

BRASS CORE

The Symphony Series rose furniture features a 53mm solid brass rose with horizontal screw fixings, concealed on both sides by a threaded rose trim.

Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Instructions (1220-221)



AS1428.1 Compliant Levers


Lever 102

Length	134.3mm
Projection	57.5mm
Finger clearance	40mm




Lever 111

Length	130mm
Projection	48.5mm
Finger clearance	40mm



Lever 112

Length	130.5mm
Projection	48mm
Finger clearance	40mm




1220 Symphony Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 115

Length	140.4mm
Projection	60mm
Finger clearance	40mm




Lever 116

Length	140.5mm
Projection	58mm
Finger clearance	40mm




Lever 118

Length	128mm
Projection	58mm
Finger clearance	40mm



Lever 124

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1220 Symphony Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 131

Length	134.5mm
Projection	53mm
Finger clearance	40mm




Lever 132

Length	130mm
Projection	57.5mm
Finger clearance	40mm




Lever 133

Length	130mm
Projection	53.5mm
Finger clearance	40mm



Lever 142

Length	130.5mm
Projection	55mm
Finger clearance	40mm




1220 Symphony Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 144

Length	128.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 145

Length	130mm
Projection	58.5mm
Finger clearance	40mm




Lever 155

Length	129.3mm
Projection	57.5mm
Finger clearance	40mm



Lever 166

Length	130mm
Projection	48mm
Finger clearance	40mm




1220 Symphony Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 180

Length	123.5mm
Projection	53.1mm
Finger clearance	40mm




Lever 47

Length	120mm
Projection	49.6mm
Finger clearance	40mm




Lever 59

Length	121mm
Projection	47mm
Finger clearance	39.5mm



Lever 70

Length	121mm
Projection	53mm
Finger clearance	37mm




1220 Symphony Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 74

Length	120mm
Projection	53mm
Finger clearance	45mm




Lever 76

Length	125mm
Projection	48.5mm
Finger clearance	40mm




Lever 77

Length	121mm
Projection	51mm
Finger clearance	48.3mm



Lever 90

Length	118.5mm
Projection	51.6mm
Finger clearance	44mm




1220 Symphony Series Brass Door Handles

Non compliant lever/knob types


Lever 101

Length	130mm
Projection	48.5mm
Finger clearance	40mm




Lever 104

Length	133.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 106

Length	130mm
Projection	48mm
Finger clearance	40mm



Lever 123

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1220 Symphony Series Brass Door Handles

Non compliant lever/knob types


Lever 178

Length	130mm
Projection	63.6mm
Finger clearance	42mm




Lever 97

Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Knob 20

Diameter	50mm
Projection	73mm



20 Knob can be used on outside rose only.


1220 Symphony Series Brass Door Handles

Handed Levers

Lever 41


Length	130mm
Projection	61.5mm
Finger clearance	40.5mm

* Lever is an asymmetrical design and therefore must be handed.




Lever 122

Length	130.5mm
Projection	59mm
Finger clearance	40mm



Lever 153

Length	120mm
Projection	70.6mm
Finger clearance	43mm



1220 Symphony Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


Double Oval Cylinder Escutcheons Kit

Part Number 1226/6


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Oval Cylinder Escutcheon



Outside



Inside


Oval Cylinder and Turnknob Escutcheons Kit

Part Number 1226/7N


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Turnknob Escutcheon



Outside



Inside

1220 Symphony Through Fix Escutcheon Kits

Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


Part Number 1228/9P

Escutcheons supplied


Outside: Privacy Indicating Emergency Turn Escutcheon

Inside: Privacy Indicating Disabled Accessible Turnknob Escutcheon

Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.



Outside



Inside

Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

1220 Symphony Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


Oval Cylinder Escutcheon

Part Number 1226/I

Supplied with

2x Short & 2x Medium Wood Screws (SP1226-219)

(Replaces 1226)



Turnknob Escutcheon

Part Number 1227/IN

Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP1227-319)

1 x Instructions (1220-321)

(Replaces 1227)



Privacy Indicating Turnknob Escutcheon

Part Number 1227/IP

Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP1227-319)

1 x Instructions (1220-321)

(Replaces 1227P)



Emergency Turn Escutcheon


Part Number 1228/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Emergency Tail Bar (SP1227-119)

(Replaces 1228)



1220 Symphony Cylinder & Turn Escutcheons


Privacy Indicating Emergency Turn Escutcheon

Part Number 1228/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1228P)




Disabled Accessible Turnknob

Part Number 1229/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)

(Replaces 1227DT)




Disabled Accessible Privacy Indicating Turnknob

Part Number 1229/IP

Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)



Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.

1220 Symphony Privacy Adaptor

Privacy Adaptor	
Part Number	3890
Dimensions	52mm x 11.6mm
Supplied with	
	2 x M4 x 77mm Stainless Steel Screws (SP0655MBK)
	1 x Spindle 7.6mm x 90mm
	1 x Instructions (3890-121)
Finishes	Satin Chrome (SC) Chrome Plate (CP) Powder Coat (PC) Not available in brass finishes



The 3890 Privacy Adaptor has a patented built in clutching mechanism which allows the engaged mode to be overridden by use of specified force applied in a single downward action on the lever. This will allow entry in an emergency situation without the use of any type of tool.

The privacy adaptor can be installed onto any existing Lockwood lever set and standard 5260 Tubular Latch.

1220 Symphony Series Ordering Procedure

Sample part number 1220/1221/41LCP is made up of several sections. Choose your product by selecting an option from each section.

Half Set

Note: Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1220	41	L	CP

Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1220	1221	41	L	CP

Exterior Rose Type	
Exterior Rose	1220
Exterior Blank Rose	1222
Exterior Fixed Rose	1224

Interior Rose Type	
Interior Rose	1221
Interior Blank Rose	1223
Interior Fixed Rose	1225
Interior Rose to suit 3890 Privacy Adaptor <small>*Only available in SC, CP and PC</small>	1321

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types

101	104	123
178	97	20

Handed Levers

41	122	153
----	-----	-----

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

1220 Symphony Series Ordering Procedure

Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1226/9NSC is made up of several sections.

The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1226	9	N	SC

Exterior Function
Oval Cylinder 1226
Emergency Turn 1228

Notes:

Order 1226/I if only one oval cylinder escutcheon is required. Wood screws will be supplied for surface mounting.

1228/6 Kit is not applicable.

Interior Function
Oval Cylinder 6
Oval Turnknob 7
Disabled Accessible Turnknob 9

Privacy Indicator
Oval Cylinder -
Non Indicating N
Privacy Indicating P

Note:

Privacy indicator applies for both exterior and interior functions.

Finish
Satin Chrome Brushed SC
Chrome Plate CP
Polished Brass PB
Polyester Powdercoat PC

Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 30 for reference guide.

1220 Symphony Series Ordering Procedure

Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1229	I	P	SC

Escutcheon Type	
Oval Cylinder	1226
Oval Turnknob	1227
Emergency Turn	1228
Disabled Accessible Turnknob	1229

Fixing	
Wood Screw	
Surface Fixing	I

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 31 for reference guide.

1220 Symphony Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1220 Symphony Series Kits									
Kit Description						Mortice Lock/Bolt Compatibility			
Image	Part Number	Handed	Exterior Function	Interior Function		Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1226/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon			✓	✓	
	1226/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob			✓	✓	
	1226/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob			✓	✓	
	1226/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob			✓	✓	
	1226/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob			✓	✓	
	1228/7NSC	No	Emergency Turn	Oval Turnknob			✓	✓	✓
	1228/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob			✓	✓	✓
	1228P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob			✓	✓	✓
	1228/9NSC	No	Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓
	1228/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob			✓	✓	✓
	1228P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓









1220 Symphony Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

1220 Symphony Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1226/ISC	No	Oval Cylinder Escutcheon	✓	✓	✓		1226SC	1226/ESC
	1227/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1227PSC	1227/EPSC
	1227/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1227SC	1227/ENSC
	1228/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1228SC	1228/ENSC
	1228/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1228PSC	1228/EPSC
	1229/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓	1227DT	1229/ENSC
	1229/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓		1229/EPSC
	1226ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

1420 Symphony Series Square Rose Door Handles



Lockwood Symphony Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with concealed screw fixings by way of threaded rose trims, provides a stylish look for the most elegant interiors.

The accessory range includes cylinder escutcheons, emergency turnknobs and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory in Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

Product Details

Dimensions	58mm x 58mm x 11.6mm.
Handing	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
Materials	All Lockwood roses and levers contained in the 1420 series are of solid brass construction.
Fixing	Fully concealed on both sides.
Door Thickness	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
Decorative Finishes	Standard Finish: Satin Chrome Brushed (SC)
	Non-Standard Finish: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)
	Special Finish: Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)
Privacy	Privacy function for Symphony Square Rose Furniture is achieved using the 3690 privacy adaptor and standard Symphony 1421 interior rose.

Standards and Compliance



1420 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8

1420 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1420 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1420 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


1420 Symphony Series Square Rose Door Handles

BRASS CORE

The Symphony Series square rose furniture features a 58mm solid brass rose with horizontal screw fixings, concealed on both sides by a grub screw fixed, square rose trim.

Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Instructions (1220-221)



AS1428.1 Compliant Levers


Lever 102

Length	134.3mm
Projection	57.5mm
Finger clearance	40mm




Lever 111

Length	130mm
Projection	48.5mm
Finger clearance	40mm



Lever 112

Length	130.5mm
Projection	48mm
Finger clearance	40mm




1420 Symphony Series Square Rose Door Handles

AS1428.1 Compliant Levers


Lever 115

Length	140.4mm
Projection	60mm
Finger clearance	40mm




Lever 116

Length	140.5mm
Projection	58mm
Finger clearance	40mm




Lever 118

Length	128mm
Projection	58mm
Finger clearance	40mm



Lever 124

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1420 Symphony Series Square Rose Door Handles

AS1428.1 Compliant Levers


Lever 131

Length	134.5mm
Projection	53mm
Finger clearance	40mm




Lever 132

Length	130mm
Projection	57.5mm
Finger clearance	40mm




Lever 133

Length	130mm
Projection	53.5mm
Finger clearance	40mm



Lever 142

Length	130.5mm
Projection	55mm
Finger clearance	40mm




1420 Symphony Series Square Rose Door Handles

AS1428.1 Compliant Levers


Lever 144

Length	128.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 145

Length	130mm
Projection	58.5mm
Finger clearance	40mm




Lever 155

Length	129.3mm
Projection	57.5mm
Finger clearance	40mm



Lever 166

Length	130mm
Projection	48mm
Finger clearance	40mm




1420 Symphony Series Square Rose Door Handles

AS1428.1 Compliant Levers


Lever 180

Length	123.5mm
Projection	53.1mm
Finger clearance	40mm




Lever 47

Length	120mm
Projection	49.6mm
Finger clearance	40mm




Lever 59

Length	121mm
Projection	47mm
Finger clearance	39.5mm



Lever 70

Length	121mm
Projection	53mm
Finger clearance	37mm




1420 Symphony Series Square Rose Door Handles

AS1428.1 Compliant Levers


Lever 74

Length	120mm
Projection	53mm
Finger clearance	45mm




Lever 76

Length	125mm
Projection	48.5mm
Finger clearance	40mm




Lever 77

Length	121mm
Projection	51mm
Finger clearance	48.3mm



Lever 90

Length	118.5mm
Projection	51.6mm
Finger clearance	44mm




1420 Symphony Series Square Rose Door Handles

Non compliant lever/knob types


Lever 101

Length	130mm
Projection	48.5mm
Finger clearance	40mm




Lever 104

Length	133.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 106

Length	130mm
Projection	48mm
Finger clearance	40mm



Lever 123

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1420 Symphony Series Square Rose Door Handles

Non compliant lever/knob types


Lever 178

Length	130mm
Projection	63.6mm
Finger clearance	42mm




Lever 97

Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Knob 20

Diameter	50mm
Projection	73mm



20 Knob can be used on outside rose only.


1420 Symphony Series Square Rose Door Handles

Handed Levers

Lever 41


Length	130mm
Projection	61.5mm
Finger clearance	40.5mm

* Lever is an asymmetrical design and therefore must be handed.




Lever 122

Length	130.5mm
Projection	59mm
Finger clearance	40mm



Lever 153

Length	120mm
Projection	70.6mm
Finger clearance	43mm



1420 Symphony Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


Double Oval Cylinder Escutcheons Kit

Part Number 1426/6


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Oval Cylinder Escutcheon



Outside



Inside


Oval Cylinder and Turnknob Escutcheons Kit

Part Number 1426/7N


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Turnknob Escutcheon



Outside



Inside

1420 Symphony Through Fix Escutcheon Kits

Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


Part Number 1428/9P

Escutcheons supplied


Outside: Privacy Indicating Emergency Turn Escutcheon

Inside: Privacy Indicating Disabled Accessible Turnknob Escutcheon

Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.



Outside



Inside

Note:
Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

1420 Symphony Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


Oval Cylinder Escutcheon

Part Number 1426/I

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

(Replaces 1426)



Turnknob Escutcheon

Part Number 1427/IN

Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427)



Privacy Indicating Turnknob Escutcheon

Part Number 1427/IP

Supplied with


2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)

1 x Flat Tail Bar & Split Pin (SP12227-319)

1 x Instructions (1220-321)

(Replaces 1427P)



Emergency Turn Escutcheon


Part Number 1428/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)

1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)



1420 Symphony Cylinder & Turn Escutcheons


Privacy Indicating Emergency Turn Escutcheon

Part Number 1428/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1428P)




Disabled Accessible Turnknob

Part Number 1429/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)

(Replaces 1427DT)




Disabled Accessible Privacy Indicating Turnknob

Part Number 1429/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)




Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.

1420 Symphony Privacy Adaptor

Privacy Adaptor 3690	
Part Number	3690
Dimensions	58mm x 11.6mm
Supplied with	2 x M4 x 77mm Stainless Steel Screws (SP0655MBK) 1 x Spindle 7.6mm x 90mm 1 x Instructions (3890-121)
Finishes	Satin Chrome (SC) Chrome Plate (CP) Powder Coat (PC) Not available in brass finishes

The 3690 Privacy Adaptor has a patented built in clutching mechanism which allows the engaged mode to be overridden by use of specified force applied in a single downward action on the lever. This will allow entry in an emergency situation without the use of any type of tool.

The privacy adaptor can be installed onto any existing Lockwood lever set and standard 5260 Tubular Latch.



1420 Symphony Series Ordering Procedure

Ordering Procedure

Sample part number 1420/1421/41LCP is made up of several sections. Choose your product by selecting an option from each section.

Half Set

Note: Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1420	41	L	CP

Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1420	1421	41	L	CP

Exterior Rose Type	
Exterior Rose	1420
Exterior Blank Rose	1422
Exterior Fixed Rose	1424

Interior Rose Type	
Interior Rose	1421
Interior Blank Rose	1423
Interior Fixed Rose	1425

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types		
101	104	123
178	97	20

Handed Levers		
41	122	153

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

1420 Symphony Series Ordering Procedure

Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks.
Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1426/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1426	9	N	SC

Exterior Function	
Oval Cylinder	1426
Emergency Turn	1428

Notes:

Order 1426/I if only one oval cylinder escutcheon is required. Wood screws will be supplied for surface mounting.

1428/6 Kit is not applicable.

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Note:

Privacy indicator applies for both exterior and interior functions.

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 50 for reference guide.

1420 Symphony Series Ordering Procedure

Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1429	I	P	SC

Escutcheon Type	
Oval Cylinder	1426
Oval Turnknob	1427
Emergency Turn	1428
Disabled Accessible Turnknob	1429.

Fixing	
Wood Screw	
Surface Fixing	I

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 51 for reference guide.

1420 Symphony Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1420 Symphony Series Kits									
Kit Description						Mortice Lock/Bolt Compatibility			
Image	Part Number	Handed	Exterior Function	Interior Function		Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1426/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon			✓	✓	
	1426/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob			✓	✓	
	1426/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob			✓	✓	
	1426/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob			✓	✓	
	1426/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob			✓	✓	
	1428/7NSC	No	Emergency Turn	Oval Turnknob			✓	✓	✓
	1428/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob			✓	✓	✓
	1428P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob			✓	✓	✓
	1428/9NSC	No	Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓
	1428/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob			✓	✓	✓
	1428P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob			✓	✓	✓









1420 Symphony Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

1420 Symphony Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1426/ISC	No	Oval Cylinder Escutcheon	✓	✓	✓		1426SC	1426/ESC
	1427/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1427PSC	1427/EPSC
	1427/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1427SC	1427/ENSC
	1428/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1428SC	1428/ENSC
	1428/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1428PSC	1428/EPSC
	1429/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓	1427DT	1429/ENSC
	1429/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓		✓	✓		1429/EPSC
	1426ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

1360 Series Brass Door Handles



Lockwood 1360 Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with ease of installation and compatibility with a wide range of Mortice Locks defines simple and reliable.

The accessory range includes cylinder escutcheons, emergency turns and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory at Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

Product Details

Dimensions	65.5mm diameter x 11.6mm.
Handing	A removable stop screw allows all symmetrically designed levers (e.g. Cadenza) to be handed on site. Levers of asymmetrical design (e.g. Veloce) cannot be reversed. Specify left or right handed when ordering.
Materials	All Lockwood roses and levers contained in the 1360 series are of solid brass construction.
Fixing	Roses are designed to fit back to back. If outside rose is specified with concealed fixing, then the inside rose must be visible fixed. Roses numbered 1360, 1362, and 1364 are concealed fixed, roses numbered 1361, 1363 and 1365 are visible fixed.
Door Thickness	Selector 3770 and Synergy 3770 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
Decorative Finishes	Standard Finish: Satin Chrome Brushed (SC)
	Non-Standard Finish: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)
Decorative Finishes	Special Finish: Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)

Standards and Compliance



1360 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8

1360 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1360 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1360 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


1360 Series Brass Door Handles

BRASS CORE

The 1360 Series rose furniture features a 65mm solid brass rose with diagonal screw fixings, concealed on the outside and visible on the inside.

Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Instructions (1220-221)



AS1428.1 Compliant Levers


Lever 102

Length	134.3mm
Projection	57.5mm
Finger clearance	40mm




Lever 111

Length	130mm
Projection	48.5mm
Finger clearance	40mm



Lever 112

Length	130.5mm
Projection	48mm
Finger clearance	40mm




1360 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 115

Length	140.4mm
Projection	60mm
Finger clearance	40mm




Lever 116

Length	140.5mm
Projection	58mm
Finger clearance	40mm




Lever 118

Length	128mm
Projection	58mm
Finger clearance	40mm



Lever 124

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1360 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 131

Length	134.5mm
Projection	53mm
Finger clearance	40mm




Lever 132

Length	130mm
Projection	57.5mm
Finger clearance	40mm




Lever 133

Length	130mm
Projection	53.5mm
Finger clearance	40mm



Lever 142

Length	130.5mm
Projection	55mm
Finger clearance	40mm




1360 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 144

Length	128.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 145

Length	130mm
Projection	58.5mm
Finger clearance	40mm




Lever 155

Length	129.3mm
Projection	57.5mm
Finger clearance	40mm



Lever 166

Length	130mm
Projection	48mm
Finger clearance	40mm




1360 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 180

Length	123.5mm
Projection	53.1mm
Finger clearance	40mm




Lever 47

Length	120mm
Projection	49.6mm
Finger clearance	40mm




Lever 59

Length	121mm
Projection	47mm
Finger clearance	39.5mm



Lever 70

Length	121mm
Projection	53mm
Finger clearance	37mm




1360 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 74

Length	120mm
Projection	53mm
Finger clearance	45mm




Lever 76

Length	125mm
Projection	48.5mm
Finger clearance	40mm




Lever 77

Length	121mm
Projection	51mm
Finger clearance	48.3mm



Lever 90

Length	118.5mm
Projection	51.6mm
Finger clearance	44mm




1360 Series Brass Door Handles

Non compliant lever/knob types


Lever 101

Length	130mm
Projection	48.5mm
Finger clearance	40mm




Lever 104

Length	133.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 106

Length	130mm
Projection	48mm
Finger clearance	40mm



Lever 123

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1360 Series Brass Door Handles

Non compliant lever/knob types


Lever 178

Length	130mm
Projection	63.6mm
Finger clearance	42mm




Lever 97

Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Knob 20

Diameter	50mm
Projection	73mm



20 Knob can be used on outside rose only.


1360 Series Brass Door Handles

Handed Levers

Lever 41


Length	130mm
Projection	61.5mm
Finger clearance	40.5mm

* Lever is an asymmetrical design and therefore must be handed.




Lever 122

Length	130.5mm
Projection	59mm
Finger clearance	40mm



Lever 153

Length	120mm
Projection	70.6mm
Finger clearance	43mm



1360 Series Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


Double Oval Cylinder Escutcheons Kit

Part Number 1366/6


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Oval Cylinder Escutcheon



Outside



Inside


Oval Cylinder and Turnknob Escutcheons Kit

Part Number 1366/7N


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Turnknob Escutcheon



Outside



Inside

1360 Series Through Fix Escutcheon Kits

Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


Part Number 1368/9P

Escutcheons supplied


Outside: Privacy Indicating Emergency Turn Escutcheon

Inside: Privacy Indicating Disabled Accessible Turnknob Escutcheon

Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.



Outside



Inside

Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

1360 Series Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


Oval Cylinder Escutcheon

Part Number 1366/E

Supplied with

2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Allen Key (SP1366-14)
1 x Grub Screw M4 x 8mm (SPV0272 PBK)

(Replaces 1366)




Turnknob Escutcheon

Part Number 1367/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)

(Replaces 1367)




Privacy Indicating Turnknob Escutcheon

Part Number 1367/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)

(Replaces 1367P)




Emergency Turn Escutcheon

Part Number 1368/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1368)



1360 Series Cylinder & Turn Escutcheons


Privacy Indicating Emergency Turn Escutcheon

Part Number 1368/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1368P)




Disabled Accessible Turnknob

Part Number 1369/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)

(Replaces 1367DT)




Disabled Accessible Privacy Indicating Turnknob

Part Number 1369/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)



Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.

1360 Series Ordering Procedure

Ordering Procedure

Sample part number 1360/41LCP is made up of several sections. Choose your product by selecting an option from each section.

Half Set

Note: Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1360	41	L	CP

Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1360	1361	41	L	CP

Exterior Rose Type	Interior Rose Type
Exterior Rose 1360	Interior Rose 1361
Exterior Blank Rose 1362	Interior Blank Rose 1363
Exterior Fixed Rose 1364	Interior Fixed Rose 1365

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types

101	104	123
178	97	20

Handed Levers

41	122	153
----	-----	-----

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes

Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

1360 Series Ordering Procedure

Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1366/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Function	Privacy Indicator	Finish
1366	9	N	SC

Exterior Function	
Oval Cylinder	1366
Emergency Turn	1368

Notes:

Order 1366/E if only one oval cylinder escutcheon is required. A grub screw will be supplied to allow for concealed fixing.

1368/6 Kit is not applicable.

Interior Function	
Oval Cylinder	6
Oval Turnknob	7
Disabled Accessible Turnknob	9

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Note:

Privacy indicator applies for both exterior and interior functions.

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 69 for reference guide.

1360 Series Ordering Procedure

Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1369	I	P	SC

Escutcheon Type	
Oval Cylinder	1366
Oval Turn	1367
Emergency Turn	1368
Disabled Accessible Turn	1369

Fixing	
Wood Screw Surface Fixing	I
Grub Screw Concealed Fixing	E*
Note: *Only applicable when ordering with 1366 Oval Cylinder Escutcheon. The 1366/E will be supplied with a grub screw to allow for concealed fixing.	

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 70 for reference guide.

1360 Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks









1360 Series Kits								
Image	Part Number	Handed	Kit Description		Mortice Lock/Bolt Compatibility			
			Exterior Function	Interior Function	Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt
	1366/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon		✓	✓	
	1366/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob		✓	✓	
	1366/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob		✓	✓	
	1366/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob		✓	✓	
	1366/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob		✓	✓	
	1368/7NSC	No	Emergency Turn	Oval Turnknob		✓	✓	✓
	1368/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob		✓	✓	✓
	1368P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob		✓	✓	✓
	1368/9NSC	No	Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓
	1368/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob		✓	✓	✓
	1368P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓

1360 Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

1360 Series Surface Mounted Escutcheons									
Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1366/ESC	No	Oval Cylinder Escutcheon	✓	✓	✓		1366SC	1366/ESC
	1367/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1367PSC	1367/EPSC
	1367/INSC	No	Non- Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1367SC	1367/ENSC
	1368/INSC	No	Non - Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1368SC	1368/ENSC
	1368/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1368PSC	1368/EPSC
	1369/INSC	No	Non- Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓	1367DT	1369/ENSC
	1369/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓		1369/EPSC
	1366ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

1370 Series Brass Door Handles



Lockwood 1370 Series door furniture is manufactured from high quality solid brass material. The comprehensive lever range matched with ease of installation and compatibility with a wide range of Mortice Locks defines simple and reliable.

The accessory range includes cylinder escutcheons, emergency turns and disabled accessible turnknobs. For installers, the unique turn mechanism adjusts to suit the thickness of the door and removes the need to cut tailbars to length.

A full range of finishes from satin chrome through to a range of brass finishes and polyester powder coat provides all the options for matching to interior designs.

Proudly Australian Made at our factory at Oakleigh to the highest quality standards for strength, durability and corrosion resistance.

Product Details

Dimensions	62.5mm diameter x 11.6mm.
Materials	All Lockwood roses and levers contained in the 1370 series are of solid brass construction.
Fixing	Roses are designed to fit back to back. If outside rose is specified with concealed fixing, then the inside rose must be visible fixed. Roses numbered 1370, 1372 and 1374 are concealed fixed, roses numbered 1371, 1373 and 1375 are visible fixed.
Door Thickness	Selector 3770 and Synergy 3570 Series: 32mm to 50mm Lockwood 5260 Latches: 33mm to 50mm
Decorative Finishes	Standard Finish: Satin Chrome Brushed (SC) Non-Standard Finish: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC) Special Finish: Architectural Bronze (AZ) Architectural Bronze Unlacquered (AU) Antique Copper (AC) Polished Brass Unlacquered (BU) Satin Brass (SB) Oil Rubbed Bronze (ORB) Satin Brass Unlacquered (SBU)

Standards and Compliance



1370 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8

1370 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1370 Series lever sets in satin chrome finish has been successfully tested to AS 4145.2 2008 for Neutral Salt Spray – With SC Finish passing C10 1000 Hours - Extreme Corrosion Resistance. Suitable for coastal applications.



1370 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Brass Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


1370 Series Brass Door Handles

BRASS CORE

The 1370 Series rose furniture features a 62mm solid brass rose with diagonal screw fixings, concealed on the outside and visible on the inside.

Supplied with:


2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Instructions (1220-221)



AS1428.1 Compliant Levers


Lever 102

Length	134.3mm
Projection	57.5mm
Finger clearance	40mm




Lever 111

Length	130mm
Projection	58mm
Finger clearance	40mm



Lever 112

Length	130.5mm
Projection	48mm
Finger clearance	40mm




1370 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 115

Length	140.4mm
Projection	60mm
Finger clearance	40mm




Lever 116

Length	140.5mm
Projection	47.6mm
Finger clearance	40mm




Lever 118

Length	128mm
Projection	58mm
Finger clearance	40mm



Lever 124

Length	130.5mm
Projection	59mm
Finger clearance	40mm




1370 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 131

Length	134.5mm
Projection	53mm
Finger clearance	40mm




Lever 132

Length	130mm
Projection	57.5mm
Finger clearance	40mm




Lever 133

Length	130mm
Projection	53.5mm
Finger clearance	40mm



Lever 142

Length	130.5mm
Projection	55mm
Finger clearance	40mm




1370 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 144

Length	128.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 145

Length	130mm
Projection	58.5mm
Finger clearance	40mm





Lever 155

Length	129.3mm
Projection	57.5mm
Finger clearance	40mm



Lever 166

Length	130mm
Projection	48mm
Finger clearance	40mm




1370 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 180

Length	123.5mm
Projection	53.1mm
Finger clearance	40mm




Lever 47

Length	120mm
Projection	49.6mm
Finger clearance	40mm




Lever 59

Length	121mm
Projection	47mm
Finger clearance	39.5mm



Lever 70

Length	121mm
Projection	53mm
Finger clearance	37mm




1370 Series Brass Door Handles

AS1428.1 Compliant Levers


Lever 74

Length	120mm
Projection	53mm
Finger clearance	45mm




Lever 76

Length	125mm
Projection	48.5mm
Finger clearance	40mm




Lever 77

Length	121mm
Projection	51mm
Finger clearance	48.3mm



Lever 90

Length	118.5mm
Projection	51.6mm
Finger clearance	44mm




1370 Series Brass Door Handles

Non compliant lever/knob types


Lever 101

Length	130mm
Projection	48.5mm
Finger clearance	40mm




Lever 104

Length	133.8mm
Projection	57.5mm
Finger clearance	40mm




Lever 106

Length	130mm
Projection	48mm
Finger clearance	40mm



Lever 123


Length	130.5mm
Projection	59mm
Finger clearance	40mm




1370 Series Brass Door Handles

Non compliant lever/knob types


Lever 178	
Length	130mm
Projection	63.6mm
Finger clearance	42mm



Lever 97	
Length	120mm
Projection	50.5mm
Finger clearance	34.6mm



Knob 20	
Diameter	50mm
Projection	73mm



20 Knob can be used on outside rose only.


1370 Series Brass Door Handles

Handed Levers

Lever 41


Length	130mm
Projection	61.5mm
Finger clearance	40.5mm

* Lever is an asymmetrical design and therefore must be handed.




Lever 122

Length	130.5mm
Projection	59mm
Finger clearance	40mm



Lever 153

Length	120mm
Projection	70.6mm
Finger clearance	43mm



1370 Series Through Fix Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.


Double Oval Cylinder Escutcheons Kit

Part Number 1376/6


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Oval Cylinder Escutcheon



Outside



Inside


Oval Cylinder and Turnknob Escutcheons Kit

Part Number 1376/7N


Escutcheons supplied

Outside: Oval Cylinder Escutcheon

Inside: Turnknob Escutcheon



Outside



Inside

1370 Series Through Fix Escutcheon Kits

Privacy Indicating Emergency Turn and Disabled Accessible Turnknob Escutcheons Kit


Part Number 1378/9P

Escutcheons supplied


Outside: Privacy Indicating Emergency Turn Escutcheon

Inside: Privacy Indicating Disabled Accessible Turnknob Escutcheon

Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.



Outside



Inside

Note:

Common kit configurations are shown, for other kit variations please refer to the ordering procedure at the end of this section.

1370 Series Cylinder & Turn Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.


Oval Cylinder Escutcheon

Part Number 1376/E

Supplied with

2 x M4 x 65mm Stainless Steel Screws (SP1220-119)
1 x Allen Key (SP1366-14)
1 x Grub Screw M4 x 8mm (SPV0272 PBK)

(Replaces 1376)




Turnknob Escutcheon

Part Number 1377/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)

(Replaces 1377)




Privacy Indicating Turnknob Escutcheon

Part Number 1377/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Flat Tail Bar & Split Pin (SP1227-319)
1 x Instructions (1220-321)

(Replaces 1377P)




Emergency Turn Escutcheon

Part Number 1378/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1378)



1370 Series Cylinder & Turn Escutcheons


Privacy Indicating Emergency Turn Escutcheon

Part Number 1378/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Emergency Tail Bar (SP1227-119)

(Replaces 1378P)




Disabled Accessible Turnknob

Part Number 1379/IN

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)

(Replaces 1377DT)




Disabled Accessible Privacy Indicating Turnknob

Part Number 1379/IP

Supplied with

2 x Short & 2 x Medium Wood Screws (SP1226-219)
1 x Short, Medium & Long Tail Bars and Spring (SP1227-219)
1 x Instructions (1220-321)



Door thickness: Suitable for 32 - 45mm doors.
Extended tail bars available for thicker doors.

1370 Series Ordering Procedure

Sample part number 1370/1371/41LCP is made up of several sections. Choose your product by selecting an option from each section.

Half Set

Note: Choose one rose only, exterior or interior.

Exterior Rose	Lever/ Knob	Handing	Finish
1370	41	L	CP

Full Set

Exterior Rose	Interior Rose	Lever/ Knob	Handing	Finish
1370	1371	41	L	CP

Exterior Rose Type	
Exterior Rose	1370
Exterior Blank Rose	1372
Exterior Fixed Rose	1374

Interior Rose Type	
Interior Rose	1371
Interior Blank Rose	1373
Interior Fixed Rose	1375

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types		
101	104	123
178	97	20

Handed Levers		
41	122	153

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Non - Standard Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlaquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

1370 Series Ordering Procedure

Escutcheon Kits

Through fix kits are optimised for use with Selector Series Mortice Locks. Supplied with two M4 64mm stainless screws for through fix installation.

Sample part number 1376/9NSC is made up of several sections. The description of this part number is an oval cylinder and disabled accessible turnknob escutcheon kit.

Exterior Function	Interior Rose	Privacy Indicator	Finish
1376	9	N	SC

Exterior Function	Interior Function	Privacy Indicator	Finish
Oval Cylinder	Oval Cylinder	Oval Cylinder	Satin Chrome Brushed
Emergency Turn	Oval Turnknob	Non Indicating	Chrome Plate
Notes: Order 1376/E if only one oval cylinder escutcheon is required. A grub screw will be supplied to allow for concealed fixing.	Disabled Accessible Turnknob	Privacy Indicating	Polished Brass
		Note: Privacy indicator applies for both exterior and interior functions.	Polyester Powdercoat

Special Finishes
Polished Brass Unlacquered
Satin Brass
Satin Brass Unlacquered
Architectural Bronze
Architectural Bronze Unlacquered
Antique Copper
Oil Rubbed Bronze

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.

Refer to page 88 for reference guide.

1370 Series Ordering Procedure

Surface Mounted Escutcheons

Surface mounted escutcheons are optimised for use with Synergy Series Mortice Locks.

Supplied with wood screws to suit surface mounting on either side of the door.

Escutcheon Type	Fixing	Privacy Indicator	Finish
1379	I	P	SC

Escutcheon Type	
Oval Cylinder	1376
Oval Turn	1377
Emergency Turn	1378
Disabled Accessible Turn	1379

Fixing	
Wood Screw Surface Fixing	I
Grub Screw Concealed Fixing	E*

Note:

*Only applicable when ordering with 1376 Oval Cylinder Escutcheon. The 1376/E will be supplied with a grub screw to allow for concealed fixing.

Privacy Indicator	
Oval Cylinder	-
Non Indicating	N
Privacy Indicating	P

Finish	
Satin Chrome Brushed	SC
Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Special Finishes	
Polished Brass Unlacquered	BU
Satin Brass	SB
Satin Brass Unlacquered	SBU
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Oil Rubbed Bronze	ORB

Note: Refer to the decorative finishes section at the end of this catalogue for images of the full metal finishes and powder coat colour range available.












Refer to page 89 for reference guide.

1370 Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Through Fix Mounting

Optimized for Selector 3770 Series Mortice Locks

1370 Series Kits									
Image	Part Number	Handed	Kit Description		Mortice Lock/Bolt Compatibility				
			Exterior Function	Interior Function	Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	
	1376/6SC	No	Oval Cylinder Escutcheon	Oval Cylinder Escutcheon		✓	✓		
	1376/7NSC	No	Oval Cylinder Escutcheon	Oval Turnknob		✓	✓		
	1376/7PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Oval Turnknob		✓	✓		
	1376/9NSC	No	Oval Cylinder Escutcheon	Disabled Accessible Turnknob		✓	✓		
	1376/9PSC	No	Oval Cylinder Escutcheon	Privacy Indicating Disabled Accessible Turnknob		✓	✓		
	1378/7NSC	No	Emergency Turn	Oval Turnknob		✓	✓	✓	
	1378/7PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Oval Turnknob		✓	✓	✓	
	1378P/7NSC	No	Privacy Indicating Emergency Turn	Oval Turnknob		✓	✓	✓	
	1378/9NSC	No	Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓	
	1378/9PSC	No	Privacy Indicating Emergency Turn	Privacy Indicating Disabled Accessible Turnknob		✓	✓	✓	
	1378P/9NSC	No	Privacy Indicating Emergency Turn	Disabled Accessible Turnknob		✓	✓	✓	









1370 Series Reference Guide

Lockwood Brass Turns and Cylinder Escutcheons

Fitting: Surface Mounting

Optimized for Synergy 3570 Series Mortice Locks

1370 Series Surface Mounted Escutcheons

Image	Part Number	Handed	Description	Mortice Lock/Bolt Compatibility				Replaced Codes	
				Synergy 3570 Locks	Selector 3770 Locks	PT Mortice Locks	6260 Privacy Bolt	Previous Surface Mounted Turns	Previous Pentagon External Turns
	1376/ESC	No	Oval Cylinder Escutcheon	✓	✓	✓		1376SC	1376/ESC
	1377/IPSC	No	Privacy Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1377PSC	1377/EPSC
	1377/INSC	No	Non-Indicating Oval Turnknob Escutcheon	✓	✓	✓	✓	1377SC	1377/ENSC
	1378/INSC	No	Non-Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1378SC	1378/ENSC
	1378/IPSC	No	Privacy Indicating Emergency Turn Escutcheon	✓	✓	✓	✓	1378PSC	1378/EPSC
	1379/INSC	No	Non-Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓	1377DT	1379/ENSC
	1379/IPSC	No	Privacy Indicating Disabled Accessible Turnknob Escutcheon	✓	✓	✓	✓		1379/EPSC
	1376ESC	No	Euro Profile Cylinder Escutcheon	✓	✓	✓		-	-

260 Series Door Handles




The 260 Series door furniture has a 55mm round rose. Concealed fixed plates have studs with internal threads located on the rose, visible roses have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3770 and 3570 Series Mortice Latches and with 5260 Tubular Latches.

Product Details

Dimensions	Lever Rose
	55 x 3mm - aluminium
	55 x 2mm - stainless steel and brass
	Escutcheon Rose
Materials	50 x 3mm - aluminium
	50 x 2mm - stainless steel and brass
	Aluminium, stainless steel or brass
Door Thickness	For use with 3570 Series Mortice Latches: Door thickness 35 to 45mm
	For use with 5260 Tubular Latches: Door thickness 37-45mm
	(Extended screws and packing plates available for installation on thicker and thinner doors.)
Finishes Standard	Stainless Steel (SS)
Finishes Non Standard	Polished Stainless Steel (PS) Powdercoat (PC)



SS/Brass

Standards and Compliance



260 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D3

260 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



Anti-Corrosion




260 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.


Lockwood Artefact Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

260 Series Door Handle Functions


Rose Furniture 55mm Diameter




260 Operable




261 Operable




262 Blank



263 Blank




264 Fixed




265 Fixed


Escutcheon Furniture 50mm Diameter



280



281



282

Functions Legend

Cylinder Hole



Turnknob



Emergency Turn



260SQ Series Square Door Rose Door Handles




The 260SQ Series door furniture has a 55mm x 2mm square rose. Concealed fixed plates have studs with internal threads located on the rose, visible roses have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood 3770 and 3570 Series Mortice Latches and with 5260 Tubular Latches.

Product Details

Dimensions	Lever Rose
	55 x 2mm - stainless steel
	Escutcheon Rose
	50 x 2mm - stainless steel
Materials	Stainless steel only
Door Thickness	For use with 3570 Series Mortice Latches: Door thickness 35 to 45mm
	For use with 5260 Tubular Latches: Door thickness 37-45mm
	(Extended screws and packing plates available for installation on thicker and thinner doors.)
Finishes Standard	Stainless Steel (SS)



Standards and Compliance



260SQ Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D3

260SQ Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



Anti-Corrosion




260SQ Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.


Lockwood Artefact Door Furniture is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

260SQ Series Square Door Rose Door Handles


Levers and Knob to Suit



Square Furniture 55 x 55mm



Square Escutcheon Furniture 50 x 50mm



Functions Legend

Cylinder Hole	
Turnknob	
Emergency Turn	

260 Series Ordering Procedure

Ordering Procedure

Sample part number 260/261/SQ96SS is made up of several sections. Choose your product by selecting an option from each section.

Half Set

For example:

Exterior Rose	Lever/ Knob	Handing	Finish
260	SQ	96	SS

Note: Choose one rose only, exterior or interior.

260 Series

Exterior Rose	Interior Rose	Rose Shape	Lever/ Knob	Handing	Finish
260	261	-	96	L	SS

Exterior Rose Type

Exterior Rose	260
Exterior Blank Rose	262
Exterior Round Rose -Fixed Rose	264

Interior Rose Type

Interior Rose	261
Interior Blank Rose	263
Interior Fixed Rose	265

Rose Shape

Round	-
Square	SQ

AS1428.1 Compliant Lever Types

102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non compliant lever/knob types

101	104	123
178	97	20

Handed Levers

Brass Levers

41	122	153
----	-----	-----

* Levers 65 and 85 not available in PS or PB

Handing

Left Handed	L
Right Handed	R

Finish - 260 Series

Satin Stainless Steel	SS
Powdercoat	PC
Polished Stainless Steel	PS
Aluminium	NT
Polished Brass	PB

Finish - 260SQ Series

Satin Stainless Steel	SS
-----------------------	----

Velocity® Series Large Rose Door Furniture




The Velocity Series is a stylish range of door furniture suitable for use in residential dwellings.

Designed to suit common door preparations in the Australian market, Velocity is ideal for both new and retrofit applications.

Retrofitable

Fits majority of doors with 54mm hole.



1 Align 2 Twist 3 Tighten



Features and Specifications

- All fixings are concealed beneath a removable rose trim providing a crisp and clean presentation desired by the discerning home owner
- Simple twist and tighten fixing method and lever set pre-assembly allows for super easy and super fast installation
- Available in a choice of six lever designs and three finishes
- The rose fits 50mm or 54mm diameter holes making it suitable for retrofit and common door preparations
- Designed in Australia for the specific needs of the Australian market

Product Details

Rose Dimensions 63mm by 12.5mm.

Materials All Velocity levers and roses are made from solid zinc die-cast with steel rose trims.

Latches Passage sets are available both with and without a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes an activating pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" strikes.

Door Thickness 32mm to 45mm hinged doors

Finishes Satin Chrome Brushed (**SC**)
Satin Chrome Pearl (**SP**)
Chrome Plate (**CP**)

Standards and Compliance

D8

VEL Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.




VEL Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Not suited to coastal applications

Velocity® Series Large Rose Door Handles


Summit®– Lever 1

Length	122mm
Projection	56.5mm
Finger Clearance	34.5mm




Spire®– Lever 2

Length	124mm
Projection	57.5mm
Finger Clearance	44.5mm




Element™ – Lever 3

Length	122mm
Projection	54.5mm
Finger Clearance	47.5mm



Glide™ – Lever 4


Length	121mm
Projection	56.5mm
Finger Clearance	33.5mm



Velocity® Series Large Rose Door Handles


Hakea® - Lever 28

Length	121mm
Projection	63mm
Finger Clearance	43mm



Saltbush® - Lever 34


Length	120mm
Projection	64mm
Finger Clearance	43.5mm



Velocity® Series Large Rose Accessories


Square Rose Passage Trim

Part Number	VES1-TRIM
Height	65mm
Depth	12.5mm
Quantity	Pack of 2



Square Rose Privacy Trim

Part Number	VES2-TRIM
Height	65mm
Depth	12.5mm
Quantity	Pack of 2



Velocity® Series Large Rose Ordering Procedure

Ordering Procedure

Sample part number VEL1/L1/SC is made up of several sections. Choose your product by selecting an option from each section.

Velocity® 63mm Series

Exterior Rose	Function	Lever Type	Latch	Finish	Packaging
VEL	1	L1		SC	

Rose Type	Levers	Latch	Finish	Packaging
63mm Round Rose VEL	Summit® L1	No latch (Passage only) NL	Satin Chrome Brushed SC	Trade -
	Spire® L2		Satin Chrome Pearl SP	Display DP
	Element™ L3		Chrome Plate CP	
	Glide™ L4		Matt Black MBK*	
	Hakea® 28		*MBK finish on Velocity Large Rose is only available with Lever 3	
	Saltbush® 34			

Function	
Passage 1	
Privacy 2	
Dummy Half 3	

Square Rose Ordering Procedure

Function	Satin Chrome Finish	Chrome Plate Finish	Satin Pearl Finish	Matt Black Finish
Passage Lever Set	VES1-TRIMSC	VES1-TRIMCP	VES1-TRIMSP	VES1-TRIMMBK
Dummy Half Set				
Privacy Lever Set	VES2-TRIMSC	VES2-TRIMCP	VES2-TRIMSP	VES2TRIM-MBK

Square Rose Lever Sets are ordered in the same manner as Round Rose Lever Sets above with the addition of a Square Rose Trim Pack. For example a Passage Lever Set, Lever 4 in Satin Chrome will require both VEL1/L4SC and VES1-TRIMSC.


Velocity® Series Small Rose Door Handles



The Velocity 55mm Series is a stylish range of door furniture suitable for both residential and semi commercial applications. Designed primarily for new installation on timber doors, the range incorporates functionality for use with Mortice Locks in addition to Passage, Privacy and Dummy Levers.

Installation

Suits door preparations up to 45mm.



1 **Align** 2 **Twist** 3 **Tighten**



Features and Specifications

- All fixings are concealed beneath a removable rose trim providing an aesthetically appealing installation.
- Simple twist and tighten fixing method and pre-assembled lever sets allow for super easy and fast installation.
- Lever range includes two AS1428.1 compliant levers and six designer levers.
- Accessories include AS1428.1 compliant turn, standard turn and privacy indicating emergency turns.
- The 55mm rose suits up to 45mm door preparations commonly used with mortice locks or latches.
- Designed in Australia for the specific needs of the Australian market.

Product Details

Rose Dimensions	55mm by 12.5mm - Round Rose 58mm by 12.5mm - Square Rose
Materials	All Velocity 55mm levers and roses are made from solid zinc die-cast.
Latches	Passage sets are available with a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes a locking pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" strikes.
Door Thickness	32mm to 45mm hinged doors
Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP) Satin Pearl (SP) Display Pack Range Only

Standards and Compliance



Successfully tested up to 2 hours on fire door assemblies in accordance with the Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets

D8

VEL Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



VEL Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



AS1428.1 Compliance. The range includes AS1428.1 compliant levers and turns as shown.

Velocity® Series Small Rose Door Handles

AS1428.1 Compliant Levers

Accession® - Lever 5


Length 121mm

Projection 56.5mm

Finger Clearance 38.4mm



Disabled Accessible
AS1428.1



Dianella™ - Lever 8


Length 121mm

Projection 51mm

Finger Clearance 38mm



Disabled Accessible
AS1428.1



Gidgee® - Lever 37


Length 120mm

Projection 64mm

Finger Clearance 38.5mm



Disabled Accessible
AS1428.1




Standard Levers

Element™ - Lever 3

Length 122mm

Projection 54.5mm

Finger Clearance 47.5mm





Velocity® Series Small Rose Door Handles

Standard Levers


Hakea® - Lever 28

Length	121mm
Projection	63mm
Finger Clearance	43mm




Acacia® - Lever 29A

Length	120mm
Projection	64mm
Finger Clearance	41.5mm



Saltbush® - Lever 34

Length	120mm
Projection	64mm
Finger Clearance	43.5mm




Velocity® Series Small Round Rose Accessories

Euro Cylinder Escutcheon

Part Number	VSR5
Height	55mm
Depth	12.5mm


Supplied with
2x Wood Screws



Oval Cylinder Escutcheon

Part Number	VSR6
Height	55mm
Depth	12.5mm


Supplied with
2x Wood Screws



Standard Turnknob

Part Number	VSR7
Height	55mm
Depth	12.5mm
Handing	Not required


Supplied with
2x Wood Screws
1x Short Tail Bar
1x Medium Tail Bar
1x Tail Bar Spring
1x Instructions (1220-321)



Privacy Indicating Emergency Turn

Part Number	VSR8
Height	55mm
Depth	12.5mm

Supplied with
2x Wood Screws
1x Emergency Tail Bar
1x Instructions (1220-321)




Velocity® Series Small Round Rose Accessories

Disabled Accessible Turnknob

Part Number	VSR9
Height	55mm
Depth	12.5mm
Turn Snib Length	52mm
Handing	Site handable

Supplied with


2x Wood Screws
1x Tail Bar (short)
1x Tail Bar (medium)
1x Tail Bar Spring
1x Instructions (1220-321)



* VSR9 is not compatible with Selector series mortice locks.


Round Rose Passage Trim

Part Number	VSR1-TRIM
Height	55mm
Depth	12.5mm
Quantity	Pack of 2



Round Rose Privacy Trim

Part Number	VSR2-TRIM
Height	55mm
Depth	12.5mm
Quantity	Pack of 2




Velocity® Series Small Square Rose Accessories

Euro Cylinder Escutcheon

Part Number	VSS5
Height	58mm
Depth	12.5mm

Supplied with
2x Wood Screws



Note: Please ensure clearance between lever trim and escutcheons when used with European Mortice Locks.



Oval Cylinder Escutcheon

Part Number	VSS6
Height	58mm
Depth	12.5mm


Supplied with
2x Wood Screws



Standard Turn Snib

Part Number	VSS7
Height	58mm
Depth	12.5mm
Handing	Not required


Supplied with
2x Wood Screws
1x Short Tail Bar
1x Medium Tail Bar
1x Tail Bar Spring
1x Instructions (1220-321)



Emergency Indicating Turn

Part Number	VSS8
Height	58mm
Depth	12.5mm
Handing	Not required

Supplied with
2x Wood Screws
1x Emergency Tail Bar
1x Instructions (1220-321)




Velocity® Series Small Square Rose Accessories

Disabled Accessible Turn Snib

Part Number	VSS9
Height	58mm
Depth	12.5mm
Turn Snib Length	52mm
Handing	Site handable

Supplied with


2x Wood Screws
1x Tail Bar (short)
1x Tail Bar (medium)
1x Tail Bar Spring
1x Instructions (1220-321)



* VSS9 is not compatible with Selector series mortice locks.


Square Rose Passage Trim

Part Number	VSS1-TRIM
Height	58mm
Depth	12.5mm
Quantity	Pack of 2



Square Rose Privacy Trim

Part Number	VSS2-TRIM
Height	58mm
Depth	12.5mm
Quantity	Pack of 2



Velocity® Series Rose Door Handles

Sample part number VSR1/L3SC is made up of several sections. Choose your product by selecting an option from each section.

Velocity® Small Rose Series - Trade Pack Range

Exterior Rose	Function	Lever Types	Finish		
VSR	1	L3	SC		

Rose Type	Function	Levers	Finish	Packaging
Velocity 55mm Round Rose	Mortice 0	Summit® L1	Satin Chrome Brushed SC	Trade Pack
Velocity 58mm Square Rose	Passage 1	Element™ L3	Chrome Plate CP	
	Privacy 2	Glide™ L4	Matt Black MBK	
	Dummy Half 3	Hakea® 28		
	Euro Escutcheon 5	Acacia® 29A		
	Oval Escutcheon 6	Saltbush® 34		
	Standard Turnknob 7			
	Privacy Indicating Emergency Turn 8			
	Disabled Accessible Turnknob 9			
		AS1428.1 Compliant Levers		
		Accession® L5		
		Dianella™ L8		
		Gidgee® 37		

Note: Mortice, Passage, Privacy and Dummy Half Lever Sets only available in Round Rose. See below for ordering procedure

Velocity® Small Rose Series - Display Pack Range

Rose Type	Function	Lever Types	Finish	Packaging
VSR	1	L3	SC	DP

Rose Type	Function	Levers	Finish	Packaging
Velocity 55mm Round Rose	Passage 1	Summit® L1	Satin Chrome Pearl SP	Display DP
	Privacy 2	Spire® L2	Chrome Plate CP	
		Element™ L3	Satin Chrome Brushed SC	
		Glide™ L4		

Square Rose Ordering Procedure

Function	Satin Chrome Finish	Chrome Plate Finish	Satin Pearl Finish	Matt Black Finish
Mortice Lever Set				
Passage Lever Set	VSS1-TRIMSC	VSS1-TRIMCP	VSS1-TRIMSP	VSS1-TRIMMBK
Dummy Half Set				
Privacy Lever Set	VSS2-TRIMSC	VSS2-TRIMCP	VSS2-TRIMSP	VSS2-TRIMMBK

Square Rose Lever Sets are ordered in the same manner as Round Rose Lever Sets above with the addition of a Square Rose Trim Pack. For example a Mortice Lever Set, Lever 5 in Satin Chrome will require both VSR0/L5SC and VSS1-TRIMSC.

Metal Finishes


For Metal Finish sample refer to code under each image.




Antique Copper (AC)
Sample Code: FIN-SAMPLEAC*




Architectural Bronze Unlacquered (AU)
Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB)
Sample Code: FIN-SAMPLEORB*



Aged Brass (AG)
Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ)
Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB)
Sample Code: FIN-SAMPLEPB**



Satin Brass (SB)
Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU)
Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered (SBU)
Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC)
Sample Code: FIN-SAMPLESC



Chrome Plating (CP)
Sample Code: FIN-SAMPLECP



Stainless Steel (SS)
Sample Code: FIN-SAMPLESS



Polished Stainless Steel (PS)
Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT)
Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.


**Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.



Dulux Duratec Eternity
Eternity Charcoal Pearl
Satin




Dulux Electro
Black Ace
Flat



Dulux Electro
Dark Bronze
Flat




Dulux Electro
Medium Bronze
Flat




Dulux Precious
Charcoal Metallic Pearl
Gloss




Dulux Precious
Citi Pearl
Matt




Dulux Precious
Natural Pearl
Matt




Dulux Duralloy
Shoji White
Satin



Dulux Alphatec
White
Matt



Dulux Duralloy
White
Satin



Dulux Surreal Effects Mannex
Mannex Black
Effect



Dulux Surreal Effects Scylla
Red Brown Scylla
Effect




Dulux Duralloy
Black
Gloss



Dulux Duralloy
Monument®
Satin

CB



Dulux Duralloy
Black (C/B Night Sky®)
Satin

CB



Dulux Duralloy
Jasper®
Satin

CB



Dulux Duralloy
Monument®
Matt

CB



Dulux Duralloy
Deep Ocean®
Satin

CB



Dulux Duralloy
Dune®
Satin

CB



Dulux Duralloy
Woodland Grey®
Satin

CB



Dulux Duralloy
Woodland Grey®
Matt

CB



Dulux Duralloy
APO Grey
Satin

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Dulux Powdercoat Finishes


For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.




Dulux Duralloy
Surfmist®
Matt

CB



Dulux Duralloy
Anotec® Off White
Matt




Dulux Duralloy
Anotec® Mid Bronze
Matt




Dulux Duralloy
Dune®
Matt

CB



Dulux Duralloy
Anotec® Dark Grey
Matt



Dulux Duralloy
White Birch
Gloss



Dulux Duralloy
Stone Beige
Matt



Dulux Duralloy
Notre Dame
Gloss



Dulux Duralloy
Pale Eucalypt®
Satin

CB



Dulux Duralloy
Paperbark®
Satin

CB




Dulux Duralloy
Primrose
Gloss




Dulux Duralloy
Black (C/B Night Sky®)
Matt

CB



Dulux Duralloy
Pearl White
Gloss



Dulux Duralloy
Bright White
Gloss



Dulux Duralloy
Hammersley Brown
Satin



Dulux Duralloy
Metropolis Storm Pearl
Satin



Dulux Duralloy
Charcoal
Satin


CB



Dulux Duralloy
Oyster
Matt



Dulux Duralloy
Berry Grey
Satin



Dulux Duralloy
Zeus Charcoal
Satin



Dulux Duralloy
Manor Red
Satin

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB

Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Interpon Powdercoat Finishes

For Powdercoat Finish sample order code:


FIN-SAMPLEPC specify the desired color from the images below when placing order.



Interpon Nuance
Silver Pearl
Satin



Interpon
Metallic Lustre
Matt



Interpon Vivica
Snow Dust
Matt



Interpon Sable
Core Ten
Fine Texture



Interpon Vivica
Ultra Silver
Gloss



Interpon Vivica
Storm Front
Matt



Interpon Hawthorn
Green
Gloss

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



We recommend and use Interpon Powders

Disclaimer: Interpon®, Sable™, Vivica™, Excel™ are registered trademarks of AkzoNobel Pty Ltd. Colors displayed on this color card are a guide only and have been matched as close as possible to Interpon production standards under daylight conditions. Due to the nature of the printing process some degree of color and gloss level variation may occur. Where more than one finish is available product color may vary. We recommend that you use production line prepared samples for final color selection or approval.

Decorative Finishes Per Series

Powdercoat Finishes

Rose Door Handles: Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

Plate Door Handles: 1800, 2800, 4800, 5800, 200, 202, 212, 224

Push/Pull Plates: 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series.
Refer to the series catalogue for specific detailed information.

Reference Table									
	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze Unlacquered (AU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Oil Rubbed Bronze (ORB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Aged Brass (AG)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze (AZ)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass (PB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass (SB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass Unlacquered (BU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass Unlacquered (SBU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Chrome Plating (SC)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Chrome Plating (CP)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Stainless Steel (SS)	✗	✗	✓	✓	✓	✓	✗	✓	✓
Polished Stainless Steel (PS)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Marine Grade Stainless Steel (MG)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Natural Anodised Aluminium (NT)	✗	✗	✓	✗	✓	✓	✗	✗	✗

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Brass Furniture Series Special Finishes Pricing

Standard Finish

Satin chrome brushed (SC)

Non-Standard Finishes:

Mark-Up Over Standard Finish*


Chrome Plate (CP)	10%
Polished Brass (PB)	20%
Polished Brass Unlacquered (BU)	20%
Satin Brass (SB)	20%
Satin Brass Unlacquered (SBU)	20%
Polyester Powdercoat (PC)	20%
Architectural Bronze (AZ)	25%
Architectural Bronze Unlacquered (AU)	25%
Oil Rubbed Bronze (ORB)	25%
Aged Brass (AG)	25%
Antique Copper (AC)	25%

*Applicable to Brass Furniture Series 1220, 1420, 1360, 1370, 1800, 2800, 4800 and 5800 Product Ranges


Door Furniture Levers and Knob Options (Tier 1 Pricing)




20 Knob




47 Lever




59 Lever




70 Lever




74 Lever




76 Lever




77 Lever




90 Lever




97 Lever




101 Lever




102 Lever




104 Lever




106 Lever




111 Lever




112 Lever




115 Lever




116 Lever




118 Lever




122 Lever




123 Lever




124 Lever




131 Lever




132 Lever




133 Lever




142 Lever




144 Lever




145 Lever




153 Lever




155 Lever



166 Lever



178 Lever



180 Lever



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Opening Solutions Australia
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

nzsales@assaabloy.com
Telephone +64 9415 7111
assaabloyopeningsolutions.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2022 copyright by ASSA ABLOY All rights reserved



Mechanical Entrance Locksets



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*®

LOCKWOOD

ASSA ABLOY

25YEAR

**MECHANICAL
WARRANTY**

www.lockweb.com.au

Contents



Nexion® Mechanical

Entrance Lockset

page 3



Velocity®

Entrance Lockset

page 7



Entrance Locksets

Lever Options

page 11



Entrance Locksets

Accessories

page 13



Paradigm®

Pull Handle Lockset
Deadbolt

page 15



Paradigm®

Pull Handle Lockset
Deadlatch

page 17



Paradigm®

Pull Handle Lockset
Dummy Handle

page 19

Nexion® Mechanical Entrance Lockset



The Nexion Entrance Lockset represents the next generation in home security.

Designed and manufactured to the highest quality standard, the Lockwood Nexion range has set the benchmark for safety, security and style.

Available in two furniture plate styles, Vision or Classic and a choice of up to 7 designer levers, you can customise your front door suite to suit your own individual style.

Features and Specifications

- Three mode security: Secure, Safety and Passage mode provides excellent security without compromising convenience
- LockAlert® indicator shows lock status at a glance
- SafetyRelease™ automatically unlocks the inside handle upon entry to minimise the risk of being locked in
- High security latch
- Box strike with concealed crossgrain door frame strengthening screw
- Can be keyed alike to other Lockwood door locks as well as builder's key systems

Product Details

Backset	60mm as supplied 70mm optional (order part 530-222SC)
Case	High purity zinc alloy
Door Thickness	35 to 45mm
Finishes*	Satin Chrome (SC) Satin Pearl (SP) Chrome Plate (CP)
Handles*	Up to 7 Lever Designs
Latch	13mm projection brass bolt
Strike	Box strike with concealed crossgrain door frame strengthening screw
Templates	Installation template included
Handing	Adjustable handing by set screw
Cylinder	Internal and external. 5 pin tumbler mechanism with 6 pin capability. Brass cylinders and brass barrels.

* See ordering procedure for product range

Standards and Compliance



The locksets can be optioned to suit fire door sets with a fire resistance level of up to 1 hour on fire door assemblies in accordance with Australian Standard AS1905.1:2005 Fire Resistant Doorsets. The fire rated option is achieved with a standard Nexion Vision Entrance Lockset and the optional fire rated kit (order NXVFRKIT). The Nexion Classic does not have an fire rated kit option.

SL7

(Security) Australian Lock Standard (AS4145.2:2008)

D8

(Durability) Australian Lock Standard (AS4145.2:2008)

C5

(Corrosion) Australian Lock Standard (AS4145.2:2008)



CE Approved



C-tick certified

Nexion® Mechanical Entrance Lockset

Keying


- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Latch Dimensions



Kinetic Defence®
Bump and pick resistant.



Deadlatch Bolt
13mm projection
brass bolt.



SafetyRelease™
Minimises the risk of being
locked in.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



LockAlert®
Interior Indicator shows
lock status at a glance.



Quick Installation
Suitable for door thicknesses
between 35–45mm.



Safety Mode
Securely locked from outside
and free from inside.



Retrofittable
Fits majority of doors with
54mm hole.



Secure Mode
Securely locked from both
inside and outside. For when
nobody is home.



Passage Mode
Free to enter from outside
and free to exit from inside.


Nexion® Mechanical Entrance Lockset

Nexion Vision - Double Cylinder



Exterior

Interior




Nexion Classic - Double Cylinder



Exterior

Interior



Nexion® Mechanical Entrance Lockset

Ordering Procedure

Sample part number NXV12/1L1CP is made up of several sections. Choose your product by selecting an option from each section.

Nexion® Vision Entrance Locksets

Series	Function	Cylinders	App. Options	Levers	Finish	Keying
NXV	1	2	1	L1	CP	

Series	Cylinders	Levers	Keying
Nexion Vision NXV	Dummy Set 0 Double 2	Summit L1 Spire L2 Element L3 Glide L4 Hakea 28 Acacia 29A* Saltbush 34	Keyed to Differ (Standard) Keyed Alike 5 Pins 5KA Project Keyed 5 Pins 5PK Restricted Profile 5 Pins 5RP Keyed Alike 6 Pins 6KA Project Keyed 6 Pins 6PK

Function	Application Options
Mechanical 1 Dummy* 4	Timber Frame Strike* 1

*Only available with L3 Lever and SC finish

*Metal Frame T-Strike optional (order part NX8/40SC)

*Lever 29A only in SC and CP finishes

*For Fire Rated Nexion Vision option (order part NXVFRKIT)

Finish
Satin Chrome SC Satin Pearl SP Chrome Plate CP

Nexion® Classic Entrance Locksets

Series	Function	Cylinders	App. Options	Levers	Finish	Keying
NX	1	2	1	L1	CP	

Series	Cylinders	Levers	Keying
Nexion Classic NX	Double 2	Summit L1 Spire L2	Keyed to Differ (Standard) Keyed Alike 5 Pins 5KA Project Keyed 5 Pins 5PK Restricted Profile 5 Pins 5RP Keyed Alike 6 Pins 6KA Project Keyed 6 Pins 6PK

Function	Application Options
Mechanical 1	Timber Frame Strike 1

Finish
Satin Pearl SP Chrome Plate CP

Velocity® Entrance Lockset



The Velocity Entrance Lockset is the latest development in the Entrance Lockset range.

Designed and manufactured to Australian Standards, the Velocity Entrance Lockset provides a simple and functional entrance lock to complement the Velocity Door Handle range.

Features and Specifications

- Easy Installation, retrofits most common front door preparations
- Allen key fixing screws for improved security and appearance
- Three mode of security: Secure, Safety and Passage mode provides excellent security without compromising convenience
- High security latch
- Box strike with concealed crossgrain door frame strengthening screw
- Designed to be keyed to builder's key systems, keyed alike or keyed to differ

Product Details

Backset	60mm as supplied 70mm optional (order part 530-222SC)
Case	High purity zinc alloy
Door Thickness	35 to 45mm
Finishes	Satin Chrome (SC)
Handles	Lever 3
Latch	13mm projection brass bolt
Strike	Box strike with concealed crossgrain door frame strengthening screw
Templates	Installation template included
Handing	Adjustable handing by set screw
Cylinder	Internal and external 5 pin tumbler mechanism with 6 pin capability Brass cylinders and brass barrels

* See ordering procedure for product range

Standards and Compliance

SL7	(Security) Australian Lock Standard (AS4145.2.2008)
D8	(Durability) Australian Lock Standard (AS4145.2.2008)
C5	(Corrosion) Australian Lock Standard (AS4145.2.2008)
CE	CE Approved

Velocity® Entrance Lockset

Keying


- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Latch Dimensions



Kinetic Defence®

Bump and pick resistant.



Quick Installation

Suitable for door thicknesses between 35–45mm.



SafetyRelease™

Minimises the risk of being locked in.



Deadlatch Bolt

13mm projection brass bolt.



Safety Mode

Securely locked from outside and free from inside.



2 Keys Included

Can be keyed alike to other Lockwood door locks.



Secure Mode

Securely locked from both inside and outside. For when nobody is home.



Retrofitable

Fits majority of doors with 54mm holes.



Passage Mode

Free to enter from outside and free to exit from inside.

Velocity® Entrance Lockset


Velocity - Double Cylinder



Exterior



Interior



Velocity® Entrance Lockset

Ordering Procedure

Sample part number VELO/L3SCDP is made up of several sections. Choose your product by selecting an option from each section.

Velocity® Entrance Lockset

Series	Function	Levers	Finish	Packaging	Keying
VEL	0	L3	SC	DP	

Series	Lever	Keying
Velocity	Element	Special Keying - Residential Only Keyed Alike 5 Pins
VEL	L3	5KA

Function	Finish	Keying
Entrance Lockset	Satin Chrome	Project Keyed 5 Pins
0	SC	5PK

Packaging	Keying
Display Pack	Restricted Profile 5 Pins
DP	5RP
Trade Pack	Keyed Alike 6 Pins
	6KA
	Project Keyed 6 Pins
	6PK
	No Cylinder
	NOCYL

**Keying variants only available in Trade Pack*

Entrance Locksets - Lever Options

Summit®- L1

Part Number


Diameter 124mm

Maximum Projection 65mm

Velocity Entrance ✗

Nexion Classic ✓

Nexion Vision ✓



Spire®- L2

Part Number


Diameter 126mm

Maximum Projection 65mm

Velocity Entrance ✗

Nexion Classic ✓

Nexion Vision ✓



Element™ - L3

Part Number


Diameter 122mm

Maximum Projection 62mm

Velocity Entrance ✓

Nexion Classic ✗

Nexion Vision ✓



Glide™ - L4

Part Number


Diameter 121mm

Maximum Projection 64mm

Velocity Entrance ✗

Nexion Classic ✗

Nexion Vision ✓



Entrance Locksets - Lever Options

Hakea® - 28

Part Number


Diameter 121mm

Maximum Projection 70mm

Velocity Entrance ✗

Nexion Classic ✗

Nexion Vision ✓



Acacia® - 29A


Length 121mm

Maximum Projection 64mm

Velocity Entrance ✗

Nexion Classic ✗

Nexion Vision ✓



Saltbush® - 34


Length 120mm

Maximum Projection 72mm

Velocity Entrance ✗

Nexion Classic ✗

Nexion Vision ✓




Mechanical Entrance Lockset - Accessories

Standard D-Strike

Part Number NX8/200SSS

Supplied with
2 x Wood Screws

Suitable for timber framed inward and outward doors. Available in trade pack only. Satin Stainless Steel Finish.




Extended Strike Kit

Part Number **Finish**

NX-300SSS Satin Stainless Steel

NX-300PSS Polished Stainless Steel



Short/Extended Lipped Strikes

Part Number **Lip Length A** **Lip Length B**

3772-STK25XX 25.4mm 39.3mm

3772-STK32XX 32mm 46.1mm

3772-STK43XX 43.5mm 57.8mm

3772-STK47XX 47.5mm 61.8mm


3772-STK60XX* 60mm 74.2mm

To order, add finish code to part number.

XX designates the finish.

SS - Stainless Steel, **CP** - Chrome Plate, **PB** - Polished Brass

*Only available in Stainless Steel (**SS**) finish.



Nexion Screw Caps (Pack of 50)

Part Number **Finish**

NX-412SC Satin Chrome

NX-412SP Satin Chrome Pearl

NX-412CP Chrome Plate

Mechanical Entrance Lockset - Accessories


Rebate Kit

Part Number NX8/20SC

Supplied with

- 1x Strike Box
- 1x Latch Packer
- 2x Wood Screws

Suitable for rebated doors. Available in trade pack only Satin Chrome.




530-222SC Latch with 70mm Backset

Part Number 530-222SC

Finish Satin Chrome

Supplied with

- 1 x T Strike
- 4 x Wood Screws




Metal Frame Strike Kit

Part Number NX8/40SC

Supplied with

- 1x T-strike
- 1x Metal Strike Box
- 2x Metal Thread Screws

Metal frame doors. Available in trade pack only in Satin Chrome.



Nexion Vision - Fire Rated Kit


Part Number NXVFRKIT

Supplied with

- 1 x Mounting Plate with screws
- 1 x Stainless Steel T-Strike
- 2 x Metal Thread Strike Screws
- 1 x Long Spindle
- 2 x Mounting Screws (46 to 50mm doors)
- 1 x Cylinder Driver
- 1 x Instructions (5036M)

Metal mounting plate for fire rated installations for doors 35mm to 50mm.

Paradigm® Pull Handle Lockset - Deadbolt



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security.

Suitable for residential, new building and renovation market applications.

The Pull Handle lockset incorporates innovative safety features from the Paradigm 005 Deadbolt and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- Three function modes with DualSelect® provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Brushed 304 Grade Stainless Steel Pull Handles
- Concealed screw fixings gives a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside
- LockAlert® indicator shows lock status at a glance

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Backset	60mm-70mm adjustable
Bolt	High security cut resistant
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32 - 48mm 32-36mm doors require a spacer (Included)
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel
Strike	Box strike with concealed crossgrain door frame strengthening screw
Magnets	Door Magnets included to hold the door(s) in position when in passage mode (free to enter from outside and free to exit from inside)
Keying	<ul style="list-style-type: none">• Supplied individually keyed with two keys per lock• 78,000 key combinations• Key blank KB2015P

Standards and Compliance

SL8	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008)
K5	(Key Security) Australian Lock Standard AS4145.2 - 2008)

Paradigm® Pull Handle Lockset - Deadbolt


Pull Handle Lockset




Exterior



Interior




Exterior View



Door Thickness

Side View



Interior View



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.



SafetyRelease™
Minimises the risk of being locked in.



Corrosion Resistant
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Kinetic Defence®
Bump and pick resistant.



Counterbalance Bolt
Proportionally distributes the load between the door and door frame.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Door Thickness
32mm to 48mm.



LockAlert®
Interior Indicator shows lock status at a glance.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.



Passage Mode
Free to enter from outside and free to exit from inside.

Paradigm® Pull Handle Lockset - Deadlatch



Interior View - Single Cylinder Shown



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Pull Handle latching lockset is available in single and double cylinder variants.

Both variants are specifically designed for semi-commercial and apartment building applications. The locksets have been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset.

The Pull Handle lockset applies the innovative safety features from the Paradigm 005 Deadbolt into a latching lockset and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- High security cut resistant Stainless Steel latch
- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside*
- LockAlert® indicator shows lock status at a glance*

*Only available in double cylinder variant

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Backset	60mm
Latch	High security cut resistant Stainless Steel deadlatch
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32-48mm 32-36mm require a spacer (included)
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel
Keying	<ul style="list-style-type: none"> • Supplied individually keyed with two keys per lock • 78,000 key combinations • Key blank KB2015P

Standards and Compliance



The Paradigm Pull Handle latching Lockset has been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset for commercial applications.

SL7	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008)
K5	(Key Security) Australian Lock Standard AS4145.2 - 2008)

Paradigm® Pull Handle Lockset - Deadlatch


Pull Handle Lockset




Exterior

Interior Double
Cylinder

Interior Single
Cylinder




Exterior View



Door Thickness

Side View



Interior View (Single Cylinder)



SafetyRelease™*
Minimises the risk of being
locked in.



Door Thickness
32mm to 48mm.



LockAlert®*
Interior Indicator shows lock
status at a glance.



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



Safety Mode
Securely locked from outside
and free from inside.



Secure Mode*
Securely locked from both
inside and outside. For when
nobody is home.

* Not available for Single Cylinder variant

Paradigm® Pull Handle Lockset - Dummy Handle



Interior View - Double Cylinder Lockset
with Dummy Handle Shown

The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Dummy Handle is designed to be used along side the Paradigm Pull Handle lockset in double door applications.

Manufactured with high end 304 grade Stainless Steel that comes in a brushed satin finish, the Paradigm Dummy Handle provides premium quality with contemporary styling for modern double door entrances.

Key Features

- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance

Product Details

Dimensions	External handle length - 600mm
	Internal handle length - 500mm
	Handle width - 30mm
Door Thickness	32-48mm
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel

Paradigm® Pull Handle Lockset - Dummy Handle




Exterior


Interior

Dummy Handle

(Non-functioning) for double door application.




Exterior View



Door Thickness

Side View



Interior View



Corrosion Resistant

Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Door Thickness

32mm to 46mm.

Paradigm® Pull Handle Locksets

Ordering Procedure

Sample part number 005/DPHBSSS5PK is made up of several sections. Choose your product by selecting an option from each section.

Paradigm® Pull Handle Locksets

Series	Type	Finish	Keying
005	DPHL	SSS	5PK

Series	Type	Finish	Keying Options
Paradigm® Pull Handle 005	Double Cylinder Deadbolt DPHB	Satin Stainless Steel SSS	Keyed to Differ (Standard)
	Double Cylinder Deadlatch DPHL		Special Keying-Residential Keyed Alike 5P 5KA
	Single Cylinder Deadlatch SPHL		Keyed Alike 6P 6KA
	Dummy Handle PHD		Project Keyed 5P 5PK
			Project Keyed 6P 6PK
			Restricted Profile 5P 5RP



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Opening Solutions Australia
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2019 copyright by ASSA ABLOY All rights reserved



Nero® Collection



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*®

25YEAR

MECHANICAL
WARRANTY



ASSA ABLOY

www.lockweb.com.au

NERO[®]

COLLECTION



Master the Mood
with Lockwood

*The Lockwood Nero Collection provides a sensuous
quality that complements contemporary décor;
adding a defining design element to any space.*

Contents



Entrance
Handles
page 4



Velocity® Large Rose
Element Lever
page 7



Velocity® Small Rose
Leversets
page 10



Velocity® Small Rose
Escutcheons
page 14



Cavity Sliding
Door Lock
page 16



FP2
Flush Pull
page 18



724 Series
Slide Arm Door Closer
page 20



Nexion® Mechanical
Entrance Lockset
page 22



Paradigm® 005
Double Cylinder Deadbolt
page 26



Paradigm® 005
Latching
page 30



Symmetry®
Key in Lever
page 33



001 Double
Cylinder Deadlatch
page 36



Symmetry®
Double Cylinder
page 39




100®
Nightlatch
page 41



355
Deadlock
page 43

Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles offers a high quality solution to the requirements of both residential and commercial markets.

Packaging For Various Doors

Comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors

Product Details


Materials

Stainless Steel Construction: Constructed of 304 grade stainless steel, suitable for use in external environments

Standards and Compliance



Disabled Access - AS1428.1



Entrance Handles

141 Series

Dimensions

	A	B1	B2	C	D	E
141x300MBK	300mm	22mm	40mm	45mm	450mm	25mm
141x600MBK	600mm	22mm	40mm	45mm	750mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



141X600MBK

142

Dimensions

	A	B	C	D	E
142x300MBK	300mm	32mm	45mm	450mm	25mm
142x450MBK	450mm	32mm	45mm	600mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



142X450MBK

143

Dimensions

	A	B1	B2	C	D
143x450MBK	450mm	30mm	15mm	35mm	465mm
143x600MBK	600mm	30mm	15mm	35mm	615mm


Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Disabled Accessible AS1428.1



143X600MBK

Entrance Handles

145

Dimensions

	A	B	C	D	E
145x225MBK	225mm	25mm	45mm	300mm	19mm


Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



145X225MBK

146

Dimensions

	A	B	C	D	E	F
146x450MBK	450mm	25mm	60mm	475mm	60mm	25mm
146x600MBK	600mm	25mm	60mm	625mm	60mm	25mm


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146X600MBK

Velocity® Series Large Rose Door Furniture




The Velocity Series is a stylish range of door furniture suitable for use in residential dwellings.

Designed to suit common door preparations in the Australian market, Velocity is ideal for both new and retrofit applications.

Retrofitable

Fits majority of doors with 54mm hole.



1 Align 2 Twist 3 Tighten



Features and Specifications

- All fixings are concealed beneath a removable rose trim providing a crisp and clean presentation desired by the discerning home owner
- Simple twist and tighten fixing method with pre-assembled lever set allows for super easy and fast installation
- The rose fits 50mm or 54mm diameter holes making it suitable for retrofit and common door preparations
- Designed in Australia for the specific needs of the Australian market

Product Details

Rose Dimensions 63mm by 12.5mm.

Materials Solid zinc die-cast with steel rose trims

Latches Passage sets are available with a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes an activating pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" strikes.

Door Thickness 32mm to 45mm hinged doors

Finishes Matt Black (MBK)

Standards and Compliance

D5 Tested to AS4145.2 2008 for Durability passing D5 - 100,000 cycles.




Tested to AS4145.2 2008 for Neutral Salt Spray, passing C6 - 168 hours.

Not suited to coastal applications

Velocity® Series Large Rose Door Furniture

Element™ – Lever 3

Length	122mm
Projection	54.5mm
Finger Clearance	47.5mm



Passage Leverset

Part Number	VEL1/L3MBK
--------------------	------------

Dummy Lever

Part Number	VEL3/L3MBK
--------------------	------------

Privacy Leverset

Part Number	VEL2/L3MBK
--------------------	------------

Passage Leverset

Part Number	VEL1/37MBKD
--------------------	-------------



Disabled Accessible
AS1428.1

*Available in Display Pack Only



Velocity® Series Large Rose Door Furniture

Privacy Leverset

Part Number VEL2/37MBKDP



Disabled Accessible
AS1428.1


*Available in Display Pack Only



Square Rose Passage Trim

Part Number VES1-TRIMMBK


* Pack of 2



Square Rose Privacy Trim

Part Number VES2-TRIMMBK

* Pack of 2




Velocity® Series Small Rose Door Furniture



The Velocity Small Series is a stylish range of door furniture suitable for both residential and semi-commercial applications. Designed primarily for new installation on timber doors, the range incorporates functionality for use with Mortice Locks in addition to Passage, Privacy and Dummy Levers.

Installation

Suits door thickness range of 32mm to 45mm.



1 Align 2 Twist 3 Tighten



Features and Specifications

- All fixings are concealed beneath a removable rose trim providing an aesthetically appealing installation
- Simple twist and tighten fixing method with pre-assembled lever set allows for super easy and fast installation
- Choose from two lever designs, the ever popular Element L3 lever and the AS1428.1 compliant Dianella L8 lever
- Accessories include AS1428.1 compliant turn, standard turn and privacy indicating emergency turns
- The 55mm rose suits up to 45mm door thickness commonly used with mortice locks or latches
- Designed in Australia for the specific needs of the Australian market

Product Details

Rose Dimensions	55mm by 12.5mm - Round Rose 58mm by 12.5mm - Square Rose
Materials	Solid zinc die-cast lever with steel rose trims
Latches	Passage sets are available with a 60mm backset tubular latch. Privacy sets are supplied with a 60mm backset privacy latch which includes a locking pin for the inside of the door and an external emergency release function. The latch is automatically released when the internal handle is operated and is easily adapted for both open in and open out applications. All latches are supplied with industry standard "D" and "T" strikes.
Door Thickness	32mm to 45mm hinged doors
Finishes	Matt Black (MBK)

Standards and Compliance



Successfully tested up to 2 hours on fire door assemblies in accordance with the Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets when used with Lockwood Synergy or Selector mortice locks

D8

Tested to AS4145.2 2008 for Durability passing D8 - 500,000 cycles



Tested to AS4145.2 2008 for Neutral Salt Spray, passing C6 - 168 hours




AS1428.1 Compliance.
The range includes AS1428.1 compliant levers and turns

Velocity® Series Small Rose Door Furniture

Element™ - Lever 3

Length	122mm
Projection	54.5mm
Finger Clearance	47.5mm



Mortice Lock Leverset

Part Number	VSR0/L3MBK
--------------------	------------

Passage Leverset

Part Number	VSR1/L3MBK
--------------------	------------

Dummy Lever

Part Number	VSR3/L3MBK
--------------------	------------



Privacy Leverset

Part Number	VSR2/L3MBK
--------------------	------------



Velocity® Series Small Rose Door Furniture

Dianella™ - Lever 8


Length 121mm

Projection 51mm

Finger Clearance 38mm



Disabled Accessible
AS1428.1



Mortice Lock Leverset

Part Number VSR0/L8MBK

Passage Leverset

Part Number VSR1/L8MBK



Privacy Leverset

Part Number VSR2/L8MBK




Velocity® Series Small Rose Door Furniture

Square Rose Passage Trim

Part Number	VSS1-TRIMMBK
--------------------	--------------


* Pack of 2



Square Rose Privacy Trim

Part Number	VSS2-TRIMMBK
--------------------	--------------

* Pack of 2




Velocity® Series Small Rose Door Furniture

Euro Cylinder Escutcheon

Part Number	VSR5/MBK
Height	55mm
Depth	12.5mm


Supplied with
2x Wood Screws



Oval Cylinder Escutcheon

Part Number	VSR6/MBK
Height	55mm
Depth	12.5mm


Supplied with
2x Wood Screws



Standard Turnknob

Part Number	VSR7/MBK
Height	55mm
Depth	12.5mm
Handing	Not required


Supplied with
2x Wood Screws
1x Short Tail Bar
1x Medium Tail Bar
1x Tail Bar Spring
1x Instructions (1220-321)



Privacy Indicating Emergency Turn

Part Number	VSR8/MBK
Height	55mm
Depth	12.5mm

Supplied with
2x Wood Screws
1x Emergency Tail Bar
1x Instructions (1220-321)




Velocity® Series Small Rose Door Furniture

Disabled Accessible Turnknob

Part Number	VSR9/MBK
Height	55mm
Depth	12.5mm
Turn Snib Length	52mm
Handing	Site handable

Supplied with


- 2x Wood Screws
- 1x Tail Bar (short)
- 1x Tail Bar (medium)
- 1x Tail Bar Spring
- 1x Instructions (1220-321)



Square Rose Escutcheon Trim

Part Number	VSS6-TRIMMBK
-------------	--------------

* Pack of 2



Cavity Sliding Door Lock



The Lockwood sliding door lock range is possibly the most innovative and aesthetically pleasing lock for a cavity sliding door in Australia. Combining elegance and ease of use, the Lockwood Cavity Sliding Door Lock range is ideal for any home décor and security solution.

Available in entrance, passage and privacy models, it offers the perfect solution for residential bathroom sliding doors.

Features and Specifications

- Fitted flush against the panel of the sliding door for full recess into the door cavity

Retractable door pull

Designed after extensive research, the sliding cavity door lock features an innovative retractable door pull which combines style with functionality.

Product Details	
Cross Drill	25mm
Door Thickness	32* to 40mm for timber doors *Requires spacer ring (included)
Finishes	Matt Black (MBK)
Latch Backset	60mm
Prep Hole	54mm
Strike	Box strike or pip strike (passage)
Materials	Furniture plate: Zinc Alloy Bolt: Nickel Plated Zinc (12.4mm projection) Bolt Beak: Stainless Steel Front End Plate: Stainless Steel Retractable Door Pull: Zinc Plated Strike Plate: Stainless Steel Strike Box: Zinc Plated

Cavity Sliding Door Lock

7400 Privacy Set


Part Number	Finish
7400MBKDP	Matt Black

Outside

Emergency release button opened by coin or screwdriver

Inside

Locked or unlocked by turn-plate



Exterior

Interior

7444 Entrance Set


Part Number	Finish
7444MBKDP	Matt Black

Outside

Locked or unlocked by key

Inside

Locked or unlocked by turn-plate



Exterior

Interior

7450 Passage Set


Part Number	Finish
7450MBKDP	Matt Black

Outside

Free to slide door at all times

Inside

Free to slide door at all times



Exterior

Interior

FP2 Flush Pull



The Lockwood Nero® Flush Pull offers multiple solutions for flush mount door furniture.

Application

Suited to numerous applications which require the door furniture to be flush with the surface of the door.

Product Details

Materials	Zinc
	Stainless Steel

Standards and Compliance

C6

These products have been successfully tested in accordance with AS 2331-3.1: 2001. Neutral Salt Spray Test (NSS TEST). Passing C6 Corrosion Resistance - 168 hours

FP2 Flush Pull


FP2-150

Dimensions	Packaging	Part Number
------------	-----------	-------------

150 x 50mm	Trade	FP2-150MBK
------------	-------	------------

Features and Specifications

- Stainless steel flush pull
- Trade packed, complete with fixing screws



724 Series Slide Arm Door Closer



The Lockwood Rack & Pinion Slide Arm Series provides for a cleaner, more aesthetic appearance on the door whilst utilizing the same robust features and benefits of Rack and Pinion functionality.

Specifications

Power	EN adjustable 2 to 4
Back check (BC)	Adjustable
Hold Open	Adjustable. Hold-open can be set at any angle up to 150° of opening
Handing	Non-handed. Suitable for left or right hand doors
Cover	Clip-on
Materials	Extruded aluminium body manufactured from high-performance silicon alloy
Mechanism	Rack and pinion design
Mounting	Regular, parallel and over-door
Valves	Adjustable closing and latching speed valves with overload protection.

Standards and Compliance



Tested on fire door assemblies up to 4 hours in accordance with Australian Standard AS1905.1-1997, Part 1: Fire Resistant Doorsets The Lockwood 724SR series closer has been successfully tested upto four hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS1905.1:2005, Part: Fire Resistant Door sets.

Note: Hold open option is not approved on any fire door.



724 Series Slide Arm Door Closer

724SR Slide Arm Pull Side

Part Number

724SRBLK

Closer installed on pull side of door. This mounting position permits opening of 130°.





724SR Slide Arm Push Side

Part Number

724SRBLK

Closer installed on push side of door. This mounting position permits opening of 115°.





724SR Slide Arm Over Door Mounting Push Side

Part Number

724SRBLK

Closer installed on push side of door and top rail where conditions do not allow parallel mounting. This mounting position permits opening of 115°.



Nexion® Mechanical Entrance Lockset



The Nexion Entrance Lockset represents the next generation in home security.

Designed and manufactured to the highest standards of quality, the Lockwood Nexion has set the benchmark for safety, security and style. The Nexion offers the ultimate protection for your home and family.

Features and Specifications

- Three mode security: Secure, Safety and Passage mode provides excellent security without compromising convenience
- LockAlert® indicator shows lock status at a glance
- SafetyRelease™ automatically unlocks the inside handle upon entry to minimise the risk of being locked in
- High security latch
- Box strike with concealed crossgrain door frame strengthening screw
- Can be keyed alike to other Lockwood door locks as well as builder's key systems

Product Details

Backset	60mm as supplied 70mm optional (order part 530-222SC)
Case	High purity zinc alloy
Door Thickness	35 to 45mm
Finishes	Matt Black (MBK)
Handles	Element Lever 3
Latch	13mm projection brass bolt
Strike	Box strike with concealed crossgrain door frame strengthening screw
Templates	Installation template included
Handing	Adjustable handing by set screw
Cylinder	Internal and external 5 pin tumbler mechanism with 6 pin capability Brass cylinders and brass barrels

Standards and Compliance



The locksets can be optioned to suit fire door sets with a fire resistance level of up to 1 hour on fire door assemblies in accordance with Australian Standard AS1905.1:2005 Fire Resistant Doorsets. The fire rated option is achieved with a standard Nexion Vision Entrance Lockset and the optional fire rated kit (order NXVFRKIT).

SL7

(Security) Australian Lock Standard (AS4145.2:2008)

D8

(Durability) Australian Lock Standard (AS4145.2:2008)

C5

(Corrosion) Australian Lock Standard (AS4145.2:2008)

CE

CE Approved



C-tick certified

Nexion® Mechanical Entrance Lockset

Keying


- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Latch Dimensions



Kinetic Defence®
Bump and pick resistant.



Deadlatch Bolt
13mm projection
brass bolt.



SafetyRelease™
Minimises the risk of being
locked in.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



LockAlert®
Interior Indicator shows lock
status at a glance.



Quick Installation
Suitable for door thicknesses
between 35–45mm.



Safety Mode
Securely locked from outside
and free from inside.



Retrofittable
Fits majority of doors with
54mm hole.



Secure Mode
Securely locked from both
inside and outside. For when
nobody is home.



Passage Mode
Free to enter from outside
and free to exit from inside.


Nexion® Mechanical Entrance Lockset

Nexion Vision - Double Cylinder



Exterior

Interior



Nexion® Mechanical Entrance Lockset

Ordering Procedure

Series	Function	Cylinders	App. Options	Levers	Finish	Keying
NXV	1	2	1	L3	MBK	-

Series	Cylinders	Levers	Keying
Nexion Vision NXV	Double 2	Element L3	Keyed to Differ (Standard) -

Function	Application Options	Finish
Mechanical 1	Timber Frame Strike* 1	Matt Black MBK

* Metal Frame T-Strike optional
(order part NX8/40SC)

* For Fire Rated Nexion Vision option
(order part NXVFRKIT)

Paradigm® 005 Cylinder Deadbolt



The Paradigm® 005 Double Cylinder Deadbolt is the premium security solution with its innovative safety features. The contemporary styling can be combined with any lever or entrance handle to create an elegant security solution, ideal for residential and architectural applications.

Key Features

- Three function modes with DualSelect® provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Safety Release™ automatically unlocks internal knob upon key entry from outside
- LockAlert® indicator shows lock status at a glance
- Available in round or square rose


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Retrofitable

Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Product Details

Backset	60 to 70mm adjustable stainless steel bolt
Bolt	High security, cut resistant stainless steel bolt
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32–48mm 32–36mm doors require a spacer (Included)
Finishes	Matt Black (MBK)
Keying	Supplied individually keyed with two keys per lock, 78,000 key combinations, Key blank KB401B5P
Materials	High purity zinc alloy
Strike	Box strike with concealed crossgrain door frame strengthening screw

Standards and Compliance

SL8	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008)
K5	(Key Security) Australian Lock Standard AS4145.2 - 2008)

Paradigm® 005 Cylinder Deadbolt




Round Rose



Exterior



Interior



*32–36mm door thickness requires spacer ring (included)



Kinetic Defence®
Bump and pick resistant.



Counterbalance Bolt
Proportionally distributes the load between the door and door frame.



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



SafetyRelease™
Minimises the risk of being locked in.



Retrofiable
Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Anti-Corrosion
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



LockAlert®
Interior Indicator shows lock status at a glance.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.



Passage Mode
Free to enter from outside and free to exit from inside.

Paradigm® 005 Cylinder Deadbolt




Square Rose



Exterior



Interior



*32–36mm door thickness requires spacer ring (included)



Kinetic Defence®
Bump and pick resistant.



Counterbalance Bolt
Proportionally distributes the load between the door and door frame.



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



SafetyRelease™
Minimises the risk of being locked in.



Retrofittable
Replace your existing Deadbolt. Fits 54mm hole. 60-70mm adjustable backset. 32-48mm door thickness.



Anti-Corrosion
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



LockAlert®
Interior Indicator shows lock status at a glance.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.



Passage Mode
Free to enter from outside and free to exit from inside.

Paradigm® 005 Cylinder Deadbolt

Ordering Procedure

Series	Type	Rose Style	Finish	Packaging	Keying
005	B	1	MBK	DP	

Series	Rose Style	Packaging
Paradigm® 005	Round 1 Square 2	Universal Pack DP Trade Pack
Type	Finish	Keying Options
Bolt B	Matt Black MBK	Special Keying-Residential Keyed Alike 5P 5KA Keyed Alike 6P 6KA Project Keyed 5P 5PK Project Keyed 6P 6PK Restricted Profile 5P 5RP

* For keying options please contact customer service.

Latching Paradigm® 005



The Lockwood Latching Paradigm® 005 is the premium security solution with its innovative safety features. It has a holdback function which keeps the latch in the retracted position when required. The contemporary styling can be combined with any lever or entrance handle to create an elegant security solution, ideal for residential and architectural applications.

Key Features

- Holdback function keeps the latch in the retracted position when required
- High security cut resistant Stainless Steel latch
- Concealed screw fixings for a neat and clean appearance
- Safety Release™ function minimises the risk of being deadlatched inside


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Retrofitable

Replace your existing Deadlatch. Fits 54mm hole. 60mm backset. 32-48mm door thickness.



Product Details

Backset	60 mm stainless steel deadlatch
Latch	High security, cut resistant stainless steel latch
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32–48mm 32–36mm doors require a spacer (Included)
Finishes	Matt Black (MBK)
Keying	Supplied individually keyed with two keys per lock, 78,000 key combinations, Key blank KB401B5P
Materials	High purity zinc alloy
Strike	Box strike with concealed crossgrain door frame strengthening screw

Latching Paradigm® 005




Round Rose



Exterior



Interior



*32–36mm door thickness requires spacer ring (included)



Kinetic Defence®
Bump and pick resistant.



Door Thickness
32mm-48mm



SafetyRelease™
Minimises the risk of being locked in.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Retrofittable
Replace your existing Deadlatch.
Fits 54mm hole. 60mm backset.
32-48mm door thickness.



Holdback Mode
Keep the latch in the retracted position when required.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.

Latching Paradigm® 005

Ordering Procedure

Series	Type	Rose Style	Finish	Packaging	Keying
005	L	1	MBK	DP	

Series	Rose Style	Packaging
Paradigm® Deadbolt 005	Round 1	Universal Pack DP

Type	Finish	Keying Options
Latch L	Matt Black MBK	Special Keying-Residential Keyed Alike 5P 5KA Keyed Alike 6P 6KA Project Keyed 5P 5PK Project Keyed 6P 6PK Restricted Profile 5P 5RP

* For keying options please contact customer service.

Symmetry® Key in Lever



The Symmetry door handle range offers builders, developers, specifiers and interior designers a wide selection of product that can be used in any residential application

The Symmetry series is produced to meet the demanding quality and style requirements of the Australian market.

All products are tested in accordance with the security and durability requirements of the Australian Standards.

Along with the Lockwood 25 year Mechanical Warranty all Symmetry door furniture is supplied with a 5 year finish Guarantee with the exception of the Everbrass finish which has a 25 year finish Guarantee.

Keying

Standard Keying

- Supplied individually keyed with three keys per lock
- 78,000 key combinations
- Key blank KB401B5P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control. Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Backset	60 to 70mm adjustable latch standard
Cylinder	5 pin Lockwood C4 brass cylinder assembly (6 pin compatible)
Functions	Entrance, privacy, passage and dummy available
Handing	Suitable for left and right handed doors
Installation	Easy to install with detailed mounting instructions
Latch	13mm throw
Strike	D-strike with anti-rattle tab as standard

Symmetry 5 Year Finish Guarantee




Lockwood guarantees to replace Symmetry product if within five years from the proven date of purchase it tarnishes, discolours or corrodes when properly installed and subject to no more than fair wear and tear.



The exclusive one cylinder assembly solution 'OneCyl®' has been designed for the entire Lockwood Symmetry Range, which grants the convenience of cylinder interchangeability.

Symmetry® Key in Lever



Symmetry® – Element™ Series

Part Numbers	Function
7550	Entrance
7551	Passage
7552	Privacy
7555	Dummy

Symmetry® – Element™ Leverset

Type	Tubular Latch
Materials	Key in Lever: Zinc Alloy Chassis: Steel Bolt head: Zinc
Fixing	Horizontal mounting screw fixing
Door Thickness	35–45mm for timber doors
Finish	Matt Black
Packaging	Trade Pack and Display Pack available



Symmetry® Key in Lever

Ordering Procedure

Locksets Series	Function	Finish	Packaging	Keying
755	0	SSS		KA
Lockset Series	Function	Finish	Packaging	Keying
Element™ 755	Entrance 0 Passage 1 Privacy 2 Dummy 5	Matt Black MBK	Display Pack DP Trade Pack TP	Special Keying-Residential Keyed Alike 5P 5KA Keyed Alike 6P 6KA Project Keyed 5P 5PK Projected Keyed 6P 6PK Restricted Profile 5P 5RP

001 Double Cylinder Deadlatch



The Australian-designed Lockwood 001® Deadlatch offers market-leading performance and reliability for your home.

The 001® Deadlatch features a cut-resistant stainless steel bolt, 11 concealed anchorage points and a door frame strengthener that combine to offer high security protection.

Additional features include a bolt holdback function that allows you to use your door in passage mode.

Features and Specifications

- Bolt holdback function activated by external key or internal knob
- Can be key locked in holdback position by key from inside
- Can be keyed alike to other Lockwood door locks
- Available in display pack

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P


Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Retrofittable

Replace your existing 001 Deadlatch.



Product Details


Backset	60mm
Case	High purity zinc alloy
Cylinders	Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels.
Door Thickness	30 - 45mm
Finish	Matt Black (MBK)
Latch	Stainless steel 18mm projection
Packers	3mm thick packer plates are available, these packers are installed under lock body to align lock body with face of jamb

Standards and Compliance

Conforms to Australian Standard (AS4145.2-2008 S,7D8C6)

001 Double Cylinder Deadlatch

Double Cylinder with Knob



Exterior Cylinder

Interior



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



SafetyRelease™
Minimises the risk of being
locked in.



Retrofitable
Replace your existing
001 Deadlatch.



LockAlert®
Interior Indicator shows lock
status at a glance.



Safety Mode
Securely locked from outside
and free from inside.



Secure Mode
Securely locked from both
inside and outside. For when
nobody is home.



Passage Mode
Free to enter from outside
and free to exit from inside.




Deadlatch Bolt
Stainless steel 18mm projection.

001 Double Cylinder Deadlatch

001 - Knob with Open In Strike - Single Pack

Part Number	Finish
001-1K1MBKDP	Matt Black
001-1K1MBK	Matt Black

Suitable for INWARD opening timber framed doors.



Symmetry® 7107 Double Cylinder Deadbolt



The Symmetry general purpose Deadbolts are standard security products that should be fitted with a Key in Knob or Key in Lever lockset for added safety and security.

Keying


- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.


Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Bolt Dimensions



Retrofitable

Replace your existing Deadbolt.
Fits 54mm hole. 60-70mm adjustable backset. 31-45mm door thickness.




Product Details

Backset	60mm to 70mm adjustable bolt
Bolt	Solid brass bolt with 25mm projection. Hardened insert in locking bolt
Cylinder	The one cylinder assembly solution "OneCyl®" has been designed for the Lockwood Symmetry Range, which grants the convenience of cylinder interchangeability. C4 brass cylinder assembly (6 pin compatible)

Symmetry® 7107 Double Cylinder Deadbolt



Double Cylinder



Exterior



Interior



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



Retrofittable
Replace your existing Deadbolt. Fits
54mm hole. 60-70mm adjustable
backset. 31-45mm door thickness.

ONECYL® Cylinder Solution

Part Number	Finish
7107MBKDP	Matt Black
7107MBK	Matt Black

Product Details

Door Thickness	31mm to 45mm *31 to 41mm requires spacer ring (included)
Finish	Matt Black (MBK)
Handing	Suits left or right hand opening doors
Keying	Operated by key from both inside and outside

100 Nightlatch



General purpose nightlatch.

Features and Specifications

- Opened by key from outside and by turn knob inside
- Bolt may be held back by turning knob in clockwise direction

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details


Backset	60mm
Case	High purity zinc alloy. 92mm wide, 64mm high, 43mm projection
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	28 – 45mm
Latch	Brass. Reversible. 13mm projection
Finish	Lock Body : Matt Black (MBK) External Cylinder: Chrome Plate (CP)

100 Nightlatch


100



Exterior Cylinder



Interior



100 Nightlatch with Open In Strike

Finish	Display Pack
Chrome Plate Cylinder	100MBKDP

355 Double Cylinder Deadlock



The premium security features provided by the 355 Deadlock make it an ideal lockset for both domestic and commercial applications.

Opened by key from outside and by turn knob from inside when free. Internal key locks or unlocks turn knob.

Features and Specifications

- Suitable for hinged and some sliding doors
- Lockable turn knob with inbuilt clutching device to resist wrench attack
- Strong interlocking case and mounting plate to resist jemmy and hammer attack
- Concealed fixing
- Positive deadlocking action
- The mechanism and the design are protected by Australian and International Patents and Design Registrations

Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB401B5P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Backset	60mm
Bolt	Stainless steel
Case	Thick walled, high purity zinc alloy casting
Case Retainer Plate and Operating Mechanism	Solid pressed steel and diecast. Zinc components.
Cylinders	Internal and external 5 pin tumbler mechanism. Brass cylinders and brass barrels.
Door Thickness	30 - 45mm
Finish*	Matt Black (MBK)
Mounting Plate and Strike	Pressed steel
Packers	3mm thick packing plates installed under lock body to align lock body with face of jamb
Strike Conversion Plate	A strike conversion plate is required where the strike is to be installed in place of an existing flange strike

*Refer to next page for product range

Standards and Compliance

Conforms to Australian Standard
(AS4145.2 - 2008 | S₁7D8C6)

355 Double Cylinder Deadlock


Double Cylinder with Knob



Exterior Cylinder



Interior



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other
Lockwood door locks.



Retrofittable
Replace your existing
001 Deadlatch.

355 Double Cylinder Deadlock

Finish	Trade Pack	Display Pack
Matt Black	—	355-NMBKDP
Matt Black	355-NMBK	—

Notes

[illegible]

Notes

[illegible]



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Opening Solutions Australia
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2022 copyright by ASSA ABLOY All rights reserved



Key in Knob & Key in Lever



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*®

25YEAR

MECHANICAL
WARRANTY

LOCKWOOD

ASSA ABLOY

www.lockweb.com.au

Contents



530 Series

Key in Knob & Key in Lever
Door Furniture Locksets

page 3



930/950 Series

Key in Lever
Door Furniture Locksets

page 6



Symmetry® Series

Key in Knob & Key in Lever
Door Furniture Locksets

page 10



Enable® Series

Key in Lever Locksets

page 16

530 Series Key in Knob Locksets



The 530 series is designed as a non-handed, easy-to-install lockset. This high quality range is suitable for residential and semi-commercial applications including office partitioning.

Features and Specifications

Cylinder

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Backset	60mm standard backset. 70mm and 127mm latches available separately
Door Thickness	32 to 48mm (all functions except 534 which suits doors 32 to 45mm).
Finishes	Satin Chrome Brushed (SC)
Handing	Non-handed lockset
Latch	13mm projection brass bolt
Materials	High purity zinc alloy

Standards and Compliance




Successfully tested to 2 hours on fire door assemblies in accordance with Australian Standard AS1905.1:2005 Fire Resistant Doorsets.

530 Series Key in Knob Locksets

530

Part Number 530




529 Exterior Escape Deadlatch

Part Number 529SC

Outside Opened by knob when unlocked. Key locks or unlocks exterior knob but does not retract bolt

Inside Opened by knob at all times. Turnbutton locks or unlocks exterior knob




530 Entrance Set

Part Number 530SC

Outside Opened by knob when unlocked. Key locks or unlocks both knobs but does not retract bolt

Inside Opened by knob when unlocked. Turnbutton locks both knobs




531 Passage

Part Number 531SC

Outside Opened by knob at all times

Inside Opened by knob at all times




532 Privacy Set

Part Number 532SC

Outside Opened by knob when unlocked. Coin or screwdriver in emergency button unlocks both knobs but does not retract bolt

Inside Opened by knob when unlocked. Turnbutton locks both knobs



530 Series Key in Knob Locksets


534 Glass Door Set

Part Number 534SC

Outside Opened by knob when unlocked. Key locks or unlocks both knobs but does not retract bolt

Inside Opened by knob when unlocked. Key locks or unlocks both knobs but does not retract bolt

Note: For extra security against removal of the interior handle and rose, one-way mounting screws are supplied.




536 Escape Set

Part Number 536SC

Outside Opened by knob when unlocked. Key locks or unlocks exterior knob but does not retract bolt.

Inside Opened by knob at all times




538 Storeroom Escape Set

Part Number 538SC

Outside Opened by key only. Knob is always rigid

Inside Opened by knob at all times



930 & 950 Series Key in Lever Locksets



The Lockwood Key in Lever Locksets feature a choice of two levers - the 930 series and the 950 series. These locksets are produced from high purity zinc alloy and are available in a comprehensive range of functions.

Features and Specifications

Cylinder

- 5 pin tumbler mechanism
- Brass cylinder and brass barrel

Keying

Standard Keying

- Supplied individually keyed with two keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details

Backset	70mm standard backset. 60mm and 127mm latches available separately
Door Thickness	32 to 45mm (all functions except 934 and 954 which suit doors 35 to 41mm).
Finishes	Satin Chrome Brushed (SC)
Handing	Field adjustable handing
Latch	13mm projection
Materials	High purity zinc alloy. A rose cover is supplied to conceal internal fixing screws.

Standards and Compliance





Successfully tested to 2 hours on fire door assemblies in accordance with Australian Standard AS1905.1:2005 Fire Resistant Doorsets.

930 & 950 Series Key in Lever Locksets



930

Part Number 930



950

Part Number 950



930 & 950 Series Key in Lever Locksets


929 and 949 Exterior Escape Deadlatch

Part Number 929SC, 949SC

Outside Opened by handle when unlocked. Key locks or unlocks exterior handle but does not retract the bolt

Inside Opened by handle at all times. Turnknob locks or unlocks exterior handle.

Note: 930 Series levers shown.




930 and 950 Exterior Deadlatch

Part Number 930SC, 950SC

Outside Opened by handle when unlocked. Key locks or unlocks exterior handle but does not retract the bolt

Inside Opened by handle when unlocked. Turnknob locks or unlocks both handles

Note: 930 Series levers shown.




931 and 951 Passage Set

Part Number 931SC, 951SC

Outside Opened by handle at all times

Inside Opened by handle at all times

Note: 930 Series levers shown.




932 and 952 Privacy Set

Part Number 932SC, 952SC

Outside Opened by handle when unlocked. Coin or screwdriver in emergency button unlocks handle but does not retract bolt

Inside Opened by handle when unlocked.

Note: 930 Series levers shown.



930 & 950 Series Key in Lever Locksets


934 and 954 Glass Door Deadlatch

Part Number 934SC, 954SC

Outside Opened by handle when unlocked. Key locks or unlocks both handles but does not retract the bolt.

Inside Opened by handle when unlocked. Key locks or unlocks both handles but does not retract the bolt.

Note: 930 Series levers shown. For extra security against removal of the interior handle and rose, one-way mounting screws are supplied.




936 and 956 Exterior Escape Deadlatch

Part Number 936SC, 956SC

Outside Opened by handle when unlocked. Key locks or unlocks exterior handle but does not retract the bolt.

Inside Opened by handle at all times.

Note: 930 Series levers shown.




938 and 958 Storeroom Escape Deadlatch

Part Number 938SC, 958SC

Outside Opened only by key. Key retracts bolt. Outside handle is rigid at all times.

Inside Opened by handle at all times

Note: 930 Series levers shown. For extra security against removal of the interior handle and rose, one-way mounting screws are supplied.



Symmetry® Key in Knob & Key in Lever



The Symmetry door handle range offers builders, developers, specifiers and interior designers a wide selection of product that can be used in any residential application

The Symmetry series is produced to meet the demanding quality and style requirements of the Australian market.

All products are tested in accordance with the security and durability requirements of the Australian Standards.

Along with the Lockwood 25 year Mechanical Warranty all Symmetry door furniture is supplied with a 5 year finish Guarantee with the exception of the Everbrass finish which has a 25 year finish Guarantee.

Keying

Standard Keying

- Supplied individually keyed with three keys per lock
- 78,000 key combinations
- Key blank KB2015P

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control. Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Symmetry Everbrass® Guarantee



Lockwood Everbrass® product is coated both on the exterior and interior surfaces with a lifetime anti-tarnish finish. Lockwood warrants that Everbrass® branded product will not corrode, tarnish or discolour for a lifetime when properly installed and subject to no more than fair wear and tear.

Product Details

Backset	60 to 70mm adjustable latch standard
Cylinder	5 pin Lockwood C4 brass cylinder assembly (6 pin compatible)
Functions	Entrance, privacy, passage and dummy available
Handing	Suitable for left and right handed doors
Installation	Easy to install with detailed mounting instructions
Latch	13mm throw
Strike	D-strike with anti-rattle tab as standard

Symmetry 5 Year Finish Guarantee




Lockwood guarantees to replace Symmetry product if within five years from the proven date of purchase it tarnishes, discolours or corrodes when properly installed and subject to no more than fair wear and tear.

1 ONECYL®

The exclusive one cylinder assembly solution 'OneCyl®' has been designed for the entire Lockwood Symmetry Range, which grants the convenience of cylinder interchangeability.

Symmetry® Key in Knob & Key in Lever



Symmetry® – Imperial Series

Part Numbers Function

7020	Entrance
7021	Passage
7022	Privacy
7025	Dummy

Standards and Compliance



Lockwood Symmetry® – Imperial Knobset has been successfully tested up to four hours (depending on type of doorset) on fire door assemblies in accordance with Australian standard As 1905.1- 2005, Part 1: Fire Resistant Doorsets.

Symmetry® – Imperial Knobset

Type Cylindrical Latch


Key in Knob: Knob-Stainless Steel and Brass
Type: Cylindrical
Chassis: Steel
Bolt Head: Stainless steel

Fixing Vertical mounting screw fixing. Fixing concealed with snap-on trim

Door Thickness 32–46mm for timber doors

Finish Polished Stainless Steel, Satin Stainless Steel

Packaging Trade Pack only



Symmetry® – Manor Series

Part Numbers Function

7010	Entrance
7011	Passage
7012	Privacy
7015	Dummy

Symmetry® – Manor Knobset

Type Tubular Latch

Key in Knob: Knob-Stainless Steel and Brass
Chassis: Steel
Bolt head: Zinc


Fixing Horizontal mounting screw fixing

Door Thickness 35–45mm for timber doors

Finish Everbrass, Polished Stainless Steel, Satin Stainless Steel, Black Chrome Plate

Packaging Trade Pack and Display Packs available

Symmetry® Key in Knob & Key in Lever




Symmetry® – Vicinity Series

Part Numbers	Function
7530	Entrance
7531	Passage
7532	Privacy
7535	Dummy

Symmetry® – Vicinity Leverset

Type	Tubular Latch
Materials	Key in Lever: Zinc Alloy Chassis: Steel Bolt head: Zinc
Fixing	Horizontal mounting screw fixing
Door Thickness	35–45mm for timber doors
Finish	Everbrass, Chrome Plate, Satin Chrome Brushed
Packaging	Trade Pack available. Display packs (entrance only)




Symmetry® – District Series

Part Numbers	Function
7540	Entrance
7541	Passage
7542	Privacy
7545 or 7545L	Dummy

Symmetry® – District Leverset

Type	Tubular Latch
Materials	Key in Knob: Zinc Alloy Chassis: Steel Bolt head: Zinc
Fixing	Horizontal mounting screw fixing
Door Thickness	35–45mm for timber doors
Finish	Everbrass, Chrome Plate, Satin Chrome Brushed
Packaging	Trade Pack only available

Symmetry® Key in Knob & Key in Lever



Symmetry® – Element™ Series

Part Numbers	Function
7550	Entrance
7551	Passage
7552	Privacy
7555	Dummy

Symmetry® – Element™ Leverset

Type	Tubular Latch
Materials	Key in Lever: Zinc Alloy Chassis: Steel Bolt head: Zinc
Fixing	Horizontal mounting screw fixing
Door Thickness	35–45mm for timber doors
Finish	Chrome Plate, Satin Chrome Brushed
Packaging	Trade Pack and Display Pack available

Symmetry® Series - Accessories

Single and Double Cylinder Deadbolt

Part Numbers	Function
7106	Single Cylinder
7107	Double Cylinder

Recommended to be used in conjunction with all Symmetry knob and lever styles. Single Cylinder – key operation from outside and a turn knob from the inside. Double Cylinder – key operation from outside and inside.

Note: For added security a deadbolt should be fitted in addition to the handle set. Refer to Lockwood Deadbolts Catalogue for range and part number information.



Single Cylinder Deadbolt


Double Cylinder Deadbolt

Universal Rebate Kit

Part Number	Description
7579	Universal Rebate Kit

The Symmetry series of Key in Knob, Key in Lever and Deadbolt products can be converted for use on rebated double doors with a standard 12 to 13mm rebate by installation with this Universal Rebate Kit.

Note: Surface mounted strike box available. A wide selection of Flush Pulls, Latches and Strikes are available in trade pack to complement the Symmetry Door Furniture Collection.



Sliding Door Sets

Part Numbers	Description	Function
7300	Square Sliding Doorset	Privacy
7350	Square Sliding Doorset	Passage
7506	Square Sliding Doorset	Flush Pull
7400	Round Sliding Doorset	Privacy
7410	Round Sliding Doorset	Passage & Latchset
7444	Round Sliding Doorset	Entrance
7450	Round Sliding Doorset	Flush Pull

Symmetry Sliding Doorsets suit most sliding cavity doors. Available in entrance (round), passage and privacy functions in display pack only.

Note: A wide selection of Flush Pulls, Latches and Strikes are available in trade pack to complement the Symmetry Door Furniture Collection.



Sliding Doorsets

Flush Pull

Flush Pulls



7444 Entrance Set

7450 Passage Set

7400 Privacy Set
7410 Latch Set

Symmetry® Key in Knob & Key in Lever

Ordering Procedure

Sample part number 7010SSSKA is made up of several sections. Choose your product by selecting an option from each section.





Symmetry® Series

Locksets Series		Function		Finish		Packaging		Keying	
701		0		SSS				KA	

Lockset Series		Function		Finish		Packaging		Keying	
Imperial	702	Entrance	0	Everbrass	EVB	Display Pack	DP	Special Keying-Residential	
Manor	701	Passage	1	Chrome Plate	CP	Trade Pack	TP	Keyed Alike 5P 5KA	
Vicinity	753	Privacy	2	Polished Brass	PB			Keyed Alike 6P 6KA	
District	754	Dummy	5	Polished Stainless Steel	PSS			Project Keyed 5P 5PK	
Element™	755			Satin Chrome Brushed	SC			Projected Keyed 6P 6PK	
				Satin Stainless Steel	SSS			Restricted Profile 5P 5RP	

Note: Ordering 7010SSS without specifying keying requirements will be considered as a key to differ (KD)

Function Table

Function	Function #	Key in Knob or Key in Lever	Operation
Entrance	0		<p>For front doors, back doors and garages, when security is required.</p> <p>Outside: Opened by knob when free. Key locks/unlocks both knobs.</p> <p>Inside: Opened by knob when free. Tubular – Turn snib locks/unlocks both knobs. Cylindrical – Pushbutton will lock outside knob. Turning inside knob or outside key releases pushbutton automatically.</p> <p>Latch: Deadlatch.</p>
Passage	1		<p>For passage, hall and closet doors, when no locking is required.</p> <p>Outside/Inside: Opened by knob at all times.</p> <p>Latch: Plainlatch.</p>
Privacy	2		<p>For use in bedrooms, bathrooms and toilets, where privacy is required. Includes kick off feature.</p> <p>Outside: Opened by knob when free. Includes emergency release – locked door can be opened by coin or screwdriver.</p> <p>Inside: Opened by knob when free. Tubular – Turn snib locks/unlocks both knobs. Cylindrical – Pushbutton will lock outside knob. Turning inside knob releases pushbutton automatically and will unlock outside knob.</p> <p>Latch: Plain latch.</p>
Dummy Knob	5		<p>For use when only a door pull is required. Fixed knob without latch or lock. Decorative door pull. Knob will not turn.</p>

Enable® Series Key in Lever Locksets



The new AS1428.1 Lockwood compliant lever set features a right angle return of 20mm length and good clearance from the door to prevent fingers slipping off during use. A push button on the interior side lever of the Exterior and Privacy Sets allows a single action egress function. This lever set is designed to enable positive grip and is suitable for door thickness of 35mm to 45mm.

Door Clearance

To ensure correct functioning of the lockset, the clearance between the door and frame should be at least 3mm.

Features and Specifications

Cylinder

- Available in Exterior, Privacy, Passage, Single Dummy, Storeroom, Classroom, Glass Door and Lever/ Knob Combination sets
- Supplied with a standard "PD" type cylinder keyed to C4 profile with two keys
- Suitable for residential and commercial applications

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details

Backset	60 to 70mm adjustable backset latch
Door Thickness	35 to 45mm
Finishes	Satin Chrome Brushed (SC)
Handing	Non handed
Latch	13mm projection
Materials	High purity zinc alloy. Concealed fixing screws

Standards and Compliance




Lockwood Enable® Range Locksets have been successfully tested up to 2 hours (depending on type of doorsets) on fire door assemblies in accordance with Australian Standard AS1905.1-2015, Part 1: Fire Resistant Doorsets.

Enable® Series Key in Lever Locksets

Enable® Series KNL


Part Number KL2D005C



Enable® Series Key in Lever Locksets


Exterior Deadlatch

Part Number	KL2D005C
Outside	Unlocked by key or when push button inside is released
Inside	Operating lever unlocks push button. Closing door does not release push button




Passage Set

Part Number	KL2D105C
Outside	Opened by lever at all times
Inside	Opened by lever at all times




Privacy Set

Part Number	KL2D205C
Outside	Locked by push button inside Unlocked by emergency release outside
Inside	Operating lever unlocks push button



Double Cylinder Glassdoor Set


Part Number	KL2D405C
Outside	Opened by lever from either side except when both levers are locked by key from either side
Inside	Opened by lever from either side except when both levers are locked by key from either side



Enable® Series Key in Lever Locksets


Single Dummy

Part Number	KL2D50SC
Outside	Single dummy on one side of door
Inside	Single dummy on one side of door




Classroom Set

Part Number	KL2D60SC
Outside	Locked by key
Inside	Opened by lever at all times




Storeroom Set

Part Number	KL2D80SC
Outside	Always locked unless key is in lever permitting the lever to retract the latch
Inside	Opened by lever at all times



Lever/Knob Combination Set

Part Number	KLK2D00SC
Outside	Knob unlocked by key or when push button is released
Inside	Operating lever unlocks push button. Closing door does not release push button



Enable® Cylindrical Series Key in Lever Locksets



The new Lockwood Enable® Cylindrical Locksets are AS1428.1 compliant and incorporate a cylindrical chassis design housing a PD cylinder. This Lockwood Commercial Series offers a wide range of functions and is available in both 60mm and 70mm backsets. The lever is designed to enable positive grip to prevent fingers slipping off during use. A push button on the interior lever of the Exterior and Privacy Sets allows a single action egress function.

The new Lockwood Enable® Cylindrical Lockset range is available in Trade Pack and is suitable for a broad range of applications.

Door Clearance

To ensure correct functioning of the lockset, the clearance between the door and frame should be at least 3mm.

Features and Specifications

Cylinder

- Standard “PD” type cylinder keyed to C4 profile with two keys
- Available in Exterior, Privacy, Passage, Dummy, Storeroom, Classroom Glass Door sets, Latching Halfset and Double Cylinder Storeroom

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorized duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Product Details

Backset	Standard 70mm backset but 60mm also available
Door Thickness	35 – 46mm
Finishes	Satin Chrome Brushed (SC)
Handing	Handing is field changeable
Latch	Stainless Steel latch bolt

Standards and Compliance




Lockwood Enable® Cylindrical Range Locksets have been successfully tested up to 2 hours (depending on type of doorsets) on fire door assemblies in accordance with Australian Standard AS1905.1-2015, Part 1: Fire Resistant Doorsets.

Enable® Cylindrical Series Key in Lever Locksets

Enable® Cylindrical Series


Part Number KL17D00SC



Enable® Cylindrical Series Key in Lever Locksets


Exterior Deadlatch

Part Number	KL17D00SC (70mm backset) KL16D00SC (60mm backset)
Outside	Opened by handle when unlocked. Key unlocks exterior handle.
Inside	Opened by handle at all times. Push button locks exterior handle.




Passage Set

Part Number	KL17D10SC (70mm backset) KL16D10SC (60mm backset)
Outside	Opened by handle at all times.
Inside	Opened by handle at all times.




Privacy Set

Part Number	KL17D20SC (70mm backset) KL16D20SC (60mm backset)
Outside	Opened by handle when unlocked. Coin or screwdriver in emergency button unlocks handle.
Inside	Opened by handle at all times. Push button locks exterior handle.




Latching Halfset

Part Number	KL17D30SC
Outside	Blank Plate
Inside	Opened by handle at all times.



Glass Door Set


Part Number	KL17D40SC (70mm backset) KL16D40SC (60mm backset)
Outside	Opened by handle when unlocked. Key locks or unlocks both handles.
Inside	Opened by handle when unlocked. Key locks or unlocks both handles.



Enable® Cylindrical Series Key in Lever Locksets


Dummy Set

Part Number	KL17D50SC
Outside	For use where only a door pull is required.
Inside	For use where only a door pull is required.




Classroom Set

Part Number	KL17D60SC (70mm backset) KL16D60SC (60mm backset)
Outside	Opened by handle when unlocked. Key locks or unlocks exterior handle.
Inside	Opened by handle at all times.




Storeroom Set

Part Number	KL17D80SC (70mm backset) KL16D80SC (60mm backset)
Outside	Opened by key only. Outside handle is rigid at all times.
Inside	Opened by handle at all times.



Double Cylinder Storeroom

Part Number	KL17D90SC
Outside	Opened by key only. Outside handle is rigid at all times.
Inside	Opened by key only. Inside handle is rigid at all times.



Latches

Part Numbers	Function
SPL/DL60/SC	Lockwood Enable® Cylindrical Deadlatch 60mm
SPL/DL70/SC	Lockwood Enable® Cylindrical Deadlatch 70mm
SPL/PL60/SC	Lockwood Enable® Cylindrical Plain Latch 60mm
SPL/PLP60/SC	Lockwood Enable® Cylindrical Privacy Latch 60mm



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Opening Solutions Australia
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

nzsales@assaabloy.com
Telephone +64 9415 7111
assaabloyopeningsolutions.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2018 copyright by ASSA ABLOY All rights reserved

