



VUETRADE™

for the builder

TIMBER CONNECTORS

Product Guide

The builder's first choice.

www.vuetrade.com

About VUETRADE

VUETRADE delivers Innovative, Quality and Timesaving Timber Connectors & Building Materials to the building industry. VUETRADE products are developed and distributed across Australia and New Zealand by Bellevue Group Australasia, a wholly Australian manufacturer and supplier with many years' experience in the building industry. Bellevue Group Australasia | VUETRADE have a solid history and reputation for providing quality service and products. Our understanding and providing for our customer's needs comes from a long association with the building industry, and a network of retail and trade outlets stocking our range of products.

We strive to have as many products as possible made in Australia and New Zealand. This commitment is born of two logics; we have a belief in the quality of product made locally for Australia and New Zealand conditions, and a committal to supporting jobs here in the region.

FREIGHT & DELIVERY

We endeavour to provide same day despatch for all orders placed before 12:00 noon.

FIS ALL ORDERS OVER \$750.00

Orders below this value – \$50.00 Freight (Prices/ Order Value Excludes GST)

RESTOCKING FEE – 20% of invoice price

SPECIAL ORDERS – We do not provide returns on special orders, please check the detail of the order before placing it.

QUALITY & COMPLIANCE

VUETRADE products are tested in house for compliance, development, and quality control. We are committed to supplying quality products in full compliance with Australian and New Zealand standards.

BECOME A PLATINUM PARTNER

VUETRADE Platinum Partner Program is a reward to our customers for loyalty to our products. Benefits go beyond the benefits of stocking our products and include:

- Instore Signage
- Enhanced Marketing
- Timber Connectors Discount
- Website Enquiries directed to your store
- 1 FIS order of any value for those one off occasions.
- Store of the Month

See our website or the VUETRADE Platinum Partner Flyer for full details on this program.

Timber Connector Icons

To assist with proper product specification and use for different areas VUETRADE have developed a unique and easy to understand icon markings for our Timber Connectors range.



G – Standard/Galvanised

- Internal/enclosed
- Exterior/exposed inland areas except if in contact with fresh water or non-saline wetting & drying



Rain Drop – Marine Environment

- Marine Environment 100m up to 1km from a non-surf coast and from 1km up to 10km from a surf coast
- External applications in contact with freshwater or subject to non-saline wetting and drying (classed as Marine Environment as per AS 3700 – 2011: Section 5: Design for Durability)
- Minimum steel grade required Stainless Steel 304



Waves – Severe Marine

- Severe Marine 100m from a non-surf coast and up to 1km from a surf coast
- Minimum Steel Grade Stainless Steel 316
- No 'Tea Staining' a superficial 'rust' look that occurs on lower grades of Stainless Steel including 304.



Cyclonic

- Products designed specifically for use in cyclonic regions
- Range includes both Galvanised and Stainless Steel options

Product sizes and box quantities may change without notice, please check our website for up to date information.



Australian Made

VUETRADE are very proud to offer a comprehensive range of Australian Made products. Working closely with Australian Made, VUETRADE are constantly looking to develop and increase the range available to our customers.

Supplying Australian Made products offers many benefits including:

- **Product availability** - A heavy reliance on imports can lead to serious issues with inconsistent supply over the medium to long term. Turbulent world events can lead to external factors beyond control negatively affecting overseas supply. A healthy Australian Made product range ensures a regular supply of materials and product in stock.
- **Quality** - Manufacturing in Australia allows for a better understanding of manufacturing processes and the quality control measures in place during the process. Overseas manufacturers can find it difficult to comply with the relevant Australian standards.
- **Supporting the Australian Economy** - At VUETRADE we want to do our part to support the Australian Economy and Aussie jobs. Increasing our Australian Made product range in the future will continue VUETRADE's goal of growing helping to drive the economy forward.



Environmental Focus

Did you know that Australia's native and plantation forests store around 22 billion tonnes of carbon?



At VUETRADE we are focused on doing our part to help drive positive change within the manufacturing and construction sectors. Through our dedication to providing innovative new products offering process improvement and increased efficiency for timber frame construction methods, we can support the use of sustainable forest management practices which generate the largest climate change mitigation benefits possible within manufacturing and construction.

Australia has around 134 million hectares of forest that clean our air and supply wood for our timber building products. Wood products also connect us to nature, making us feel happier and more relaxed.



Trees also have the incredible ability to:




















- Produce the oxygen that we breathe
- Regenerate and regrow
- Absorb carbon dioxide from the atmosphere and store this within the fiber of the tree
- Store carbon when used in buildings, furniture, or other long-lasting wood products

Nature provides us with a sophisticated alternative to other materials that use more carbon in their production. The forestry industry in Australia is sustainable, making wood truly the ultimate renewable resource. With the use of VUETRADE connectors, timbers can quickly and securely be joined together to create a carbon positive building system that becomes a Home of the future!



Product Guide

Category Contents

<ul style="list-style-type: none">  Bracing & Tensioners 6  Framing Connectors 12  Building Brackets 22  Post Supports 29  Ant Caps 39  Masonry Ties 40  Vents 42 	<ul style="list-style-type: none">  CoastalSS 50  SS Bracing 52  SS Framing Connectors 54  SS Building Brackets 57  SS Post Supports 60  SS Cyclonic & Ant Caps 69  SS Masonry Ties 70  SS Vents 72
<ul style="list-style-type: none">  VUEBOLT 48 	<ul style="list-style-type: none">  Cyclonic Range 73
	<ul style="list-style-type: none">  Product Testing 80  In-Store Merchandising 81

Product Contents

<ul style="list-style-type: none"> Adjustable Post Supports 33 Angle Brace 10 Angle Bracket - Heavy Duty <ul style="list-style-type: none"> Galvanised 24 Stainless Steel 59 Ant Caps <ul style="list-style-type: none"> Galvanised 39 Stainless Steel 69 Anti Spark Mesh - Stainless Steel 45 Bearer Plates <ul style="list-style-type: none"> Galvanised 22 Stainless Steel 57 Bolt Down Post Supports <ul style="list-style-type: none"> Galvanised 35 Stainless Steel 64 Brick Veneer Ties - Light Duty 40 Brick Veneer Ties - Medium Duty 40 Brick Veneer Ties - R3 70 Brick Veneer Ties - R4 70 Centre Blade Post Supports <ul style="list-style-type: none"> Galvanised 32 Stainless Steel 63 Concealed Bolt Down Post Support Kit 33 Connector Plate Nails <ul style="list-style-type: none"> Galvanised 21 Stainless Steel 56 	<ul style="list-style-type: none"> Connector Plate Screws 21 Couplers 75 Cyclone Straps 17 Double Sleeve Expansion Ties <ul style="list-style-type: none"> Galvanised 41 Stainless Steel 71 Double T-Blade Post Supports 78 Expansion Ties <ul style="list-style-type: none"> Galvanised 42 Stainless Steel 71 Fascia Brackets 27 Finned Blade Stirrup 79 Flat Face Double Slotted Vents 44 Flat Face Louvred Vents 45 Flat Face Punched Vents 44 Foil Tacks 19 Frame Ties 41 Full Stirrup Post Supports <ul style="list-style-type: none"> Galvanised 29 Stainless Steel 60 Half Stirrup Post Supports <ul style="list-style-type: none"> Galvanised 31 Stainless Steel 63 Heavy Duty Joist Straps 17 Heavy Duty U-Cup Bolt Down Post Supports 77
--	---

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Contents (cont)

Hex Nuts	75	Stainless Steel	72
Hold Down Brackets		T-Blade Post Support Adjustable Leg ..	78
Galvanised	23	T-Blade Post Support Caps	
Stainless Steel	58	Galvanised	37
I-Beam Hangers.....	14	Stainless Steel	67
Insul Fix Fasteners	18	T-Blade Post Supports	
Internal Wall Brackets	23	Galvanised	37
Joist Hangers		Stainless Steel	66
Galvanised	12	T-Blade Post Supports With Leg	
Stainless Steel	52	Galvanised	38
Joist Straps		Stainless Steel	66
Galvanised	16	Tap In Plates	
Stainless Steel	55	Galvanised	20
L Stirrup Post Supports	79	Stainless Steel	56
L Type HDG Bracket	26	Threaded Rod	
Mini Grips		Stainless Steel	69
Galvanised	16	Cyclonic	74
Stainless Steel	55	Tradies' Bolt Down Post Supports	35
Multi Grips		Triple Grips	
Galvanised	16	Galvanised	15
Stainless Steel	55	Stainless Steel	54
Pergola Angles		Twisted Brick Veneer Ties	41
Galvanised	22	Ultra Heavy Duty Angles	
Stainless Steel	58	Galvanised	23
Pin Stirrup Post Supports	32	Stainless Steel	57
Plates - Heavy Duty		VUEBOLT Post Support Bolts	
Galvanised	28	Galvanised	48
Stainless Steel	59	Stainless Steel	49
Post Supports		VUEBOLT Torx Wrench T50	49
Stainless Steel	67	VUEBRACE Light Duty Strapping.....	7
Cyclonic	73	VUEBRACE Punched Builder's Strapping	
Single Sided Stud Ties	18	Galvanised	6
Split Joist Hangers.....	13	Stainless Steel	52
Split Joist Hangers - Stainless Steel	54	VUEBRACE Punched Builder's	
Strap Nails	19	Strapping Strips	8
Structural HDG Brackets	25	VUEBRACE Speed Brace	11
Stud Ties	18	VUEBRACE Unpunched	
Sub Floor Louvred Vents	43	Builder's Strapping	9
Sub Floor Punched Vents.....	42	VUESMART Strap Brace Tensioners	9
Sub Floor Vents - Stainless Steel	72	Washers	76
Sub Floor Vents - Anti Spark		Z Type HDG Bracket	27
Galvanised	43		



Product Guide

VUEBRACE Punched Builder's Strapping



VUEBRACE Punched Builder's Strapping is a galvanised tension bracing ideal for bracing roofs, walls, ceilings and floors.

- Suits VUESMART Brace Tensioner
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs
- Engineered to comply with AS1684.2-2021 and AS1684.3-2021 for structural wall bracing

Also available in Stainless Steel. See page 52.

Product Code	Size	kN Capacity	Pit Qty	Barcode
VB3086	30mm x 0.8mm x 6mt	6.3 kN	360	9 34 174 1 003518
VB30815	30mm x 0.8mm x 15mt	6.3 kN	360	9 34 174 1 003495
VB30830	30mm x 0.8mm x 30mt	6.3 kN	200	9 34 174 1 002719
VB30850	30mm x 0.8mm x 50mt	6.3 kN	112	9 34 174 1 003501
VB3016	30mm x 1.0mm x 6mt	8.6 kN	360	9 34 174 1 003556
VB30115	30mm x 1.0mm x 15mt	8.6 kN	360	9 34 174 1 003525
VB30130	30mm x 1.0mm x 30mt	8.6 kN	150	9 34 174 1 003532
VB30150	30mm x 1.0mm x 50mt	8.6 kN	96	9 34 174 1 003549
VB301230	30mm x 1.2mm x 30mt	11.2 kN	128	9 34 174 1 010325
VB301250	30mm x 1.2mm x 50mt	11.2 kN	72	9 34 174 1 010417

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

VUEBRACE Light Duty Strapping



VUEBRACE Light Duty Strapping is a galvanised tension bracing for use in light duty applications where there are no heavy loads or wind uplifts to bear.

- Suitable for light duty applications
- Suits VUESMART Brace Tensioner
- Two sizes available:
 - 25mm wide x 0.6mm thickness
 - 25mm wide x 0.8mm thickness
- Available in 6m, 15m and 30m Coils
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: 25mm x 0.6mm and 25mm x 0.8mm Strapping is categorised as Light Duty Strapping and should not be used in load bearing or structural applications affected by wind uplift.

Product Code	Size	Plt Qty	Barcode
VB2566	25mm x 0.6mm x 6mt	360	9 341741 003464
VB25615	25mm x 0.6mm x 15mt	360	9 341741 003440
VB25630	25mm x 0.6mm x 30mt	200	9 341741 003457
VB25815	25mm x 0.8mm x 15mt	360	9 341741 003471
VB25830	25mm x 0.8mm x 30mt	200	9 341741 003488



Product Guide

VUEBRACE Punched Builder's Strapping Strips



VUEBRACE Punched Builder's Strapping Strips are a galvanised tension bracing used to brace roofs, walls, ceilings and floors, supplied in pre-cut lengths for your convenience.

- Pre-punched and pre-cut
- Suits VUESMART Brace Tensioner
- Sizing:
 - 30mm wide
 - 0.8mm or 1.0mm thick
 - 3.6m Lengths
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Product Code	Size	Pack Qty	Individual Barcode	Carton Barcode
VB308315	30mm x 0.8mm x 3.15mt	500	N/A	N/A
VB301315	30mm x 1.0mm x 3.15mt	500	N/A	N/A
VB30836	30mm x 0.8mm x 3.6mt	500	9 341741 015207	9 341741 015207
VB30136	30mm x 1.0mm x 3.6mt	500	9 341741 015191	9 341741 015191
VB30842	30mm x 0.8mm x 4.2mt	500	N/A	N/A
VB30142	30mm x 1.0mm x 4.2mt	500	N/A	N/A

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

VUEBRACE Unpunched Builder's Strapping



VUEBRACE Unpunched Builder's Strapping is a galvanised tension bracing without pre-punched holes, suitable for general bracing and strapping, including in carport and pergola construction.

- Ideal for exposed bracing – better looking
- Stronger without pre-punched holes
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs



Product Code	Size	Box Qty	Barcode
VB30830UP	30mm x 0.8mm x 30mt	1	9 341741 014965
VB301230UP	30mm x 1.2mm x 30mt	1	9 341741 013869
VB301250UP	30mm x 1.2mm x 50mt	1	9 341741 018604
VB321230UP	32mm x 1.2mm x 30mt	1	9 341741 014613
VB321250UP	32mm x 1.2mm x 50mt	1	9 341741 014620

VUESMART Strap Brace Tensioners



VUESMART Brace Tensioners are used to quickly and easily tension VUEBRACE Punched Builder's Strapping after it has been installed on wall or roof framing.

- Tensions your bracing in 3 seconds!
- Bolt with Phillips & Hex drive – saves time changing bits
- Anti-Slip Notch to prevent slipping or spinning
- Bolt has a tapered underside head
- Australian Made - High quality, peace of mind, and supporting Aussie jobs



Product Code	Unit	Box Qty	Individual Barcode	Carton Barcode
VUESMART	Pack of 6	25	9 341741 002832	9 341741 004058
VUESMARTBULK	Bulk Box; 15 packs of 10	150	9 341741 014019	9 341741 004041

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au



Product Guide

Angle Brace



VUETRADE Angle Brace are punched, rigid bracings suitable for timber framed walls.

- Quick nailing with pre-punched holes
- Rigid bracing - no need to tension
- Sized at 20mm x 18mm x 1.0mm
- Available in 3.6m, 4.2m and 4.8m lengths
- Galvanised finish for durability and long-life
- Made in Australia – good quality

Product Code	Size	Pack Qty	Barcode
ANGLE36250	3.6m	250	N/A
ANGLE36500	3.6m	500	N/A
ANGLE42250	4.2m	250	N/A
ANGLE42500	4.2m	500	N/A
ANGLE48250	4.8m	250	N/A
ANGLE48500	4.8m	500	N/A

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 **Fax** 1300 830 370 **Email** sales@bellevuegroup.com.au

VUEBRACE Speed Brace



VUETRADE Builders Bracing is a galvanised and pre-punched, rigid bracing primarily used for top chord roof truss bracing in accordance with installation of nail-plated timber roof trusses standard AS4440-2004.

- Sized at 20mm x 20mm x 1.0mm
- Available in 4.0m, 5.0m and 6.0m lengths
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs



Product Code	Size	Pack Qty	Barcode
SPEED4300	4.0m	300	N/A
SPEED4600	4.0m	600	N/A
SPEED5300	5.0m	300	N/A
SPEED5600	5.0m	600	N/A
SPEED6300	6.0m	300	N/A
SPEED6600	6.0m	600	N/A

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Joist Hangers



VUETRADE Joist Hangers are fast fixing, multi-purpose hangers for connecting joists to beams, trusses to beams, and roof trusses to girders.

- Unique Nail Spike Feature – removes hassle when positioning, no need to hold a nail and the hanger in position while you hammer!
- Meets and exceeds Australian Standard AS1720
- Galvanised finish for durability and long-life
- Australian Made – High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails into timber members and ensure to install them through pre-bored holes.

Also available in  Stainless Steel. See page 52.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH3590	35mm x 90mm	45	 9 341741 003051	 9 341741 004065
VJH35120	35mm x 120mm	30	 9 341741 003068	 9 341741 004072
VJH35140	35mm x 140mm	30	 9 341741 003075	 9 341741 004089
VJH35180	35mm x 180mm	30	 9 341741 003082	 9 341741 004096
VJH3890	38mm x 90mm	45	 9 341741 003099	 9 341741 004102
VJH38120	38mm x 120mm	30	 9 341741 003105	 9 341741 004119
VJH38140	38mm x 140mm	30	 9 341741 003112	 9 341741 004126
VJH38180	38mm x 180mm	30	 9 341741 003129	 9 341741 004133
VJH4590	45mm x 90mm	45	 9 341741 003136	 9 341741 004140
VJH45120	45mm x 120mm	30	 9 341741 003143	 9 341741 004157
VJH45140	45mm x 140mm	30	 9 341741 003150	 9 341741 004164
VJH45180	45mm x 180mm	30	 9 341741 003167	 9 341741 004171

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Joist Hangers Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH45220	45mm x 220mm	20		
VJH5090	50mm x 90mm	45		
VJH50120	50mm x 120mm	30		
VJH50140	50mm x 140mm	30		
VJH50180	50mm x 180mm	30		
VJH50220	50mm x 220mm	20		
VJH58180	58mm x 180mm	30		

Split Joist Hangers











VUETRADE Split Joist Hangers are fast fixing, multi-purpose hangers for joist, beam and truss connections where timber is over the width of 50mm.

- Suitable for wide joists
- Unique Nail Spike Feature – no hassle when positioning, because the hanger stays in position while you hammer!
- Meets & exceeds Australian Standard AS1720
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails into timber members and ensure to install them through pre-bored holes.

Also available in  Stainless Steel. See page 54.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VSJH120	120mm	30		
VSJH140	140mm	30		
VSJH180	180mm	30		
VSJH220	220mm	20		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

I-Beam Hangers



VUETRADE I-Beam Hangers are multi-purpose hanger brackets for securely connecting I-beams and large joists to framing structures.

- Easy to install
- Strong, secure support
- Suitable for use with a wide range of I-beams, and rough sawn timber sizes
- Meets and exceeds Australian Standard AS1720
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 40mm x 3.15mm VUETRADE hot-dipped galvanised connector plate nails into timber members. Ensure the pre-bored holes are used for installation.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VIBHF40240	40mm x 240mm	20		
VIBHF40300	40mm x 300mm	20		
VIBHF44200	44mm x 200mm	20		
VIBHF45200	45mm x 200mm	20		
VIBHF45240	45mm x 240mm	20		
VIBHF45300	45mm x 300mm	20		
VIBHF51240	51mm x 240mm	20		
VIBHF51300	51mm x 300mm	20		
VIBHF58360	58mm x 360mm	20		
VIBHF63200	63mm x 200mm	20		
VIBHF63240	63mm x 240mm	20		
VIBHF63300	63mm x 300mm	20		
VIBHF63360	63mm x 360mm	20		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

I-Beam Hangers Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VIBHF70240	70mm x 240mm	20	 9 34 174 1 02 192 5	 9 34 174 1 02 193 2
VIBHF70255	70mm x 255mm	20	 9 34 174 1 02 194 9	 9 34 174 1 02 195 6
VIBHF70300	70mm x 300mm	20	 9 34 174 1 02 196 3	 9 34 174 1 02 197 0
VIBHF90200	90mm x 200mm	20	 9 34 174 1 02 198 7	 9 34 174 1 02 199 4
VIBHF90240	90mm x 240mm	20	 9 34 174 1 02 200 7	 9 34 174 1 02 201 4
VIBHF90300	90mm x 300mm	20	 9 34 174 1 02 202 1	 9 34 174 1 02 203 8
VIBHF90360	90mm x 360mm	20	 9 34 174 1 02 204 5	 9 34 174 1 02 205 2
VIBHF90400	90mm x 400mm	20	 9 34 174 1 02 206 9	 9 34 174 1 02 207 6
VIBHF95300	95mm x 300mm	20	 9 34 174 1 02 208 3	 9 34 174 1 02 209 0





Triple Grips



VUETRADE Triple Grips are multipurpose galvanised building brackets ideal for many nail-fixed timber joints with perpendicular angles.

- Ideal for 90-degree joints
- To be hand-fixed with nails
- Available in right hand and left hand profiles
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 54.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTTGLH	LEFT HAND	100	 9 34 174 1 00 330 3	 9 34 174 1 00 431 7
VTTGRH	RIGHT HAND	100	 9 34 174 1 00 331 0	 9 34 174 1 00 432 4

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide



Mini Grips



VUETRADE Galvanised Mini Grips are multipurpose timber framing brackets ideal for joining timber at right angles.

- Versatile – many applications
- Economical connector for more lightly loaded joints
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Also available in  Stainless Steel. See page 55.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG57	57mm	200	 9 34 174 1 004256	 9 34 174 1 004263





Multi Grips



VUETRADE Galvanised Multi Grips are versatile, cost-effective brackets used for right angle joints in timber framing.

- Adaptable to many applications – simply bend the bracket!
- Suitable for framing application in accordance with AS1684.2 and AS1684.3
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Also available in  Stainless Steel. See page 55.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG100	100mm	200	 9 34 174 1 003266	 9 34 174 1 004270
VTMG115	115mm	100	 9 34 174 1 003273	 9 34 174 1 004287

Joist Straps



VUETRADE Joist Straps are easy to use connectors ideal for fixing ceiling joists or rafters to hanging beams.

- Saves time with built-in nail spike
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTJS150	175mm LONG	150	 9 34 174 1 003242	 9 34 174 1 003259





All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Heavy Duty Joist Straps



VUETRADE Heavy Duty Joist Straps are brackets used in load-bearing timber framing applications such as connecting floor joists to bearers.

- Ideal for wind uplift and load-bearing applications
- 1.0mm thick steel for extra strength
- Available in left and right profiles
- Galvanised finish for durability and long-life

Product Code	Size	Description	Box Qty	Individual Barcode	Carton Barcode
VTHDJL	31mm x 170mm	LEFT HAND	200	 9 341741 003679	 9 341741 004560
VTHDJR	31mm x 170mm	RIGHT HAND	200	 9 341741 003686	 9 341741 004577

Cyclone Straps









VUETRADE Cyclone Straps are tie-downs ideal for cyclonic and high wind areas.

- Used to tie down purlins and trusses
- Ideal for cyclonic and high wind areas
- Available in 400mm, 600mm and 900mm lengths
- Galvanised finish for durability and long-life



Suitable for Cyclonic installations

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTCS400	400mm	100	 9 341741 003648	 9 341741 004539
VTCS600	600mm	100	 9 341741 003655	 9 341741 004546
VTCS900	900mm	100	 9 341741 003662	 9 341741 004553



Product Guide

Stud Ties



VUETRADE Stud Ties are easy install fasteners ideal for jointing top and bottom wall plates to studs.

- Ideal for fastening top and bottom wall plates to studs
- Quick & easy to install – simply tap in spikes
- Suitable for high wind areas
- Reliable and convenient fixing
- Galvanised finish for durability and long-life





Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTST4U90	150mm x 90mm x 150mm	50		

Single Sided Stud Ties



VUETRADE Single Sided Stud Ties are brackets ideal for fastening top and bottom wall plates to studs in high wind areas.

- Fast and easy installation
- Right angle is folded, not pressed – no 'springing back'
- Neat fit and side-grain fixing
- Galvanised finish for durability and long-life

Product Code	Size	Description	Box Qty	Individual Barcode	Carton Barcode
VTSTLH	240mm x 60mm x 32mm	Single Sided Left Hand	75		
VTSTRH	240mm x 60mm x 32mm	Single Sided Right Hand	75		

Insul Fix Fasteners




VUETRADE Insul Fix Fasteners provide a strong and rip-free fixing for foil insulation.

- Designed for screws and nails
- Tear resistant and durable
- Supplied in convenient break-off strips of 10
- Galvanised finish for durability and long-life

Product Code	Box Qty	Barcode
F81006	500	N/A







All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Strap Nails



VUETRADE Strap Nails are tap-in nail plates ideal for quick jointing of timber frames.

- Timesaving with built-in spikes
- Twisted spike design for solid connections
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSN2590	25mm x 90mm	100	 9 34 174 1 003594	 9 34 174 1 004485
VTSN5090	50mm x 90mm	100	 9 34 174 1 003600	 9 34 174 1 004492
VTSN7590	75mm x 90mm	100	 9 34 174 1 003617	 9 34 174 1 004508

Foil Tacks




VUETRADE Foil Tacks are a non-tear fixing ideal for sheet and foil insulation.

- Tear resistant – wide size and rounded edges
- Twisted spikes – excellent holding power
- Galvanised for corrosion resistance
- Supplied in box of 500
- Galvanised finish for durability and long-life

Product Code	Box Qty	Individual Barcode	Carton Barcode
VTFT	500	 9 34 174 1 003709	 9 34 174 1 004591

Product Guide

Tap In Plates



VUETRADE Tap In Plates are timesaving nail plates with built-in steel 'teeth', ideal for joining timber wall frames and top plates.

- Timesaving – manufactured with built-in 'teeth'
- Strong and secure connections
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Also available in  Stainless Steel. See page 56.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTIP45120	45mm x 120mm	100	 9 341741 003754	 9 341741 004614
VTIP45180	45mm x 180mm	67	 9 341741 003761	 9 341741 004621
VTIP45240	45mm x 240mm	50	 9 341741 003778	 9 341741 004638
VTIP7060	70mm x 60mm	100	 9 341741 022533	 9 341741 022540
VTIP70120	70mm x 120mm	75	 9 341741 003785	 9 341741 004645
VTIP70180	70mm x 180mm	50	 9 341741 003792	 9 341741 004652
VTIP70240	70mm x 240mm	38	 9 341741 003808	 9 341741 004669
VTIP70300	70mm x 300mm	30	 9 341741 003815	 9 341741 004676
VTIP90120	90mm x 120mm	50	 9 341741 003822	 9 341741 004683
VTIP90180	90mm x 180mm	34	 9 341741 003839	 9 341741 004690
VTIP90240	90mm x 240mm	25	 9 341741 003846	 9 341741 004706
VTIP90300	90mm x 300mm	20	 9 341741 003853	 9 341741 004713
VTIP130120	130mm x 120mm	30	 9 341741 022557	 9 341741 022564
VTIP130180	130mm x 180mm	20	 9 341741 022571	 9 341741 022588

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Connector Plate Nails 30mm x 2.8mm



VUETRADE Connector Plate Nails are hot-dipped galvanised fixings specifically for fixing applications using any VUETRADE timber connector.

- Specially designed for VUETRADE Timber Connectors
- 30mm x 2.8mm size
- 520 nails per kg
- Available in 500g, 2kg and 5kg packs
- Galvanised finish for durability and long-life

Also available in Stainless Steel. See page 57.

Product Code	Size	Barcode
VTCPNG3028500	500g	
VTCPNG30282	2kg	
VTCPNG30285	5kg	

Connector Plate Nails - 33mm x 3.15mm



VUETRADE Connector Plate Nails are hot-dipped galvanised fixings specifically for fixing applications using the VUETRADE I-Beam Hangers.

- Specially designed for VUETRADE I-Beam Hangers
- 33mm x 3.15mm size
- 430 nails per kg
- Available in 1kg packs
- Galvanised finish for durability and long-life

Product Code	Size	Barcode
VTCPNG333151	1KG	

Connector Plate Screws



VUETRADE Connector Plate Screws are fixings designed to suit VUETRADE timber connectors.

- Engineered to provide screw capacity to VUETRADE timber connector products in accordance with requirements of AS1720.1
- T17 Class 4
- 5/16 Hex Drive
- Galvanised finish for durability and long-life

Product Code	Description	Pack Qty	Individual Barcode	Carton Barcode
VTCPS-50	5/16" HEX DRIVE x 35mm	50		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

Bearer Plates











VUETRADE Bearer Plates are a nail on plate timber connector suitable for joining timber, framework repair and reinforcement.

- Suitable for Heavy Duty connections
- 1.0mm thick steel for extra strength
- Available in 4 sizes
- Galvanised finish for durability and long-life

Warning: Use ONLY 30mm x 2.8mm VUETRADE hot-dipped galvanised connector plate nails or equivalent into timber members and ensure to install them through pre-bored holes.

Also available in  Stainless Steel. See page 56.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTBP80120	80mm x 120mm	100	 9 34 174 1 014637	 9 34 174 1 014644
VTBP80180	80mm x 180mm	100	 9 34 174 1 003747	 9 34 174 1 004607
VTBP80240	80mm x 240mm	50	 9 34 174 1 014651	 9 34 174 1 014668
VTBP80300	80mm x 300mm	50	 9 34 174 1 014675	 9 34 174 1 014682



Pergola Angles



VUETRADE Pergola Angles are galvanised, multi-purpose building brackets ideal for connecting pergola rafters to beams.

- Heavy duty brackets
- 1.6mm thick steel for extra strength
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Also available in  Stainless Steel. See page 58.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTPA36	88mm x 63mm x 36mm x 1.6mm	200	 9 34 174 1 003280	 9 34 174 1 004294

Internal Wall Brackets



VUETRADE Internal Wall Brackets are pre-punched galvanised steel brackets ideal for fixing walls to trusses.

- Designed to align and stabilise walls
- 1.5mm thick steel for extra strength
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Not suitable for load bearing applications

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTPA47	127mm x 55mm x 47mm x 1.5mm	100		

Hold Down Brackets



VUETRADE Hold Down Brackets are galvanised building brackets typically used in the construction of wall studs and roof trusses.

- Suitable for heavy duty applications
- 2.0mm steel for extra strength
- Accommodates nail or bolt fixings
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Also available in Stainless Steel. See page 58.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTHDB	127mm x 55mm x 47mm x 2.0mm	75		

Ultra Heavy Duty Angles



VUETRADE Ultra Heavy Duty Angles are multi-purpose right-angled brackets ideal for framing staircases.

- Suitable for framing stairs, shelves and corner supports
- Suitable for nail or bolt fixings
- 2.0mm thick steel for extra strength
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTUHDA4040	40mm x 40mm x 230mm	40		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

























Angle Brackets - Heavy Duty



VUETRADE Angle Bracket Heavy Duty are multi-purpose right-angled brackets ideal for right angle applications.

- Suitable for connecting timbers at right angle in both internal or external conditions.
- Suitable for use with M10 bolts
- 3.0mm thick steel for extra strength
- Made from Mild Steel
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 59.

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABHD01	40L x 60W x 60H x 3.0mm	M10	50		
VABHD02	40L x 60W x 100H x 3.0mm	M10	50		
VABHD03	40L x 100W x 100H x 3.0mm	M10	50		
VABHD04	80L x 60W x 60H x 3.0mm	M10	50		
VABHD05	80L x 60W x 100H x 3.0mm	M10	25		
VABHD06	80L x 100W x 100H x 3.0mm	M10	25		
VABHD07	120L x 60W x 60H x 3.0mm	M10	25		
VABHD08	120L x 60W x 100H x 3.0mm	M10	25		
VABHD09	120L x 100W x 100H x 3.0mm	M10	20		
VABHD10	160L x 60W x 60H x 3.0mm	M10	25		
VABHD11	160L x 60W x 100H x 3.0mm	M10	20		
VABHD12	160L x 100L x 100W x 3.0mm	M10	20		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684































Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Structural HDG Brackets



VUETRADE Structural HDG Brackets are multi-purpose equal right-angled brackets ideal for structural capacity connections.

- Suitable for variety of applications, internal and external at right angle joins
- Suitable for use with M12 or M16 bolts for high strength connection
- 5.0, 6.0, or 8.0mm thick steel for extra strength
- Made from Mild Steel
- Available in a range of sizes
- Galvanised finish for durability and long-life

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABHS01G	75L x 75W x 75H x 6.0mm	M12	10		
VABHS02G	100L x 100W x 100H x 6.0mm	M12	10		
VABHS03G	185L x 100W x 100H x 6.0mm	M12	10		
VABHS04G	250L x 100W x 100H x 6.0mm	M12	6		
VABHS05G	150L x 100W x 100H x 8.0mm	M16	6		
VABHS06G	200L x 100W x 100H x 8.0mm	M16	6		
VABHS07G	200L x 140W x 90H x 8.0mm	M16	6		
VABHS08G	140L x 65W x 65H x 5.0mm	M12	10		
VABHS09G	190L x 65W x 65H x 5.0mm	M12	10		
VABHS10G	240L x 65W x 65H x 5.0mm	M12	10		
VABHS11G	290L x 65W x 65H x 5.0mm	M12	10		
VABHS12G	140L x 75W x 50H x 5.0mm Unequal	M12	10		
VABHS13G	190L x 75W x 50H x 5.0mm Unequal	M12	10		
VABHS14G	240L x 75W x 50H x 5.0mm Unequal	M12	10		
VABHS15G	290L x 75W x 50H x 5.0mm Unequal	M12	10		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au



























Product Guide

L Type HDG Brackets



VUETRADE L TYPE HDG Brackets are multi-purpose right-angled brackets.

- Suitable for heavy duty connection between timber and timber at right angle
- Suitable for bolt fixings – Use only M10 or M12 bolts
- 5.0 or 6.5mm thick steel for extra strength
- Made from Mild Steel
- Available in a range of size
- Galvanised finish for durability and long-life

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABL01G	40L x 40W x 40H x 5.0mm	M10	50		
VABL02G	40L x 40W x 40H x 5.0mm	M12	50		
VABL03G	50L x 50W x 50H x 5.0mm	M12	50		
VABL04G	65L x 65W x 65H x 5.0mm	M12	25		
VABL05G	75L x 90W x 90H x 6.5mm	M12	10		
VABL06G	40L x 40W x 80H x 5.0mm	M12	50		
VABL07G	50L x 50W x 100H x 5.0mm	M12	25		
VABL08G	65L x 65W x 130H x 5.0mm	M12	20		
VABL09G	75L x 90W x 150H x 6.5mm	M12	10		
VABL10G	40L x 80W x 80H x 5.0mm	M12	25		
VABL11G	50L x 100W x 100H x 5.0mm	M12	25		
VABL12G	65L x 130W x 130H x 5.0mm	M12	10		
VABL13G	75L x 150W x 150H x 6.5mm	M12	10		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684



Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Z Type HDG Brackets



VUETRADE Z TYPE HDG Brackets are multi-purpose Z-angled brackets ideal for tie-down applications.

- Suitable for variety of both Timber-Timber Connections and Tie-down applications
- Suitable for bolt fixings
- 5.0mm thick steel for extra strength
- Made from Mild Steel
- Galvanised finish for durability and long-life

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBZG	50mm x 105mm x 50mm x 5.0mm	25		













Fascia Brackets



VUETRADE Fascia Brackets are hot dipped galvanised angled brackets for secure fascia to rafter or truss connections.

- Heavy duty bracket
- 6.5mm thick steel for extra strength
- Choice of six angles options available
- G300 Z275 Zinc Galvanised finish for durability and long-life

Warning: Ensure your design complies with regulatory requirements, consultation with an engineer is recommended.

Product Code	Angle	Box Qty	Individual Barcode	Carton Barcode
VTHDFB05	5°	6		
VTHDFB12	12°	6		
VTHDFB17	17°	6		
VTHDFB22	22°	6		
VTHDFB28	28°	6		
VTHDFB35	35°	6		

Product Guide

























Plates - Heavy Duty



VUETRADE PLATES – Heavy Duty are designed to allow connection between flat timber faces.

- Suitable for a variety of Timber-Timber Connections where connection between one flat to another is required.
- Suitable for use with M10 bolts
- 3.0mm thick steel for extra strength
- Made from Mild Steel
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 59.

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VPHD120120	120mm x 120mm x 3.0mm	M10	25		
VPHD120160	120mm x 160mm x 3.0mm	M10	25		
VPHD12040	120mm x 40mm x 3.0mm	M10	50		
VPHD12080	120mm x 80mm x 3.0mm	M10	25		
VPHD160120	160mm x 120mm x 3.0mm	M10	25		
VPHD160160	160mm x 160mm x 3.0mm	M10	25		
VPHD16040	160mm x 40mm x 3.0mm	M10	50		
VPHD16080	160mm x 80mm x 3.0mm	M10	25		
VPHD200120	200mm x 120mm x 3.0mm	M10	20		
VPHD200160	200mm x 160mm x 3.0mm	M10	15		
VPHD20040	200mm x 40mm x 3.0mm	M10	50		
VPHD20080	200mm x 80mm x 3.0mm	M10	25		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Full Stirrup Post Supports



VUETRADE Full Stirrup Post Supports are brackets ideal for holding timber posts, installed by bolting onto or setting into concrete.

- Prevents timber posts from decay
- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- 4.0mm thick steel saddle
- Post Stirrup to suit from 90mm up to 150mm square posts
- Post Support Leg Sizes from 75mm to 600mm
- Bolt Holes
2 x M12 Bolt Holes (Saddle & Base)
- Galvanised finish for durability and long-life



Also available in  Stainless Steel. See page 60.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS7590	75mm x 90mm	10	 9 34 174 1 006588	 9 34 174 1 007073
VPS75100	75mm x 100mm	10	 9 34 174 1 006571	 9 34 174 1 007066
VPS13090	130mm x 90mm	10	 9 34 174 1 002498	 9 34 174 1 006618
VPS130100	130mm x 100mm	10	 9 34 174 1 002504	 9 34 174 1 006625
VPS130115	130mm x 115mm	10	 9 34 174 1 009145	 9 34 174 1 009152
VPS130125	130mm x 125mm	10	 9 34 174 1 006298	 9 34 174 1 006786
VPS130135	130mm x 135mm	10	 9 34 174 1 018086	 9 34 174 1 018093
VPS15090	150mm x 90mm	10	 9 34 174 1 006342	 9 34 174 1 006830
VPS150100	150mm x 100mm	10	 9 34 174 1 006304	 9 34 174 1 006793
VPS150120	150mm x 120mm	10	 9 34 174 1 006311	 9 34 174 1 006809
VPS150125	150mm x 125mm	10	 9 34 174 1 006328	 9 34 174 1 006816
VPS150150	150mm x 150mm	10	 9 34 174 1 006335	 9 34 174 1 006823

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS20090	200mm x 90mm	10	 9 341741 002511	 9 341741 006632
VPS200100	200mm x 100mm	10	 9 341741 002528	 9 341741 006649
VPS25090	250mm x 90mm	10	 9 341741 006502	 9 341741 006991
VPS250100	250mm x 100mm	10	 9 341741 006496	 9 341741 006984
VPS30090	300mm x 90mm	10	 9 341741 002535	 9 341741 006656
VPS300100	300mm x 100mm	10	 9 341741 002542	 9 341741 006663
VPS300115	300mm x 115mm	10	 9 341741 009169	 9 341741 009176
VPS300120	300mm x 120mm	10	 9 341741 006359	 9 341741 006847
VPS300125	300mm x 125mm	10	 9 341741 006366	 9 341741 006854
VPS300135	300mm x 135mm	10	 9 341741 010424	 9 341741 010431
VPS300140	300mm x 140mm	10	 9 341741 015221	 9 341741 015238
VPS300150	300mm x 150mm	10	 9 341741 006373	 9 341741 006861
VPS37590	375mm x 90mm	10	 9 341741 006526	 9 341741 007011
VPS375100	375mm x 100mm	10	 9 341741 006519	 9 341741 007004
VPS45090	450mm x 90mm	10	 9 341741 006540	 9 341741 007035
VPS450100	450mm x 100mm	10	 9 341741 006533	 9 341741 007028
VPS450115	450mm x 115mm	10	 9 341741 006380	 9 341741 006878
VPS450125	450mm x 125mm	10	 9 341741 010332	 9 341741 010349

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS450135	450mm x 135mm	10	 9 341741 010356	 9 341741 010363
VPS450150	450mm x 150mm	10	 9 341741 010370	 9 341741 010387
VPS60090	600mm x 90mm	10	 9 341741 006564	 9 341741 007059
VPS600100	600mm x 100mm	10	 9 341741 006557	 9 341741 007042
VPS600115	600mm x 115mm	10	 9 341741 009183	 9 341741 009190

Half Stirrup Post Supports



VUETRADE Half Stirrup Post Supports are brackets ideal for fixing timber posts to a base, especially where the post can only be accessed from one side for bolting.

- Prevents timber posts from decay
- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- 4.0mm thick steel saddle
- Saddle and Base Bolt Holes
2 x M12 Bolt Holes (Saddle & Base)
- Galvanised finish for durability and long-life



Also available in  Stainless Steel. See page 63.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VHSPS75	75mm	10	 9 341741 006458	 9 341741 006946
VHSPS125	125mm	10	 9 341741 006397	 9 341741 006885
VHSPS200	200mm	10	 9 341741 006403	 9 341741 006892
VHSPS250	250mm	10	 9 341741 006410	 9 341741 006908
VHSPS300	300mm	10	 9 341741 006427	 9 341741 006915

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Centre Blade Post Supports







VUETRADE Centre Blade Post Supports are brackets used for fixing timber posts to concrete or timber bases, with the 'hidden' blade providing a neat finish.

- Concealed support of timber posts – neat finish
- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- 4.0mm thick steel saddle
- Blade and Base Bolt Holes
2 x M12 Bolt Holes
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 63.



Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBLPS125	125mm	10	 9 34 174 1 006205	 9 34 174 1 006694
VBLPS300	300mm	10	 9 34 174 1 006212	 9 34 174 1 006700

Pin Stirrup Post Supports









VUETRADE Pin Stirrup Post Supports are brackets ideal for holding timber posts in applications where the post support needs to be totally concealed.

- 32mm Solid Shaft, 2.0mm Thick
- Prevents timber posts from decay
- 4.0mm thick steel saddle
- Bolt Holes
2 x M10 (Base of Saddle)
2 x M12 (Base)
- Galvanised finish for durability and long-life

Warning: Check with your engineer or consult our technical data as centre pin post anchors may not achieve the correct ratings for some applications.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPPS125	125mm	10	 9 34 174 1 006465	 9 34 174 1 006953
VPPS200	200mm	10	 9 34 174 1 006472	 9 34 174 1 006960
VPPS300	300mm	10	 9 34 174 1 006489	 9 34 174 1 006977

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520

Fax 1300 830 370

Email sales@bellevuegroup.com.au

Product Guide



Concealed Bolt Down Post Support Kit



The VUETRADE Concealed Bolt Down Post Support Kit is a system ideal for fixing decorative timber posts with an architectural, concealed finish.

- Suits 90-100mm timber
- Architectural finish with concealed blade and cap
- 3.0mm thick steel blade
- 145mm Blade Height (including base plate)
- 80mm Blade Width
- Bolt Holes
 - 2 x M12 Bolt Holes (Base)
 - 3 x M12 Bolt Holes (Blade)
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCBPS90	90mm	10	 9 341741 015009	 9 341741 015016





Adjustable Post Supports



VUETRADE Adjustable Post Supports are brackets ideal for fixing uncommon or large sizes of timber posts, installed by bolting onto or inserting into concrete.

- Prevents timber posts from decay
- Adjustable and convenient
- 1 x M12 Bolt Hole on Saddle, Stem & Base of each half
- 4.0mm thick steel for extra strength
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VAPS75	75mm	10	 9 341741 006199	 9 341741 006687
VAPS160	160mm	10	 9 341741 006182	 9 341741 006670

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

'Tradies' Bolt Down Post Support



Quality Bolt Down with Innovative system

Unique design, Easy to install, Concealed or open finish!




PATENT PENDING



COST EFFECTIVE



**90mm SADDLE/
GALVABOND**



Product Code: VTBPS90

Box Qty: 20

We are a proud manufacturer in Australia offering support to our industry with affordable and quality products!





Tradies' Bolt Down Post Supports



VUETRADE Tradies' Bolt Down Post Supports are brackets ideal for bolting down timber posts, with either an open or concealed assembly.

- M10 & M12 Bolt Hole Options in Base
- Improved cap design – concealed or open assembly options
- Economical price point
- Galvanised finish for durability and long-life
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTBPS90	90mm	20	 9 34 174 1 015986	 9 34 174 1 015993








Bolt Down Post Supports



VUETRADE Bolt Down Post Supports are connectors ideal for strong, concealed bolting of timber posts onto concrete bases.

- Improved design for extra strength
- 2 x M12 Bolt Holes (Saddle & Base)
- 3.0mm thick steel for 90mm & 100mm
- 4.0mm thick steel for 115mm & 125mm
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 64.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPS90	90mm	10	 9 34 174 1 002474	 9 34 174 1 006595
VBPS100	100mm	10	 9 34 174 1 002481	 9 34 174 1 006601
VBPS115	115mm	10	 9 34 174 1 007226	 9 34 174 1 007202
VBPS125	125mm	10	 9 34 174 1 007233	 9 34 174 1 007219

T Blade & Cap System

**Innovative & aesthetic
post support system!**

VUETRADE has the largest range of post supports available; catering for all sized posts.

**Simply & neatly install
beautiful timber posts.**

- Available in Zinc-Nickel and SS316
- Heavy-duty 10mm post supports
- Architectural finish with SS316 Cap to conceal base bolts
- Concealed thread VUEBOLT

Suits Post Size (mm)

- 90 - 100
- 115 - 140
- 150 - 180
- 180 - 250
- 250 - 350



T-Blade Post Supports



VUETRADE T-Blade Post Supports are brackets ideal for concealed fixing of large decorative timber posts by bolting onto concrete.

- Ideal for specialty timber posts
- 10.0mm Thick Steel Blade and Base
- Concealed welds between vertical and horizontal plates.
- Concealing caps available to suit (sold separately)
- Galvanised finish for durability and long-life

Also available in Stainless Steel. See page 66.



Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBPTB90100	80mm x 80mm Base - 250mm Blade	6		
VBPTB115140	110mm x 110mm Base - 275mm Blade	6		
VBPTB150180	140mm x 140mm Base - 300mm Blade	4		
VBPTB180200	180mm x 180mm Base - 350mm Blade	2		
VBPTB250350	240mm x 240mm - 400mm Blade	1		

T-Blade Post Support Caps



VUETRADE T-Blade Post Support Caps are stainless steel concealing caps to suit VUETRADE T-Blade Post Supports, covering base bolts for a neat finish on feature timber posts.

- Quick and easy to install
- Conceals exposed base bolts for a neat finish
- Sizes to suit our full range of Bolt Down T-Blade Post Supports
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Also available in Stainless Steel. See page 67.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPTB90100CAP	90 x 90 x 30	6		
VBPTB115140CAP	120 x 120 x 30	6		
VBPTB150180CAP	150 x 150 x 30	4		
VBPTB180200CAP	190 x 190 x 30	2		
VBPTB250350CAP	250 x 250 x 30	1		N/A

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

T-Blade Post Supports With Leg



VUETRADE T-Blade Post Supports with Legs are strong, solid connectors ideal for fixing timber posts, by bolting onto or setting into concrete.

- Ideal for specialty timber posts
- 10.0mm thick steel blade and base
- 35mm or 73mm diameter legs
- NEW – Solid 35mm Legs in 300mm & 600mm long
– 140mm x 140mm Saddle Size only
- Concealed welds between vertical and horizontal plates
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 66.



Product Code	Size	Box Qty	Barcode
VHDBLPS60080	80mm x 80mm Base - 250mm Blade; 600mm x 35mm Leg	1	 9 341741 014101
VHDBLPS600110	110mm x 110mm Base - 275mm Blade; 600mm x 35mm Leg	1	 9 341741 014064
VHDBLPS- 300140SOLID	140mm x 140mm Base - 300mm Blade; 300mm x 35mm Solid Leg	1	 9 341741 015030
VHDBLPS- 600140SOLID	140mm x 140mm Base - 300mm Blade; 600mm x 35mm Solid Leg	1	 9 341741 015047
VHDBLPS600180	180mm x 180mm Base - 350mm Blade; 600mm x 73mm Leg	1	 9 341741 013876

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Ant Caps



VUETRADE Ant Caps are galvanized steel caps ideal for inserting between timber bases and floors in areas with termite activity.









- Suited for termite-prone areas
- Shows termite mud tunnels in inspections
- Galvanised finish for durability and long-life
- Made in Australia

Warning: These Ant Caps will not prevent the passage of ants/ termites. Contact your local inspectors or council authorities for inspection requirements and recommendations.













Also available in  Stainless Steel. See page 69.



Ant Caps With Hole

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VAC10025	100mm x 100mm - 25mm Flange	50		
VAC10050	100mm x 100mm - 50mm Flange	50		
VAC12525	125mm x 125mm - 25mm Flange	50		
VAC12550	125mm x 125mm - 50mm Flange	50		

Ant Caps No Hole

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VAC10025NH	100mm x 100mm - 25mm Flange	50		
VAC10050NH	100mm x 100mm - 50mm Flange	50		
VAC12525NH	125mm x 125mm - 25mm Flange	50		
VAC12550NH	125mm x 125mm - 50mm Flange	50		
VAC23011550NH	230mm x 115mm - 50mm Flange	25		
VAC23050NH	230mm x 230mm - 50mm Flange	25		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au



Product Guide

Brick Veneer Ties - Light Duty



VUETRADE Brick Veneer Ties Light Duty are masonry wall ties ideal for joining wall frames and brickwork to provide stability in light duty applications.

- Classified Light Duty when used with the accompanying Nails
- Conforms to Australian Standards AS2699 and AS3700
- Available in R2 (Galvanised), R3 (SS304), R4 (SS316)
- 0.9mm thick steel for extra strength
- Made in Australia

Warning: R2 Brick Ties are to be used no closer than 10km to surf coast, or 1km to sheltered coast. R3 Brick Ties are to be used 1km – 10km from surf coast, or 100mt – 1km from sheltered coast. R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS2699.1:2020

Also available in Stainless Steel. See page 70.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTLDR2	Light Duty with Nails	150		
VBTLDR3	Light Duty with Nails; SS304	150		
VBTLDR4	Light Duty with Nails; SS316	150		

Brick Veneer Ties - Medium Duty



VUETRADE Brick Veneer Ties Medium Duty are masonry wall ties ideal for joining wall frames and brickwork, providing stability to the brickwork in medium duty applications.

- Medium Duty classification when used with the accompanying Screws
- Fully tested and compliant with Australian Standards AS2699 and AS3700
- Available in R2 (Galvanised), R3 (SS304), R4 (SS316)
- 0.9mm thick steel for extra strength
- Made in Australia

Warning: R2 Brick Ties are to be used no closer than 10km to surf coast, or 1km to sheltered coast. R3 Brick Ties are to be used 1km – 10km from surf coast, or 100mt – 1km from sheltered coast. R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS2699.1:2020

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTMDR2	Medium Duty with Screws	150		
VBTMDR3	Medium Duty with Screws; SS304	150		
VBTMDR4	Medium Duty with Screws; SS316	150		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520

Fax 1300 830 370

Email sales@bellevuegroup.com.au

Twisted Brick Veneer Ties



VUETRADE Twisted Brick Veneer Ties are galvanised steel masonry wall ties for fixing brick work to the side of timber framing rather than the face.

- Side-fixing wall tie – connects to timber stud
- Install during masonry construction
- Conforms to Australian Standards AS2699 and AS3700
- 115mm in length
- Galvanised finish for durability and long-life
- Made in Australia

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTTWBV	115mm	150		

Frame Ties



VUETRADE Frame Ties are galvanised masonry wall ties used to tie off brick or block walls to support structures.

- 230mm long in length
- Long crimped section for increased grip
- Galvanised finish for durability and long-life

Product Code	Size	Description	Box Qty	Individual Barcode	Carton Barcode
VTBTFT	230mm	Z600 Galvanized	150		

Double Sleeve Expansion Ties



VUETRADE Double Sleeve Expansion Ties are rod ties designed for vertical masonry expansion joints.

- Sliding rod tie for vertical expansion joints
- Galvanised finish for durability and long-life
- Compliant with Australian Standards AS2699 and AS3700

Also available in Stainless Steel. See page 71.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VTDSG	Galvanised	50		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide



Expansion Ties



VUETRADE Expansion Ties are galvanised expansion gap ties designed to stabilise and prevent lateral movement in block masonry joints.

- Pre-bent middle section to stabilise blockwork while allowing expansion
- Durability classification R2 as per AS2699.1:2020
- Compliant to AS/NZS 2699.2:2000
- Z600 Galvanised finish for durability and long-life
- Made in Australia

Also available in  Stainless Steel. See page 71.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VTEXTG	Galvanised	60	 9 341741 003419	 9 341741 004423

Sub Floor Punched Vents



VUETRADE Sub Floor Punched Vents are brick vents designed to combat sub floor moisture, ideal for installation during masonry construction.

- Install when mortaring brickwork or blockwork
- Combats sub floor moisture & consequences
- Available in multiple sizes
- Galvanised finish for durability and long-life
- Made in Australia

Also available in  Stainless Steel. See page 72.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFV230X76SLIM	230mm x 76mm - Slim	20	 9 341741 003969	 9 341741 004829
VTSFV230X76	230mm x 76mm	20	 9 341741 003952	 9 341741 004812
VTSFV190X90	190mm x 90mm	20	 9 341741 003938	 9 341741 004799
VTSFV190X190	190mm x 190mm	20	 9 341741 003921	 9 341741 004782
VTSFV230X160	230mm x 160mm	20	 9 341741 003945	 9 341741 004805
VTSFV390X90	390mm x 90mm	20	 9 341741 003983	 9 341741 004843
VTSFV390X190	390mm x 190mm	20	 9 341741 003976	 9 341741 004836

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Sub Floor Louvred Vents




VUETRADE Sub Floor Louvred Vents are brick vents designed to combat sub floor dampness, ideal for installation when bricks/blocks are being laid.

- Install when mortaring brickwork or blockwork
- Combats sub floor moisture & consequences
- Available in multiple sizes
- Louvred design
- Galvanised finish for durability and long-life

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFL230X76	230mm x 76mm	20		
VTSFL230X160	230mm x 160mm	10		

Sub Floor Vents – Anti Spark



VUETRADE Sub Floor Vents – Anti Spark are brick vents fitted with fine stainless steel mesh, designed to combat sub floor moisture, ideal for areas which are prone to bushfire attack up to and including BAL-40.

- Insert into the wall when the bricks/blocks are being laid
- Combats sub floor moisture & consequences
- Fitted with BAL40 compliant (complies with Australian Standard AS 3659: 2009 – 'Construction of Building in Bush fire-prone Areas') Anti Spark 316 Stainless Steel Mesh 0.9mm diameter x 1.64mm aperture for bushfire zones
- Available in multiple sizes
- Made in Australia


Also available in Stainless Steel. See page 72.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFVAS230X76SLIM	230mm x 76mm - Slim	20		
VTSFVAS230X76	230mm x 76mm	20		
VTSFVAS190X190	190mm x 190mm	20		
VTSFVAS230X160	230mm x 160mm	20		
VTSFVAS390X190	390mm x 190mm	20		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684







Product Guide

Flat Face Punched Vents




VUETRADE Flat Face Punched Vents are brick vents ideal for reducing moisture in structures, designed to be fastened to the face of the wall with screws.

- Designed to be screwed onto a wall face
- Available in multiple sizes
- Combats dampness and improves air quality
- Galvanised finish for durability and long-life



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTFF250X110	250mm x 110mm	20	 9 341741 003884	 9 341741 004744
VTFF260X200	260mm x 200mm	20	 9 341741 003891	 9 341741 004751
VTFF280X210	280mm x 210mm	20	 9 341741 003907	 9 341741 004768

Flat Face Double Slotted Vents



VUETRADE Flat Face Double Slotted Vents are brick vents ideal for fighting dampness in structures, installed by fastening to the face of the wall with screws.

- Designed to be screwed onto the face of a wall
- Available in multiple sizes
- Combats moisture and improves air quality
- Galvanised finish for durability and long-life

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTFF300X133	300mm x 133mm	20	 9 341741 003914	 9 341741 004775

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684





Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Flat Face Louvred Vents




VUETRADE Flat Face Louvred Vents are brick vents to reduce moisture in structures, ideal for fastening to the face of the wall with screws.

- Install by screwing onto a wall face
- Available in multiple sizes
- Fights dampness and improves air quality
- Louvred design
- Galvanised finish for durability and long-life




Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTFFLS150X150	150mm x 150mm	20	 9 34 174 1 003860	 9 34 174 1 004720
VTFFLS230X160	230mm x 160mm	20	 9 34 174 1 003877	 9 34 174 1 004737

Anti Spark Mesh – Stainless Steel



VUETRADE Stainless Steel Anti Spark Mesh is a wire mesh ideal for use with a vent to protect your home against embers and sparks from bushfires.

- Sold per m2 or pre-cut lengths
- Compliant with BAL40 requirements
- 1.64mm aperture
- 0.9mm wire diameter
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Product Code	Size	Box Qty	Barcode
VTSSMESH	1220mm x 1.6mm Aperture x 0.9mm Wire	Per Square Metre	 9 34 174 1 015498
VTSSMESH110	110mm x 1220mm x 1.6mm Aperture x 0.9mm Wire	1	 9 34 174 1 015474
VTSSMESH190	190mm x 1220mm x 1.6mm Aperture x 0.9mm Wire	1	 9 34 174 1 015481

The One And Only VUEBOLT

VUEBOLT90110

- 90 - 110mm
- Shaft size 10.5mm (M10)

VUEBOLT90110HD

- 90 - 110mm
- Shaft size 12.5mm (M12)

VUEBOLT110150

- 110 - 150mm
- Shaft size 12.5mm(M12)

VUEBOLT150230

- 150 - 230mm
- Shaft size 16.5mm(M16)



One bolt various applications

Equal male and female threaded

Great for Timber to Timber Connections



A Concealed Threaded VUEBOLT





Architectural finish
Comprehensive range of sizes
Strong and durable
Timber to Timber
Suits post sizes from 90 to 230mm


T50 Drive Head -
Quick & Easy Install

Concealed Finish

Great for Timber to
Timber Connections



Male/Female
Thread



Neat Finish
Both Sides!

Equal male and female
thread at centre axis

Excellent mechanical
properties.

**Endless applications for a wide
range of timber sizes**

Product Guide

VUEBOLT Post Support Bolts



VUEBOLT Post Support Bolts are concealed thread bolts ideal for fixing post supports with a quick, neat and concealed finish.

- Concealed thread with male and female bolt – neat finish
- Easy installation with T50 drive head
- Strong, compliant and durable
- Excellent corrosion protection

Warning: Always ensure that boltholes are drilled fully through the timber post to obtain the recommended capacity.

Product Code	Description	Fits Post Size	Ctn Qty	Individual Barcode	Carton Barcode
VUEBOLT90110	Concealed Thread Bolt 10.5mm Shaft (M10) x Card of 2	90mm x 110mm	30		
VUEBOLT90110HD	Concealed Thread Bolt Heavy Duty 12.5mm Shaft (M12) x Card of 2	90mm x 110mm	30		
VUEBOLT110150	Concealed Thread Bolt 12.5mm Shaft (M12) x Card of 2	110mm x 150mm	25		
VUEBOLT110150HD	Concealed Thread Bolt 16.5mm Shaft (M16) x Card of 2	110mm x 150mm	25		
VUEBOLT150230	Concealed Thread Bolt 16.5mm Shaft (M16) x Card of 2	150mm x 230mm	15		
VUEBOLT230360	Concealed Thread Bolt 20.5mm Shaft (M20) x Card of 1	230mm x 360mm	10		



All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520

Fax 1300 830 370

Email sales@bellevuegroup.com.au

Stainless Steel VUEBOLT Post Support Bolts

Stainless Steel VUEBOLT Post Support Bolts are concealed thread bolts ideal for coastal construction, providing a quick, neat finish on feature timber posts.



- Concealed thread, male & female bolts – neat finish
- Simple to install with T50 drive head
- Compliant to Australian Standards AS1684.2 and AS1720
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Always ensure that bolt holes are drilled fully through the timber post to obtain the recommended capacity. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings.




Product Code	Description	Fits Post Size	Ctn Qty	Individual Barcode	Carton Barcode
VUEBOLT90110SS	Concealed Thread Bolt 10.5mm Shaft (M10) x Card of 2	90mm x 110mm	30		
VUEBOLT90110HDSS	Concealed Thread Bolt Heavy Duty 12.5mm Shaft (M12) x Card of 2	90mm x 110mm	30		
VUEBOLT110150SS	Concealed Thread Bolt 12.5mm Shaft (M12) x Card of 2	110mm x 150mm	25		
VUEBOLT110150HDSS	Concealed Thread Bolt Heavy Duty 16.5mm Shaft (M16) x Card of 2	110mm x 150mm	25		
VUEBOLT150230SS	Concealed Thread Bolt 16.5mm Shaft (M16) x Card of 2	150mm x 230mm	15		
VUEBOLT230360SS	Concealed Thread Bolt 20.5mm Shaft (M20) x Card of 1	230mm x 360mm	10		

VUEBOLT Torx Wrench T50



The VUEBOLT Torx Wrench is the ideal solution for the fast and effective installation of VUEBOLT Post Support Bolts.

- T50 Star Drive Wrench
- Quick and consistent installation

Product Code	Pack QTY	Barcode
VTX50	2	

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Coastal Stainless Steel Range

- CoastalSS is recommended for corrosion resistance
- Stainless Steel use is specified in the Australian Standards
- 316SS provides the best corrosion protection
- Timber Connector Icons assist specification

VUETRADE's CoastalSS range is made up of high-quality Stainless Steel products that allow you to install solid timber connections in various coastal areas, without having to worry about the connector rusting and making your structure unsafe. Stainless Steel Timber Connectors prevent potential structural failure, as well as saving the future time and money required to replace corroded brackets. The Australian Standards provide guidelines for the use of Stainless Steel Fixings and Brackets – refer to AS3700 Section 5.

VUETRADE has an extensive stocked range of 304 and 316 Stainless Steel, as well as many special order and customizable Stainless Steel products. Stainless Steel grade 304 (SS304) is the most commonly used stainless steel, as it is cost effective and sufficiently corrosion resistant for many applications. However, SS304 is susceptible to tea staining (a superficial rust-looking stain) and can be corroded in extremely corrosive environments. In contrast, Stainless Steel grade 316 (SS316) has a greatly increased corrosion resistance and will withstand Severe Marine conditions.

VUETRADE SS304 and SS316 products are identifiable by the icons, a raindrop and a wave. VUETRADE's SS316 products are genuine Marine Grade stainless steel, made in Australia for the highest quality.



Coastal

SS304 and SS316 are suitable for use on the coast, to prevent corrosion and its structural consequences.



Marine

Severe Marine environments require genuine SS316 products for greatest corrosion resistance and safety.



Pools

CoastalSS uses include the area surrounding fresh-water and salt-water pools – make sure your pool decking is safe!

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Timber Connector Specification Area Chart



Timber Connector Icons

To assist with proper product specification and use for different areas VUETRADE have developed a unique and easy to understand icon markings for our Timber Connectors range.



G - Standard/Galvanised

- Internal/enclosed
- Exterior/exposed inland areas except if in contact with fresh water or non-saline wetting & drying



Rain Drop - Marine Environment

- Marine Environment - 100m up to 1km from a non-surf coast and from 1km up to 10km from a surf coast
- External applications in contact with freshwater or subject to non-saline wetting and drying (classed as Marine Environment as per AS 3700 - 2011: Section 5: Design for Durability)
- Minimum steel grade required Stainless Steel 304



Waves - Severe Marine

- Severe Marine - 100m from a non-surf coast and up to 1km from a surf coast
- Minimum Steel Grade Stainless Steel 316
- No 'Tea Staining' a superficial 'rust' look that occurs on lower grades of Stainless Steel including 304.

Product Guide

Stainless Steel Punched Builder's Strapping



VUEBRACE Stainless Steel Punched Builder's Strapping is a stainless steel tension bracing ideal for bracing roofs, walls, ceilings and floors in coastal areas.

- Engineered to comply with AS1684.2-2021 and AS1684.3-2021 for structural wall bracing
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel bracing varies in different states and areas – always check with your local building authorities.

Product Code	Size	Carton Barcode
VB30815SS	30mm x 0.8mm x 15mt	
VB30830SS	30mm x 0.8mm x 30mt	
VB30115SS	30mm x 1.0mm x 15mt	
VB30130SS	30mm x 1.0mm x 30mt	











Stainless Steel Joist Hangers



VUETRADE Stainless Steel Joist Hangers are time-saving, versatile hangers ideal for connecting joists to beams, trusses to beams, and roof trusses to girders in coastal areas.

- Unique Nail Spikes – holds the hanger in position while you hammer!
- Meets and exceeds Australian Standard AS1720
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails into timber members and ensure to install them through pre-bored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH3590SS	35mm x 90mm	45		
VJH35120SS	35mm x 120mm	30		
VJH35140SS	35mm x 140mm	30		
VJH35180SS	35mm x 180mm	30		
VJH4590SS	45mm x 90mm	45		

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Stainless Steel Joist Hangers Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VJH45120SS	45mm x 120mm	30	 9 341741 009558	 9 341741 009732
VJH45140SS	45mm x 140mm	30	 9 341741 009565	 9 341741 009749
VJH45180SS	45mm x 180mm	30	 9 341741 009572	 9 341741 009756
VJH45220SS	45mm x 220mm	20	 9 341741 009589	 9 341741 009763
VJH5090SS	50mm x 90mm	45	 9 341741 009596	 9 341741 009770
VJH50120SS	50mm x 120mm	30	 9 341741 009602	 9 341741 009787
VJH50140SS	50mm x 140mm	30	 9 341741 009619	 9 341741 009794
VJH50180SS	50mm x 180mm	30	 9 341741 009626	 9 341741 009800
VJH50220SS	50mm x 220mm	20	 9 341741 009633	 9 341741 009817

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

Stainless Steel Split Joist Hangers



VUETRADE Stainless Steel Split Joist Hangers are fast fixing, multi-purpose hangers ideal for joist, beam and truss joining in coastal areas, with timber over the width of 50mm.

- Suitable for large timber sizes
- Unique Nail Spike Feature – makes positioning easy!
- Meets and exceeds Australian Standard AS1720
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails into timber members and ensure to install them through pre-bored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VSJH120SS	120mm	30	9 34 174 1 014538	9 34 174 1 014545
VSJH140SS	140mm	30	9 34 174 1 014552	9 34 174 1 014569
VSJH180SS	180mm	30	9 34 174 1 014576	9 34 174 1 014583
VSJH220SS	220mm	20	9 34 174 1 014590	9 34 174 1 014606

Stainless Steel Triple Grips



VUETRADE Stainless Steel Triple Grips are multipurpose galvanised building brackets used in many nail-fixed timber joints with perpendicular angles, ideal for use on the coast.

- Ideal for 90-degree joints
- To be fastened with hand-driven nails
- Available in right hand and left hand profiles
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VTTGLHSS	LEFT HAND	100	9 34 174 1 013715	9 34 174 1 013784
VTTGRHSS	RIGHT HAND	100	9 34 174 1 013739	9 34 174 1 013791

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Stainless Steel Mini Grips





VUETRADE Stainless Steel Mini Grips are multipurpose timber framing brackets ideal for joining timber at right angles in coastal regions.

- Install through pre-punched holes for optimum load ratings
- Economical connector for more lightly loaded joints
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG57SS	57mm	200	 9 341741 010004	 9 341741 010011

Stainless Steel Multi Grips





VUETRADE Stainless Steel Multi Grips are versatile, cost-effective brackets used for right angle joints in timber framing, ideal for coastal construction.

- Versatile bracket – simply bend to your needs!
- Suitable for framing application in accordance with AS1684.2 and AS1684.3
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTMG100SS	100mm	200	 9 341741 010028	 9 341741 010035



Stainless Steel Joist Straps



VUETRADE Stainless Steel Joist Straps are easy to use connectors ideal for fixing ceiling joists or rafters to hanging beams.

- Saves time with built-in nail spike
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made - High quality, peace of mind, and supporting Aussie jobs




Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTJS150SS	175mm LONG	150	 9 341741 018130	 9 341741 018147

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide









Stainless Steel Tap In Plates



VUETRADE Stainless Steel Tap In Plates are timesaving nail plates with built-in steel 'teeth', ideal for joining timber wall frames and top plates in coastal areas.

- Timesaving – manufactured with built-in 'teeth'
- Strong and secure connections
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTIP45120SS	45mm x 120mm	100	 9 341741 009916	 9 341741 009923
VTIP45180SS	45mm x 180mm	67	 9 341741 009930	 9 341741 009947
VTIP70120SS	70mm x 120mm	75	 9 341741 009954	 9 341741 009961
VTIP70180SS	70mm x 180mm	50	 9 341741 009978	 9 341741 009985


Stainless Steel Connector Plate Nails



VUETRADE Stainless Steel Connector Plate Nails are 316 Stainless Steel fixings specifically for fixing applications using any Stainless Steel VUETRADE timber connector.

- Use to fasten VUETRADE Stainless Steel Timber Connectors
- Size 30mm x 2.8mm
- 645 nails per kg
- Available in 500g, 2kg and 5kg packs
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE CoastalSS stainless steel brackets should always be used with Stainless Steel fixings.

Product Code	Size	Ctn Qty	Barcode
VTCPNSS3028500	500g	6	 9 341741 010295
VTCPNSS30282	2kg	1	 9 341741 010301
VTCPNSS30285	5kg	1	 9 341741 010318

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Stainless Steel Bearer Plates



VUETRADE Stainless Steel Bearer Plates are a nail on plate suitable for timber connections, and repair and reinforcement of framing in coastal areas.

- Ideal for Heavy Duty applications
- 1.0mm thick steel
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Use ONLY 30mm x 2.8mm VUETRADE stainless steel connector plate nails or equivalent into timber members and ensure to install them through pre-bored holes. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Qty	Barcode
VTBP80120SS	80mm x 120mm	1	 9 34 174 1 017683
VTBP80180SS	80mm x 180mm	1	 9 34 174 1 017690
VTBP80240SS	80mm x 240mm	1	 9 34 174 1 017706
VTBP80300SS	80mm x 300mm	1	 9 34 174 1 017713



Stainless Steel Ultra Heavy Duty Angles



VUETRADE Ultra Heavy Duty Angles are Stainless Steel multi-purpose right-angled brackets ideal for framing staircases.

- Suitable for framing stairs, shelves and corner supports
- 2.0mm thick steel for extra strength
- 304 Stainless Steel – durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTUHDA4040	40mm x 40mm x 230mm	40	 9 34 174 1 003327	 9 34 174 1 004331

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

Stainless Steel Pergola Angles





VUETRADE Stainless Steel Pergola Angles are multi-purpose building brackets ideal for connecting pergola rafters to beams.

- Suitable for heavy duty applications
- 1.6mm thick steel for extra strength
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTPA36SS	88mm x 63mm x 36mm x 1.6mm	200		

Stainless Steel Hold Down Brackets





VUETRADE Stainless Steel Hold Down Brackets are heavy-duty brackets ideal for connecting wall studs and roof trusses in coastal areas.

- Ideal for heavy duty applications in metal or timber framing
- Can be fixed with nails or bolts
- 2.0mm thick steel for extra strength
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Australian Made – High quality, peace of mind, and supporting Aussie jobs



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTHDBSS	127mm x 55mm x 47mm x 2.0mm	75		

Product Guide

Stainless Steel Angle Brackets - Heavy Duty



VUETRADE Ultra Heavy Duty Angles are Stainless Steel multi-purpose right-angled brackets ideal for use on stairs and shelves.

- Suitable for use on stairs and shelves or any application where right angle connections are required
- 3.0mm thick steel for extra strength
- Suitable for M10 bolt fixings – use only Stainless Steel bolts with stainless steel angles
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VABHD02SS	40L x 60W x 100H x 3.0mm	M10	25	9 341741 021284	9 341741 021291
VABHD04SS	80L x 60W x 60H x 3.0mm	M10	25	9 341741 021307	9 341741 021314
VABHD05SS	80L x 60W x 100H x 3.0mm	M10	15	9 341741 021321	9 341741 021338
VABHD09SS	120L x 100W x 100H x 3.0mm	M10	10	9 341741 021345	9 341741 021352
VABHD12SS	160L x 100W x 100H x 3.0mm	M10	10	9 341741 021369	9 341741 021376

Stainless Steel Plates - Heavy Duty



VUETRADE Stainless Steel PLATES – Heavy Duty are designed to allow connection between flat timber faces.

- Suitable for a variety of Timber-Timber Connections where connection between one flat to another is required.
- 3.0mm thick steel for extra strength
- Suitable for use with Stainless Steel M10 bolts – Use only Stainless Steel bolts with stainless steel plates
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia

Product Code	Description	Size	Box Qty	Individual Barcode	Carton Barcode
VPHD200120SS	200mm x 120mm x 3.0mm	M10	10	9 341741 021505	9 341741 021512
VPHD20040SS	200mm x 40mm x 3.0mm	M10	25	9 341741 021529	9 341741 021536
VPHD20080SS	200mm x 80mm x 3.0mm	M10	15	9 341741 021543	9 341741 021550

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

Stainless Steel Full Stirrup Post Supports



VUETRADE Stainless Steel Full Stirrup Post Supports are U-saddle post anchors ideal for coastal areas, fixing timber posts by bolting onto or setting into concrete.

- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- Suits 90mm up to 200mm square posts
- Leg Sizes from 75mm to 600mm
- Bolt Holes
 - 2 x M12 Bolt Holes (Saddle & Base)
- Stirrup Side Size 75mm Wide x 105mm High
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS7590SS304*	75mm x 90mm	1		
VPS75100SS304*	75mm x 100mm	1		
VPS13090SS	130mm x 90mm	10		
VPS130100SS304*	130mm x 100mm	1		
VPS130115SS	130mm x 115mm	10		
VPS130125SS	130mm x 125mm	10		
VPS130135SS	130mm x 135mm	10		
VPS15090SS304*	150mm x 90mm	1		
VPS150100SS304*	150mm x 100mm	1		

*Non-stocked lines
All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Stainless Steel Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS150125SS304*	150mm x 125mm	1	 9 341741 010950	 9 341741 011582
VPS150150SS304*	150mm x 150mm	1	 9 341741 011094	 9 341741 011728
VPS150200SS304*	150mm x 200mm	1	 9 341741 011896	 9 341741 012695
VPS20090SS	200mm x 90mm	10	 9 341741 010233	 9 341741 010240
VPS200100SS304*	200mm x 100mm	1	 9 341741 010738	 9 341741 011360
VPS200115SS304*	200mm x 115mm	1	 9 341741 010875	 9 341741 011506
VPS200135SS304*	200mm x 135mm	1	 9 341741 011032	 9 341741 011667
VPS200140SS304*	200mm x 140mm	1	 9 341741 013593	 9 341741 013654
VPS25090SS304*	250mm x 90mm	1	 9 341741 010585	 9 341741 011216
VPS250100SS304*	250mm x 100mm	1	 9 341741 010752	 9 341741 011384
VPS30090SS	300mm x 90mm	10	 9 341741 010257	 9 341741 010264
VPS300100SS304*	300mm x 100mm	1	 9 341741 010776	 9 341741 011407
VPS300115SS	300mm x 115mm	10	 9 341741 010899	 9 341741 011520
VPS300125SS304*	300mm x 125mm	1	 9 341741 010974	 9 341741 011605
VPS300135SS304*	300mm x 135mm	1	 9 341741 011056	 9 341741 011681
VPS300140SS304*	300mm x 140mm	1	 9 341741 013616	 9 341741 013678

*Non-stocked lines

All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Stainless Steel Full Stirrup Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VPS300150SS304*	300mm x 150mm	1	 9 34 174 1 011117	 9 34 174 1 011742
VPS300200SS304*	300mm x 200mm	1	 9 34 174 1 011919	 9 34 174 1 012718
VPS37590SS304*	375mm x 90mm	1	 9 34 174 1 010615	 9 34 174 1 011247
VPS375100SS304*	375mm x 100mm	1	 9 34 174 1 010790	 9 34 174 1 011421
VPS45090SS304*	450mm x 90mm	1	 9 34 174 1 010639	 9 34 174 1 011261
VPS450100SS304*	450mm x 100mm	1	 9 34 174 1 010813	 9 34 174 1 011445
VPS450115SS304*	450mm x 115mm	1	 9 34 174 1 010912	 9 34 174 1 011544
VPS450125SS304*	450mm x 125mm	1	 9 34 174 1 010998	 9 34 174 1 011629
VPS450135SS304*	450mm x 135mm	1	 9 34 174 1 011070	 9 34 174 1 011704
VPS450140SS304*	450mm x 140mm	1	 9 34 174 1 013630	 9 34 174 1 013692
VPS450150SS304*	450mm x 150mm	1	 9 34 174 1 011131	 9 34 174 1 011766
VPS450200SS304*	450mm x 200mm	1	 9 34 174 1 011933	 9 34 174 1 012732
VPS60090SS304*	600mm x 90mm	1	 9 34 174 1 010653	 9 34 174 1 011285
VPS600100SS304*	600mm x 100mm	1	 9 34 174 1 010837	 9 34 174 1 011469

*Non-stocked lines

All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Stainless Steel Half Stirrup Post Supports









VUETRADE Stainless Steel Half Stirrup Post Supports are brackets ideal for coastal construction, fixing timber posts that can only be accessed from one side by bolting or inserting into concrete.

- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- Saddle and Base Bolt Holes
2 x M12 Bolt Holes (Saddle & Base)
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VHSPS125SS	125mm	10		
VHSPS200SS304*	200mm	1		
VHSPS300SS304*	300mm	1		

*Non-stocked lines. All available in SS316 by special order

Stainless Steel Centre Blade Post Supports







VUETRADE Stainless Steel Centre Blade Post Supports are brackets ideal for coastal construction, with the 'hidden' blade providing a neat finish at the base of a timber post.

- Neat & concealed finish
- Extra Heavy Duty 32mm Shaft, 2.0mm Thick
- Blade and Base Bolt Holes
2 x M12 Bolt Holes
- Various leg sizes available
- 4.0mm thick steel saddle
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBLPS125SS	125mm	10		
VBLPS300SS304*	300mm	1		

*Non-stocked lines. All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide





Stainless Steel Bolt Down Post Supports



VUETRADE Stainless Steel Bolt Down Post Supports are anchors ideal for bolting down timber posts in coastal areas, giving the choice of an open or concealed finish.

- 2 x M12 Bolt Holes (Saddle & Base)
- Easy install
- Cap gives a concealed or open finish
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments
- Australian Made - High quality, peace of mind, and supporting Aussie jobs

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPS90SS	90mm	10	 9 34 174 1 011957	 9 34 174 1 012756
VBPS90SS316	90mm	10	 9 34 174 1 011971	 9 34 174 1 012770

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Stainless Steel Bolt Down Post Supports



VUETRADE Stainless Steel Bolt Down Post Supports are anchors ideal for bolting down timber posts in coastal areas, giving the choice of an open or concealed finish.

- 2 x M12 Bolt Holes (Saddle & Base)
- Easy install
- Cap gives a concealed or open finish
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPS100SS	100mm	10		
VBPS115SS	115mm	10		
VBPS125SS	125mm	10		
VBPS135SS	135mm	10		
VBPS140SS304*	140mm	1		
VBPS150SS304*	150mm	1		
VBPS200SS	200mm	10		

*Non-stocked lines
All available in SS316 by special order

Product Guide

Stainless Steel T-Blade Post Supports







VUETRADE Stainless Steel T-Blade Post Supports are brackets ideal for concealed, bolted fixing of feature timber posts on the coast.

- 10.0mm Thick Steel Blade and Base
- Ideal for decorative timber posts
- Quick install
- Concealing caps available to suit (sold separately)
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBPTB90100SS	80mm x 80mm Base - 250mm Blade	6		
VBPTB115140SS	110mm x 110mm Base - 275mm Blade	6		
VBPTB150180SS	140mm x 140mm Base - 300mm Blade	4		
VBPTB180200SS	180mm x 180mm Base - 350mm Blade	2		
VBPTB250350SS	240mm x 240mm Base - 400mm Blade	1		

All available in SS316 by special order

Stainless Steel T-Blade Post Supports With Leg




VUETRADE Stainless Steel T-Blade Post Supports with Legs are concealed anchors ideal for coastal use, installed by bolting timber posts onto or setting them into concrete.

- 10.0mm thick steel blade and base
- 35mm - 76mm diameter legs
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas - always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Product Code	Size	Barcode
VHDBLPS60080SS	80mm x 80mm Base - 250mm Blade, 600mm x 35mm Leg	
VHDBLPS600110SS	110mm x 110mm Base - 275mm Blade, 600mm x 35mm Leg	
VHDBLPS600140SS	140mm x 140mm Base - 300mm Blade, 600mm x 73mm Leg	
VHDBLPS600180SS	180mm x 180mm Base - 350mm Blade, 600mm x 73mm Leg	

All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

T-Blade Post Support Caps



VUETRADE T-Blade Post Support Caps are stainless steel concealing caps to suit VUETRADE T-Blade Post Supports, covering base bolts for a neat finish on feature timber posts.

- Quick and easy to install
- Conceals exposed base bolts for a neat finish
- Sizes to suit our full range of Bolt Down T-Blade Post Supports
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Individual Barcode
VBPTB90100CAP	90mm x 90mm	6		
VBPTB115140CAP	120mm x 120mm	6		
VBPTB150180CAP	150mm x 150mm	4		
VBPTB180200CAP	190mm x 190mm	2		
VBPTB250350CAP	250mm x 250mm	1		N/A

Stainless Steel Cyclonic Post Supports



VUETRADE Stainless Steel Cyclonic Post Supports are U shaped anchors ideal for fixing timber posts in cyclonic or high wind areas on the coast.

- Ideal for coastal cyclonic areas
- 6.00mm thick steel for extra strength
- Bolt Holes – 14mm Diameter, M12 size
- Designed for use with 12mm bolts as required in Queensland
- Complies with Australian Standards AS1684.2 and AS1684.3
- 304 Stainless Steel - durable, corrosion resistant, and suitable for use in some coastal and corrosive environments



Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities. VUETRADE Stainless Steel fixings should always be used with CoastalSS stainless steel brackets.

Suitable for Cyclonic installations.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCYPS30090SS304*	300mm x 90mm	1		
VCYPS300100SS304*	300mm x 100mm	1		
VCYPS45090SS	450mm x 90mm	6		

*Non-stocked lines. All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Product Guide

Stainless Steel Cyclonic Post Supports Cont.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCYPS450100SS	450mm x 100mm	6	 9 34 174 1 012275	 9 34 174 1 013074
VCYPS450115SS304*	450mm x 115mm	1	 9 34 174 1 012299	 9 34 174 1 013098
VCYPS450125SS304*	450mm x 125mm	1	 9 34 174 1 012312	 9 34 174 1 013111
VCYPS450135SS304*	450mm x 135mm	1	 9 34 174 1 012336	 9 34 174 1 013135
VCYPS450140SS304*	450mm x 140mm	1	 9 34 174 1 012350	 9 34 174 1 013159
VCYPS450150SS304*	450mm x 150mm	1	 9 34 174 1 012374	 9 34 174 1 013173
VCYPS450180SS304*	450mm x 180mm	1	 9 34 174 1 012398	 9 34 174 1 013197
VCYPS450200SS304*	450mm x 200mm	1	 9 34 174 1 012411	 9 34 174 1 013210
VCYPS60090SS	600mm x 90mm	6	 9 34 174 1 012435	 9 34 174 1 013234
VCYPS600100SS	600mm x 100mm	6	 9 34 174 1 012459	 9 34 174 1 013258
VCYPS600115SS304*	600mm x 115mm	1	 9 34 174 1 012473	 9 34 174 1 013272
VCYPS600125SS304*	600mm x 125mm	1	 9 34 174 1 012497	 9 34 174 1 013296
VCYPS600135SS304*	600mm x 135mm	1	 9 34 174 1 012510	 9 34 174 1 013319
VCYPS600140SS304*	600mm x 140mm	1	 9 34 174 1 012534	 9 34 174 1 013333
VCYPS600150SS304*	600mm x 150mm	1	 9 34 174 1 012558	 9 34 174 1 013357
VCYPS600180SS304*	600mm x 180mm	1	 9 34 174 1 012572	 9 34 174 1 013371
VCYPS600200SS304*	600mm x 200mm	1	 9 34 174 1 012596	 9 34 174 1 013395

*Non-stocked lines

All available in SS316 by special order

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au








Stainless Steel Threaded Rod



VUETRADE Stainless Steel Threaded Rod is a timber connector ideal for tie down applications, especially in tying down roof trusses in cyclone-prone regions. Also can be used for general tie down and bracing for wall framing.

- Ideal for cyclonic and high wind areas
- Available in diameters ranging from M10 to M20
- Complies with Australian Standards AS1275/DIN975 and AS1684.2
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Suitable for  Cyclonic installations.

Product Code	Description	Barcode
VTRSS316M10270	THREADED ROD - M10 x 2700 - SS316 - METRIC	 9 34 1741 022465
VTRSS316M10300	THREADED ROD - M10 x 3000 - SS316 - METRIC	 9 34 1741 022472
VTRSS316M12270	THREADED ROD - M12 x 2700 - SS316 - METRIC	 9 34 1741 022489
VTRSS316M12300	THREADED ROD - M12 x 3000 - SS316 - METRIC	 9 34 1741 022496
VTRSS316M16270	THREADED ROD - M16 x 2700 - SS316 - METRIC	 9 34 1741 022502
VTRSS316M16300	THREADED ROD - M16 x 3000 - SS316 - METRIC	 9 34 1741 022519
VTRSS316M20300	THREADED ROD - M20 x 3000 - SS316 - METRIC	 9 34 1741 022526


Stainless Steel Ant Caps



VUETRADE Stainless Steel Ant Caps are caps ideal for covering timber bases to show termite activity in coastal areas.

- Suited for termite-prone & coastal areas
- Make termite inspections easier
- 100mm x 100mm with 25mm Flange
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: These Ant Caps will not prevent the passage of ants/ termites. Contact your local inspectors or council authorities for inspection requirements and recommendations. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Barcode
ANTCAPSS	100mm x 100mm No Hole	 9 34 1741 015542

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 Fax 1300 830 370 Email sales@bellevuegroup.com.au

Product Guide

Brick Veneer Ties - R3







VUETRADE Brick Veneer Ties R3 are stainless steel masonry wall ties ideal for coastal areas, providing stability to brickwork by joining it to wall frames.

- Durability class R3 - 304 Stainless Steel
- 0.9mm thick steel
- Fully tested and compliant with Australian Standards AS2699 and AS3700
- Made in Australia



Warning: R3 Brick Ties are to be used 1km – 10km from surf coast, or 100mt – 1km from sheltered coast. Refer to AS 2699.1-2020. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Description	Box Qty	Individual Barcode	Carton Barcode
VBTLDR3	Light Duty with Nails; SS304	150		
VBTMDR3	Medium Duty with Screws; SS304	150		

Brick Veneer Ties - R4







VUETRADE Brick Veneer Ties R4 are stainless steel masonry wall ties ideal for coastal areas, joining wall frames and brickwork to provide structural stability.

- Conforms to Australian Standards AS2699 and AS3700
- Durability class R4 - 316 Stainless Steel
- 0.9mm thick stainless steel
- Light Duty with Nails and Medium Duty with Screws available
- Made in Australia



Warning: R4 Brick ties are to be used within 3km of coastal or industrial areas. Refer to AS 2699.1-2020. Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VBTLDR4	Light Duty with Nails; SS316	150		
VBTMDR4	Medium Duty with Screws; SS316	150		



Stainless Steel Double Sleeve Expansion Ties



VUETRADE Stainless Steel Double Sleeve Expansion Ties are rod ties ideal for preventing masonry cracking in coastal areas.

- Sliding rod tie for vertical expansion joints
- Conforming with Australian Standards AS2699 and AS3700
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTDSSS	285mm	50	 9 341741 003402	 9 341741 004416



Stainless Steel Expansion Ties



VUETRADE Stainless Steel Expansion Ties are expansion gap ties designed for use in expansion joints to absorb lateral movement and stabilise masonry in coastal areas.


- Middle crease to restrain expansion
- Tested and compliant to AS 2699.1-2020
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia

Warning: Mandatory and recommended usage of stainless steel timber connectors varies in different states and areas – always check with your local building authorities.

Product Code	Box Qty	Individual Barcode	Carton Barcode
VTEXTSS	20	 9 341741 003426	 9 341741 004430



Product Guide

Stainless Steel Sub Floor Vents



VUETRADE Stainless Steel Sub Floor Punched Vents are brick vents designed to allow air movement in sub floors and prevent moisture damage on buildings.

- Complies with NCC 2019 for subfloor ventilation
- Install when mortaring brickwork or blockwork
- Combats sub floor moisture and provides sufficient airflow
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia



Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFV230X76SS	STAIN. STEEL SUB FLOOR VENTS - 230 x 76 - PUNCHED GRID	20	 9 34 174 1 0189 01	 9 34 174 1 0189 18

Stainless Steel Sub Floor Vents Anti-Spark



VUETRADE Stainless Steel Sub Floor Vents – Anti Spark are brick vents fitted with fine stainless steel mesh, designed to combat sub floor moisture, ideal for areas which are prone to bushfire attack up to and including BAL-40.

- Insert into the wall when the bricks/blocks are being laid
- Combats sub floor moisture and provides sufficient airflow
- Fitted with BAL40 compliant (complies with Australian Standard AS3659: 2009 – 'Construction of Building in Bush fire-prone Areas') Anti-Spark 316 Stainless Steel Mesh 0.9mm diameter x 1.64mm aperture for bushfire zones
- 316 Stainless Steel – durable, corrosion resistant, and suitable for use in coastal or high corrosion environments
- Made in Australia

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VTSFVAS230X76SS	STAIN. STEEL SUB FLOOR VENTS ANTI SPARK BAL40 - 230 x 76 - PUNCHED GRID	20	 9 34 174 1 0190 07	 9 34 174 1 0190 14

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Cyclonic Post Supports



VUETRADE Cyclonic Post Supports are U shaped anchors ideal for fixing timber posts in cyclonic or high wind areas.

- Ideal for cyclonic and high wind areas
- Designed for use with 12mm bolts as required in Queensland
- Bolt Holes – 14mm Diameter, M12 size
- Hot dipped galvanised for long life
- 6.00mm thick steel for extra strength
- Conforms with Australian Standards AS1684.2 and AS1684.3
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 67.

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VCYPS30090	300mm x 90mm	6		
VCYPS300100	300mm x 100mm	6		
VCYPS45090	450mm x 90mm	6		
VCYPS450100	450mm x 100mm	6		
VCYPS450115	450mm x 115mm	6		
VCYPS450125	450mm x 125mm	6		
VCYPS450150	450mm x 150mm	6		
VCYPS60075	600mm x 75mm	6		
VCYPS60090	600mm x 90mm	6		
VCYPS600100	600mm x 100mm	6		
VCYPS600115	600mm x 115mm	6		
VCYPS600125	600mm x 125mm	6		
VCYPS600140	600mm x 140mm	6		
VCYPS600150	600mm x 150mm	6		

Product Guide

Threaded Rod



VUETRADE Threaded Rod is a timber connector ideal for tying down roof trusses in cyclone-prone regions.

- Ideal for cyclonic and high wind areas
- Available in diameters ranging from M10 to M20
- Complies with Australian Standards AS1275/DIN975 and AS1684.2
- Grade 4.6 - mild steel
- Galvanised finish for durability and long-life

Also available in  Stainless Steel. See page 69.

Product Code	Size	Bundle Qty	Barcode
TRGALM10100	M10 x 1000	10	 9 341741 018154
TRGALM10270	M10 x 2700	10	 9 341741 018512
TRGALM10300	M10 x 3000	10	 9 341741 018161
TRGALM12100	M12 x 1000	10	 9 341741 018178
TRGALM12244	M12 x 2440	10	 9 341741 022427
TRGALM12270	M12 x 2700	10	 9 341741 018529
TRGALM12300	M12 x 3000	10	 9 341741 018185
TRGALM16100	M16 x 1000	10	 9 341741 018192
TRGALM16244	M16 x 2440	10	 9 341741 022434
TRGALM16270	M16 x 2700	10	 9 341741 022441
TRGALM16300	M16 x 3000	10	 9 341741 018208
TRGALM16360	M16 x 3600	10	 9 341741 022458
TRGALM20100	M20 x 1000	10	 9 341741 018215
TRGALM20300	M20 x 3000	10	 9 341741 018222





All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Couplers



VUETRADE Couplers are connectors ideal for extending the length of bolts or threaded rod.

- Suitable for lengthening & tensioning
- Available from M10 to M20
- Supplied in cartons of 50
- Galvanised finish for durability and long-life





Product Code	Size	Description	Ctn Qty	Barcode
VCOUPGALM10	M10	ROD COUPLERS GALVANISED, METRIC	100	 9 341741 018239
VCOUPGALM12	M12	ROD COUPLERS GALVANISED, METRIC	100	 9 341741 018246
VCOUPGALM16	M16	ROD COUPLERS GALVANISED, METRIC	50	 9 341741 018253
VCOUPGALM20	M20	ROD COUPLERS GALVANISED, METRIC	20	 9 341741 018260

Hex Nuts



VUETRADE Hex Nuts are multi-purpose fasteners to secure bolts and other connectors and ensure safe connections.

- Compliant with AS1112.3
- Available from M10 to M20
- Supplied in cartons of 100
- Galvanised finish for durability and long-life

Product Code	Size	Description	Ctn Qty	Barcode
VHNG0010	M10	HEX NUT GALVANISED	100	 9 341741 018277
VHNG0012	M12	HEX NUT GALVANISED	100	 9 341741 018284
VHNG0016	M16	HEX NUT GALVANISED	50	 9 341741 018291
VHNG0020	M20	HEX NUT GALVANISED	20	 9 341741 018307

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684




Product Guide






Washers



VUETRADE Washers are general purpose structural washers used to evenly distribute the loads of bolts or other fasteners.

- Available from M10 to M20
- Two profiles – round & square
- Comply with AS1237
- Supplied in boxes of 500
- Galvanised finish for durability and long-life

Product Code	Size	Description	Outer Diameter	Thickness	Ctn Qty	Barcode
VGW0010	M10	WASHER GALVANISED	24mm	2mm	500	 9 34 174 1 018314
VGW0012	M12	WASHER GALVANISED	28mm	2.5mm	250	 9 34 174 1 018321
VGW0016	M16	WASHER GALVANISED	34mm	3mm	200	 9 34 174 1 018338
VGW0020	M20	WASHER GALVANISED	39mm	3mm	150	 9 34 174 1 018345

Product Code	Size	Description	Side Length	Thickness	Ctn Qty	Barcode
VSQW3810	M10	WASHER GALVANISED SQUARE	38mm	3mm	200	 9 34 174 1 022410
VSQW5010	M10	WASHER GALVANISED SQUARE	50mm	5mm	200	 9 34 174 1 018369
VSQW5012	M12	WASHER GALVANISED SQUARE	50mm	5mm	200	 9 34 174 1 018352
VSQW5016	M16	WASHER GALVANISED SQUARE	50mm	5mm	200	 9 34 174 1 018376
VSQW5020	M20	WASHER GALVANISED SQUARE	50mm	5mm	200	 9 34 174 1 018383

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Heavy Duty U-Cup Bolt Down Post Supports



VUETRADE Heavy Duty U-Cup Bolt Down Post Supports are heavy duty anchors ideal for bolting timber posts to existing timber decking or concrete bases.

- Designed for deep timber placement
- 5.0mm steel for extra strength
- Galvanised finish for durability and long-life

Product Code	Size	Box Qty	Individual Barcode	Carton Barcode
VHDBPS75	75mm	10	 9 34 174 1 018390	 9 34 174 1 018406
VHDBPS90	90mm	10	 9 34 174 1 006243	 9 34 174 1 006731
VHDBPS100	100mm	10	 9 34 174 1 006229	 9 34 174 1 006717
VHDBPS115	115mm	10	 9 34 174 1 018413	 9 34 174 1 018420
VHDBPS125	125mm	10	 9 34 174 1 006236	 9 34 174 1 006724
VHDBPS140	140mm	10	 9 34 174 1 018437	 9 34 174 1 018444
VHDBPS150	150mm	10	 9 34 174 1 018451	 9 34 174 1 018468

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684





Product Guide

T-Blade Post Supports - Adjustable Leg



VUETRADE T-Blade Post Supports with Adjustable Legs are strong, conveniently adjustable connectors ideal for fixing timber posts, by bolting onto or setting into concrete.

- Inner threaded leg for adjusting height
- Screw sizes
 - 90100 & 115140 – M20
 - 150180 & 180200 M24
- Concealed welds between vertical and horizontal plates
- 10.0mm thick steel blade and base
- Easy install
- Galvanised finish for durability and long-life

Product Code	Size	Thread Size	Shaft Dia.	Qty	Barcode
VHDTRTB90100	80mm x 80mm - 250mm BLADE - 10.0mm WALL	M20	40mm	1	 9 34 174 1 018475
VHDTRTB115140	110mm x 110mm - 275mm BLADE - 10.0mm WALL	M24	48mm	1	 9 34 174 1 018482
VHDTRTB150180	140mm x 140mm - 300mm BLADE - 10.0mm WALL	M24	48mm	1	 9 34 174 1 018499
VHDTRTB180200	180mm x 180mm - 350mm BLADE - 10.0mm WALL	M30	60mm	1	 9 34 174 1 018505



Double T-Blade Post Supports



VUETRADE Double T-Blade Post Supports are strong support solutions ideal for fixing timber posts, by bolting onto concrete or cast into concrete.

Provides 75mm min clearance required by AS3660 for termite inspection.

- Concealed welds between vertical and horizontal plates
- Use M16 bolts on both blade and base
- 10.0mm thick steel blade and base
- Easy install
- Galvanised finish for durability and long-life

Product Code	Size	Qty	Barcode
VDTB150180	140mmX140mm - 150mm BLADE - 100mmLEG - 10.0mm WALL	1	 9 34 174 1 013838
VDTB180200	180mmX180mm - 200mm BLADE - 150mmLEG - 10.0mm WALL	1	 9 34 174 1 013845

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 **Fax** 1300 830 370 **Email** sales@bellevuegroup.com.au

Product Guide

Finned Blade Stirrups



VUETRADE Finned Blade Stirrup are used with direct installation into concrete while offering a concealed finish.

- Suitable for setting into concrete footings/slabs
- Suitable for use with M12 bolts
- 6.0, 8.0, or 10.0mm thick steel extra strength
- Made from Mild Steel
- Galvanised finish for durability and long-life

Product Code	Size	Qty	Individual Barcode	Carton Barcode
VFTB40050	400mm x 50mm - 6.0mm WALL	10	9 341741 007110	9 341741 007127
VFTB60065	600mm x 65mm - 8.0mm WALL	10	9 341741 007134	9 341741 007141
VFTB60075	600mm x 75mm - 10.0mm WALL	10	9 341741 007158	9 341741 007165

L-Stirrup Post Supports



VUETRADE L Stirrup Post Supports are strong connectors ideal for fixing timber joists and stair stringers, setting into concrete.

- Suitable for application where horizontal timbers, commonly used for sleepers or horizontal beams
- Suitable for use with M12 bolts
- Concealed welds between vertical and horizontal plates
- Stirrups available in 450mm
- Blades available in either 85mm or 140mm
- Easy install
- Galvanised finish for durability and long-life

Product Code	Size	Qty	Barcode	Barcode
VLSPS12585	125mm - L STIRRUP - 85mm BLADE	10	9 341741 021642	9 341741 021659
VLSPS300140	300mm - L STIRRUP - 140mm BLADE	10	9 341741 013739	9 341741 013746
VLSPS30085	300mm - L STIRRUP - 85mm BLADE	10	9 341741 013777	9 341741 013807
VLSPS450140	450mm - L STIRRUP - 140mm BLADE	10	9 341741 013753	9 341741 013760
VLSPS45085	450mm - L STIRRUP - 85mm BLADE	10	9 341741 013814	9 341741 013821
VLSPS7585	75mm - L STIRRUP - 85mm BLADE	10	9 341741 021628	9 341741 021635

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684




- VUETRADE has its own testing facility
- MTS-SAN Universal Tensile Testing Machine
- Provides reliable technical data
- Testing to ensure products are compliant

At VUETRADE, we have our own product testing facility, run by our in-house engineer. This facility speeds up product development and allows us to continually test our products to ensure we're delivering consistent quality.

All product tests are run according to the relevant Australian Standards, on our MTS-SAN Universal Tensile Testing Machine. This machine is calibrated

regularly according to NATA requirements, and allows us to confidently provide reliable technical data for all our customers through regular testing. New and updated VUETRADE products are tested by our technical team to make sure each product meets the required standards and is safe for public use.

- Testing ensures product quality
- Technical team monitors new and updated products
- Testing is run according the Australian Standards



Design

Product testing ensures that the engineered products have optimum strength & quality.



Technical

Our facility produces technical information for your use during installation & inspections.



Compliance

Our technical team tests our product compliance, and raises awareness about compliance issues.

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520

Fax 1300 830 370

Email sales@bellevuegroup.com.au

In-Store Merchandising

- One of VUETRADE's main points of difference
- Convenient carton design for shelf fit and aesthetics
- Planograms to make your job easier
- Innovative & advantageous product offering

Along with our innovation and product quality, VUETRADE's in-store merchandising offering has always been a main point of difference – many of our current stockists cite our merchandising as a tipping point in the decision-making around stocking the VUETRADE range. Our merchandising offer comprises effective and aesthetic carton design, pre-planned on-shelf organization, and the unique and complete product offering included.

VUETRADE's cartons have been carefully designed to ship, stock and display well. The consistent carton size is not just convenient for a neat shelf; the widths were specifically designed to suit both common shelf sizes, 900mm and 1200mm. 900mm shelf = 5 ctns; 1200mm shelf = 7 ctns.

A lot of effort has also gone into our display cartons, getting the optimal balance of perforation between easy-tear and strong enough to ship intact. VUETRADE cartons will also look good in your store, with a locally made, high-gloss coloured finish to brighten up the aisles.




Another key point in VUETRADE's in-store solution is the merchandising planograms designed and put in place by our helpful sales team. The on-shelf organization in these planograms provides the neatest and most convenient product arrangement for your display size, while encouraging easy access for builders to buy cartons and increase store revenue.

Aside from all of these on-shelf advantages, stocking our product simply makes sense! VUETRADE has a complete range of Timber Connector products, adaptable to your specific needs and customers, which includes some of the most innovative products in the industry: our Value Add range. Our merchandising offer incorporates these products, which allow you to increase your profit margin simply by stocking VUETRADE. Interested in a neat on-shelf solution, an easier in-store display, and the personal service that comes with stocking VUETRADE Timber Connectors? Enquire today at 1800 850 520, or email sales@bellevuegroup.com.au.



Carton Design

Our cartons are consistently and effectively sized, as well as being high-gloss for an aesthetic on-shelf look.



Planograms

Our small, medium and large plans enable every store size to easily implement neat, convenient on-shelf organization.



Product Range

VUETRADE's product offering is a complete solution to your needs – and easily the most innovative range available!

All products are tested following procedures highlighted in AS 1720. VUETRADE products are compliant to AS 1684

Phone 1300 850 520 **Fax** 1300 830 370 **Email** sales@bellevuegroup.com.au



Product Guide

Disclaimer

All instructions detailed in Technical Data reports must be followed carefully. Modification of a VUETRADE Timber Connector or installation other than by the suggested instructions runs the risk of a non-compliant installation.

Ensure the fasteners specified in the relevant Technical Data for each VUETRADE Timber Connector are installed in accordance to any requirements set out in the Technical Data. This includes but is not limited to fastener sizes, numbers of fasteners, and corrosion protection requirements. Incorrect fixings or product placement, including misinterpretation of Timber Species with recommended joint groups, may result in failed and/or non-compliant connections.

Before installing a product, refer to the Technical Data detailed on the website www.vuetrade.com. Under no circumstances are powered or pneumatic driven tools to be used for fixing VUETRADE Timber Connector products, neither are screws deemed an alternative unless detailed clearly in the Technical Data.

Any of the above detailed changes will affect the final install's Load Capacity, which is set out in the VUETRADE product documentation. In cases where fasteners have been substituted for similar products, VUETRADE Timber Connectors are at risk of having weakened characteristic capacities and non-compliant connection/s, which may affect the overall product integrity.

Ensure that VUETRADE products are fully fastened with VUETRADE recommended fasteners before loading the given connection/s. VUETRADE will not guarantee or stand by details set out in the Technical Data should products be modified, incorrectly installed or any of the above requirements not met as made clear in the Technical Data. VUETRADE will not be held responsible for product failure in these circumstances.



 **VUETRADE**

P 1300 850 520
F 1300 830 370
E sales@bellevuegroup.com.au